Radar Rainfall Analysis December 2020 Summary Report



Improving our region's water quality

Prepared for 3 Rivers Wet Weather

January 29, 2021



301 David L. Boren Blvd., Suite 3050 Norman, Oklahoma 73072 www.vieuxinc.com

TABLE OF CONTENTS

Glossary	3
Overview	4
Methodology	6
Metadata	8
Gauge-Adjusted Radar Rainfall (GARR)	9
Events	12
Event 1: 2020-12-16	12
Event 2: 2020-12-20	16
Event 3: 2020-12-24	19
Event 4: 2020-12-31	
Appendices	43
Appendix A - Gauge Performance Exclusion Table	45
Appendix B - Gauge Statistical Criteria Exclusion Table	
Appendix C - Event 1 (2020-12-16) CDPs	59
Appendix D - Event 2 (2020-12-20) CDPs	79
Appendix E - Event 3 (2020-12-24) CDPs	
Appendix F - Event 4 (2020-12-31) CDPs	119

Glossary

- Average Difference (AD) Average of the absolute percentage differences between the rain gauge data and uncalibrated radar data sampled over the gauges.
- **Bias Correction Factor** Bias is a systematic error that can be corrected through calibration. The correction factor is the sum of the gauges divided by the sum of the sampled radar values over the gauges.
- **Calibrated Average Difference (CAD)** Average of the absolute percentage differences between the rain gauges and local bias calibrated radar data sampled over the gauges.
- **Cumulative Distribution Plot (CDP)** A graph depicting the accumulation of a rain gauge and the unadjusted/adjusted radar over that gauge.
- **Decibels of Reflectance (dBZ)** The logarithmic scale for measuring radar reflectivity factor or a measure of reflectivity of a radar signal off a remote object.
- Gauge Adjusted Radar Rainfall (GARR) Bias corrected radar rainfall through comparison with rain gauges.
- **KCCX** Federal Communications Commission (FCC) call sign for the NEXRAD near State College, PA.
- **KPBZ** Federal Communications Commission (FCC) call sign for the NEXRAD near Pittsburgh, PA.
- **Level II** The Level II radar products are the highest resolution, and consist of the base data that includes reflectivity measured in decibels of reflectance (dBZ) among Doppler velocity and spectrum width.
- Level III The Level III radar products are derivative products from Level II, and consist of horizontal and vertical reflectivity among other products.
- **Local Bias (LB)** An approach to adjusting radar rainfall that uses the ratio of gauge to radar accumulations from surrounding gauges, with the closest gauge having the most weight.
- Minimum Storm Total Threshold (MSTT) A check used to remove radar/gauge pairs whose cumulative radar and/or gauge values for a given event period were below 0.05 inches.
- **Next Generation RADAR (NEXRAD)** A network of S-band (10.5-cm wavelength) radars operated by the National Weather Service.
- <u>Radio</u> <u>Detection and Ranging</u> (RADAR) An electronic instrument used for the detection and ranging of distant objects of such composition that they scatter or reflect radio energy.
- **Radar-Gauge** (**RG**) A pair of rainfall accumulations measured by the rain gauge and the radar rainfall accumulation sampled above the gauge.
- **Z-R relationship** An empirical relationship between radar reflectivity factor $Z (\text{mm}^6 \text{ m}^{-3})$ and rain rate $R (\text{mm} \text{ hr}^{-1})$. Radar reflectivity factor is dependent on the rain drop size distribution. [Z = aR^b, where a and b are empirically derived constants]
 - **Convective** generally used for convective (i.e. thunderstorms) rainfall $[Z = 300R^{1.4}]$
 - Eastern U.S. Cool Stratiform generally used for cool season, non-convective rainfall that occurs east of the Continental Divide $[Z = 130R^{2.0}]$

Overview

Vieux & Associates, Inc. (Vieux) processes radar and rain gauge data for 3 Rivers Wet Weather (3RWW). During each month, radar and rain gauge data are segmented into qualified storm event periods and then Quality Controlled (QC). To produce QC gauge-adjusted radar rainfall (GARR), both radar and rain gauge data are reviewed manually to remove inconsistent data. While only qualified rainfall events are included in this report, the RainVieux online database contains continuous data where QC rain gauge and radar data are available during the inter-event periods. QC is performed to remove anomalous radar data and inconsistent rain gauges during both the qualified and inter-event periods.

Radar data used in production of GARR is produced by the National Weather Service (NWS) <u>Next</u> Generation <u>Radar</u> (NEXRAD) system. NEXRAD Level II radar data are often referred to as Base Data and contain the full spatial/temporal/data resolution data from the radar. Level II radar data measures reflectivity in decibels of reflectance (dBZ), and at a spatial resolution of 0.5-degree by 0.25-km every 4 - 10 minutes with a data resolution of 0.5 dBZ amounting to 256 data levels of data. Level III reflectivity radar data have the same data and temporal resolution, but a reduced spatial resolution of 1-degree by 1-km.

The primary radar data source used to process this period was Level II NEXRAD data from KPBZ located near Pittsburgh, PA. The succession of data used gives priority to Level II followed by Level III products. If KPBZ Level II NEXRAD data are unavailable, then KPBZ Level III Q1 is substituted. If no radar data are available from KPBZ, then Level III Q0 NEXRAD data from KCCX (State College, PA) are used. In the event that all radar sources are unavailable or if the radar provides insufficient rainfall information, then a gauge-only product that spatially distributes point rainfall estimates is used. All radar data were processed into five-minute increments.

Because the radar measures reflectivity in polar coordinates centered on the radar installation, the 1-degree azimuth increases in width as range increases from the radar. Range resolution of the Level II radar data is 1-km and is measured out to 230 km from the radar. Due to the proximity of KPBZ to the study area, the polar coordinates defining horizontal resolution over Allegheny County range from 0.1 - 0.9 km, whereas KCCX ranges from 2.5 - 3.6 km. The radar data represented in these polar coordinates are sampled through spatial averaging into a Cartesian grid of uniform resolution, i.e. 1x1 km. An advantage of the Cartesian grid is that one radar can be substituted for the other without changing the grid resolution, as would be necessary if polar coordinates were used for output of rainfall information at 1x1 km spatial resolution. The Cartesian grid used was defined by a 1-km² grid domain shapefile containing 2313 1-km² pixels covering the study area. CDM Smith provided two basin shapefiles consisting of 440 RFM basins and 871 RFM sheds that are located within the 1-km² pixel domain.

Rain gauge data from as many as 37 gauges were used to adjust the radar. 3RWW provided rain data in 5-minute increments for 33 stations. In addition, rain gauge data were obtained from two United States Geological Survey (USGS) stations and two NWS Automated Surface Observing System (ASOS) stations. Figure 1 depicts the spatial distribution of the rain gauge network, KPBZ NEXRAD, RFM basins and 1-km² pixels. For the gauges shown in Figure 1, the ID, name and source of each gauge is listed in Table 1. Radar data review, preparation and sampling the radar over the gauges and 1-km² pixels were achieved using software developed at Vieux.




Figure 1. Spatial Distribution of the Rain Gauge Network, KPBZ NEXRAD, RFM Basins and 1-km² Pixels

Gauge ID	Gauge Name	Source
Loc01	PWSA-Montana St.	3RWW
Loc02	ALCOSAN WWTP Lab	3RWW
Loc03	Shaler Munic Bldg	3RWW
Loc04	Kennedy Twp PS	3RWW
Loc05	Upper St. Clair	3RWW
Loc06	Carnegie Transit Time	3RWW
Loc07	Greentree Munic Bldg	3RWW
Loc08	AC Health Dept Bldg	3RWW
Loc09	Univ of Pittsburgh	3RWW
Loc10	PWSA-Highland Park	3RWW
Loc11	M-46 Access Shaft	3RWW
Loc12	Baldwin	3RWW
Loc13	M-59 Access Shaft	3RWW

Table 1.	Rain	Cande	ID	Name	and	Source
Table 1.	каш	Gauge	ID,	Name	anu	Source

Gauge ID	Gauge Name	Source
Loc14	Churchill Munic Bldg	3RWW
Loc15	Trafford Maint Bldg	3RWW
Loc16	Castle Shannon	3RWW
Loc17	Chartiers Pump Station	3RWW
Loc18	Oakdale Pump Station	3RWW
Loc19	Sandy Creek Eq Facility	3RWW
Loc20	Gascola Eq Facility	3RWW
Loc21	Moon TWP	3RWW
Loc22	North Fayette TWP	3RWW
Loc23	Clinton Munic Bldg	3RWW
Loc24	Jefferson Hills	3RWW
Loc25	White Oak Public Works Bldg	3RWW
Loc26	Elizabeth TWP Municipal Bldg	3RWW
Loc27	Marshall TWP	3RWW
Loc28	Plum Municipal Bldg	3RWW
Loc29	Bell Acres Munic Bldg	3RWW
Loc30	McCandless Twn Hall	3RWW
Loc31	Hampton Municipal Bldg	3RWW
Loc32	Arnold	3RWW
Loc33	Richland TWP	3RWW
KAGC	Pittsburgh Allegheny Cty	NWS - ASOS
KPIT	Greater Pittsburgh Int'l	NWS - ASOS
03049500	Allegheny River at Natrona	USGS
03085734	Ohio River at Emsworth Dam Lower Pool at Emsworth	USGS

The 37 rain gauges and the two NWS NEXRAD radars are used to produce gauge-adjusted radar rainfall (GARR). The methodology used in production of the GARR and the dataset metadata are described in the following sections.

Methodology

Radar and rain gauge data are segmented into qualified storm event periods and then Quality Controlled (QC). Qualified rainfall events are defined based on the storm event definition where, for any given hour, at least 50% of all working 3RWW gauges have an accumulation of 0.05 inches. Only qualified rainfall events are included in the report, while the RainVieux online database contains continuous data. Both the qualified and inter-event periods receive QC to remove anomalous radar data and inconsistent rain gauges.

Statistical control of the data makes radar rainfall measurements more accurate. By statistical comparison between the radar and rain gauge accumulations during a GARR period, certain gauges may be identified as statistical outliers and excluded for all or part of an event. Radar data

is enhanced by correcting it for systematic errors called bias, which helps improve the accuracy of the rainfall product. The bias correction factors are multiplicative factors applied to the radar that enhances the accuracy of the radar rainfall for any accumulation period. By adjusting the radar data with rain gauge data, better maps of rainfall are produced than either sensor system could produce alone.

In the production of GARR, radar rainfall is bias corrected through comparison with rain gauge accumulations. To the extent possible, individual gauges are combined to cover the target area for use in bias adjustment. The method of adjustment depends on the hydrologic application and the spatial extent of the area of interest. The local bias (LB) approach to adjusting the radar rainfall uses the ratio of gauge to radar accumulations from surrounding gauges with the closest gauge having the most weight. The LB approach distributes the variation of bias over the region, and is computed and applied within each event period.

The LB uses the ratio between the sum of each gauge divided by the sum of the sampled radar values over each gauge. Gauge and radar accumulations were computed for each event period. A minimum storm total threshold (MSTT) check was used to remove radar/gauge (RG) pairs whose R or G cumulative values for a given event period were below a chosen threshold (i.e. 0.05 inches for this study). The remaining RG pairs were then checked for statistical outliers. Those RG pairs with individual bias (G/R) or average difference ((G-R)/G)) values greater than three standard deviations from the mean were then excluded from being used to adjust the radar.

After RG pairs have been removed on an event basis by either the MSTT, outlier check or gauge performance review, there must be at least two remaining RG pairs to proceed with gauge-adjustment of the radar. The individual biases of the remaining RG pairs are then distributed spatially over the analysis area using the LB weighted distance method. The resulting LB value over each radar bin is the multiplicative factor that adjusts the radar. For example, a bias of 1.5 can be interpreted as a 33% underestimation by the radar. The statistical measures reported are 1) average difference (AD) and 2) calibrated average difference (CAD). Both of these statistical measures are expressed as an absolute percentage about the mean of G/R accumulations for each event period. GARR is then spatially aggregated from the final adjusted radar bins to the basins and 1-km² pixels using an area-averaged technique.

After bias correction, though generally small, differences between rain gauge and radar rainfall accumulations still exist due to sampling differences or local meteorological conditions among other reasons. A major reason for departures is that radar collects data by averaging reflectivity over a 1-degree by 1-km sample volume, while rain gauges measure at a point. Another source of difference is that radar measures above the ground, while rain gauges measure close to the ground. Further, updrafts and downdrafts during storms can decrease or increase rain rates, respectively. However, radar cannot detect local wind effects, while rain gauges can be affected. Differences between the radar data and the rain gauge data are also affected by precipitation processes associated with the type of storm, which also are affected by the season of the year.

Metadata

Data accompanying this document provides a continuous rainfall record of all 2313 1-km pixels, 440 RFM basins and 871 RFM sheds in 15-minute intervals. The data are provided in CSV format for the period from 2020-11-30 17:00 EST to 2021-01-01 00:00 EST. Shapefiles of the 1-km pixels, RFM basins and RFM sheds are located in the Shapefiles subfolder.

1-km² Pixel CSV metadata:

- > Individual CSV files are provided for each pixel.
- The pixel filenames use a "Ryymm_" (i.e. R, year, month) prefix in front of the pixel ID.
- The comma-delimited text files contain a header row in the 1st row and time/data values beginning on the 2nd row.
- The time/data columns consist of Month, Day, Year, Hour, Minute, Rainfall and Source, where R represents EOM GARR quality.
- ➢ Time stamps are in EST/EDT.
- > Data values represent 15-min accumulation (inches) at end of interval.
- > The 1-km Pixel ID field that was used from the shapefile DBF is "PIXEL".

Basin CSV metadata:

- > Individual CSV files are provided for each RFM Basin and RFM Shed.
- The RFM Basin filenames use a "P-" prefix and a "yyyymmG" (i.e. year, month, G) suffix in front and after the RFM Basin ID.
- The RFM Shed filenames use a "P-" prefix and a "yyyymmN" (i.e. year, month, N) suffix in front and after the RFM Shed ID.
- The comma-delimited text files contain a header row in the 1st row and time/data values beginning on the 2nd row.
- The 1st column contains the date (yyyy/mm/dd hh:mm) and the 2nd column contains the corresponding rainfall value.
- ➢ Time stamps are in EST/EDT.
- Data values represent 15-min accumulation (inches) at end of interval.
- The RFM Basin ID field that was used from the shapefile DBF is "DS_METERNA".
- > The RFM Shed ID field that was used from the shapefile DBF is "DELINID".

Shapefile metadata:

▶ NAD 1983, State Plane Pennsylvania South (feet).

Gauge-Adjusted Radar Rainfall (GARR)

Rainfall totals for December 2020 are shown in Figure 2. The rainfall amounts for the 2313 1-km² pixels range from 2.3 to 3.9 inches with a mean of 3.0 inches. The rainfall amounts for the 440 RFM basins range from 2.6 to 3.9 inches with a mean of 3.1 inches. The rainfall amounts for the 871 RFM sheds range from 2.6 to 3.9 inches with a mean of 3.1 inches.




Figure 2. GARR Storm Total for December 2020

GARR was processed continuously at five-minute increments and covers the period from 2020-11-30 17:00 EST to 2021-01-01 00:00 EST. Four rainfall events were identified as having met the storm definition during December 2020. The GARR statistics for each event are listed in Table 2. Two of the events were split into multiple sub-event periods to improve gauge-adjustment of the radar, resulting in a total of thirteen event and sub-event periods. The events that were split into multiple periods are shown in the **Event#** column with the letter "a", "b", "c", etc. appended to the event number (e.g., E1a, E1b, E1c). The **Source** column shows what rainfall source was used to produce GARR for each event or sub-event period. The listed **Event Date** shown in Table 2 corresponds to the day or portion of the day when most of the rainfall occurred for that GARR event period. All four rainfall events are discussed in more detail in the following Events section.

The **Bias** value shown in Table 2 is the sum of the gauges divided by the sum of the sampled radar values over the gauges. Those rain events with the lowest CAD values shown in Table 2 represent the best agreement between GARR and gauge values for all radar/gauge pairs used to adjust the radar. On average, lower values of CAD imply higher statistical confidence in the reliability of the

dataset. Typically, stratiform rainfall events (i.e., low spatial variability) have lower CAD values than convective rainfall events (i.e., high spatial variability). Based on all thirteen event and subevent periods, the event CAD averaged 1.5%, indicating that the mean GARR agrees with the mean gauge accumulation to within $\pm 0.8\%$.

Event #	Source	Event Date	Start Time (EST)	End Time (EST)	Gauges Used (37)	Avg. Depth (in)	Bias	AD (%)	CAD (%)
<u>E1</u>	KPBZ LII	2020-12-16	2020-12-16 07:05	2020-12-17 06:00	18	0.730	0.952	8.9	0.7
<u>E2</u>	KPBZ LII	2020-12-20	2020-12-19 20:05	2020-12-20 10:00	27	0.259	0.975	45.0	1.7
<u>E3a</u>	KPBZ LII	2020-12-24	2020-12-23 19:05	2020-12-24 08:45	30	0.190	0.839	21.3	1.3
<u>E3b</u>	KPBZ LII	2020-12-24	2020-12-24 08:50	2020-12-24 11:00	9	0.056	0.657	48.0	0.5
<u>E3c</u>	KPBZ LII	2020-12-24	2020-12-24 11:05	2020-12-24 13:00	29	0.097	0.974	15.9	2.5
<u>E3d</u>	KPBZ LII	2020-12-24	2020-12-24 13:05	2020-12-24 14:30	33	0.087	0.940	16.0	2.5
<u>E3e</u>	KPBZ LII	2020-12-24	2020-12-24 14:35	2020-12-24 16:00	31	0.100	0.966	15.6	2.1
<u>E3f</u>	KPBZ LII	2020-12-24	2020-12-24 16:05	2020-12-24 17:30	34	0.086	1.116	18.7	2.0
<u>E3g</u>	KPBZ LII	2020-12-24	2020-12-24 17:35	2020-12-25 00:00	12	0.333	1.005	4.5	0.6
<u>E3h</u>	KPBZ LII	2020-12-24	2020-12-25 00:05	2020-12-25 11:00	2	0.075	0.662	49.8	0.0
<u>E4a</u>	KPBZ LII	2020-12-31	2020-12-30 14:05	2020-12-30 22:15	23	0.053	0.457	123.8	2.1
<u>E4b</u>	KPBZ LII	2020-12-31	2020-12-30 22:20	2020-12-31 03:00	29	0.130	1.161	24.4	1.8
<u>E4c</u>	KPBZ LII	2020-12-31	2020-12-31 03:05	2020-12-31 09:00	26	0.160	1.146	31.0	1.8

Table 2. Storm Events and GARR Statistics

Statistical review of the data can provide an indication of data quality. Depending on the quality of the radar and gauge data, CAD values for individual events less than 10% are considered excellent, 10 - 20% are considered good, and 20 - 30% are considered fair. However, CAD may not serve as a reliable indicator of data quality when abrupt changes in bias occur within the analysis period, particularly when compensating over- and under-estimation results due to using an assumed Z-R relationship throughout the period while atmospheric conditions merit different Z-R coefficients. The effects from abrupt changes in Z-R are mitigated by splitting the event

periods.

Rain gauges were analyzed to identify those that were not consistent with the radar or surrounding gauges. Cumulative Distribution Plots (CDPs) at each gauge location showing gauge, unadjusted radar and GARR values were produced for each rainfall event and are presented in Appendices C - F. CDPs are useful for visualizing rain gauge performance. Figure 3 shows the rainfall accumulation at the Trafford Maint Bldg (Loc15) gauge during the 2020-12-31 event as measured by the gauge (green), unadjusted radar (blue), and gauge-adjusted radar (red). Rain gauges that are not performing consistently with the radar or surrounding gauges have characteristics such as clogs, synchronization or other mechanical/transmission malfunctions that can be visually identified in the CDP graph.




Figure 3. CDP Showing Rain Gauge Versus Unadjusted Radar Versus GARR

Reasons for not using gauges in rainfall analysis include clogs, significant under- or over-reporting of rainfall, gauges that stop reporting during rainfall, or a combination of these reasons. A list of possible reasons for not using a gauge based on CDP analysis is shown in Table 3. Those gauges that were excluded from analysis based on gauge performance are shown in <u>Appendix A</u>. Additional gauges were not used to adjust the radar for a given event or sub-event period if they did not meet the statistical criteria outlined in the Methodology section. A list of reasons for not using a gauge based on statistical criteria is shown in Table 4. The gauges listed in <u>Appendix B</u> did not meet statistical criteria for gauge-adjustment of the radar and were not used to adjust the radar.

Reason	Explanation
Clog (C)	Gauge appeared to be clogged
Zero (Z)	Gauge did not report any rainfall while radar rainfall estimates reported significant rainfall
Stop (S)	Gauge appeared to stop reporting rainfall while radar rainfall estimates reported significant rainfall
Over (O)	Gauge appeared to significantly over-report rainfall as compared to radar rainfall estimates and surrounding gauges (e.g. anomalously high rainfall values caused by field calibration, data transmission error, or switch malfunctions)
Under (U)	Gauge appeared to significantly under-report as compared to radar rainfall estimates and surrounding Gauges (e.g. half-tipper)
Sync (SY)	Gauge appeared to be reporting out-of-sync with the radar rainfall estimates
Frozen/Melt (F/M)	Gauge not reporting properly due to frozen or melting precipitation
Other (T)	Combination of multiple reasons
No Data (ND)	Gauge reported "no data" for a significant amount of time

 Table 3. Reasons for Gauge Exclusion Based on Performance

Table 4. Reasons for Gauge Exclusion Based on Statistical Criteria

Reason	Explanation
Minimum Storm Total Threshold (MSTT)	The radar or gauge cumulative sum during the event or sub-event period was less than MSTT
Outlier Based on Mean Field Bias (OMFB)	The RG pair bias (G/R) was greater than three standard deviations from the mean bias (e.g. G>>R)
Outlier Based on Average Difference (OAD)	The RG pair average difference $((G-R)/G)$ was greater than three standard deviations from the mean average difference (e.g. G< <r)< td=""></r)<>

A synopsis for each event is described below in terms of the specific processing protocol applied to each event period as well as specific GARR information.

Events

Event 1: 2020-12-16

The analysis period was from 2020-12-16 07:00 EST to 2020-12-17 06:00 EST.

The gauges listed in <u>Appendix A</u> were not used to adjust the radar due to inconsistencies between the gauge and the radar or surrounding gauges, or they did not have data available for this event. The gauges listed in <u>Appendix B</u> were not used to adjust the radar since they did not meet statistical criteria for gauge-adjustment.

The Eastern U.S. cool season stratiform Z-R relationship was used to convert radar reflectivity to rainfall rates. Table 5 shows the mean bias and average depth of the event along with the AD and CAD, respectively. Table 6 summarizes the results for each RG pair used for final radar adjustment, where G_i is the gauge estimate, R_i is the non-adjusted radar estimate, R_i^* is the GARR estimate, Diff* (in) is the difference in inches between the gauge and GARR estimate, and Diff* (%) is the percent difference between the gauge and GARR estimate. Those gauges not used to adjust the radar are shown at the bottom of the table and are highlighted in red. The specific reason for gauge exclusion is displayed in the Flag column. Figure 4 shows the scatter plot of the RG pairs. Those gauges not used to adjust the radar are shown in red. Figure 5 depicts the GARR storm total over the 1-km² pixels. The GARR amounts for the 2313 1-km² pixels range from 0.5 - 0.9 inches with a mean of 0.8 inches. The GARR amounts for the 871 RFM sheds range from 0.6 - 0.9 inches with a mean of 0.8 inches. Table 7 shows the Depth Duration Frequency (DDF) maximum values for the 1-km² pixels.

E	Event #	Radar	Event Date	Start Time (EST)	End Time (EST)	Gauges Used (37)	Avg. Depth (in)	Bias	AD (%)	CAD (%)
	E1	KPBZ LII	2020-12-16	2020-12-16 07:05	2020-12-17 06:00	18	0.730	0.952	8.9	0.7

Gauge ID	Name	Gi (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc12	Baldwin	0.68	0.82	0.71	-0.03	-4.4	
Loc22	North Fayette TWP	0.63	0.69	0.64	-0.01	-1.6	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.57	0.69	0.57	0.00	0.0	
Loc03	Shaler Munic Bldg	0.86	0.78	0.86	0.00	0.0	
<u>Loc04</u>	Kennedy Twp PS	0.68	0.81	0.68	0.00	0.0	
<u>Loc07</u>	Greentree Munic Bldg	0.66	0.81	0.66	0.00	0.0	
<u>Loc08</u>	AC Health Dept Bldg	0.84	0.83	0.84	0.00	0.0	
Loc11	M-46 Access Shaft	0.80	0.85	0.80	0.00	0.0	
Loc15	Trafford Maint Bldg	0.72	0.79	0.72	0.00	0.0	
Loc16	Castle Shannon	0.67	0.79	0.67	0.00	0.0	
<u>Loc17</u>	Chartiers Pump Station	0.77	0.77	0.77	0.00	0.0	
Loc19	Sandy Creek Eq Facility	0.82	0.82	0.82	0.00	0.0	
<u>Loc26</u>	Elizabeth TWP Municipal Bldg	0.82	0.81	0.82	0.00	0.0	
Loc28	Plum Municipal Bldg	0.81	0.80	0.81	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.65	0.69	0.65	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.84	0.77	0.84	0.00	0.0	

 Table 6. Summary of Individual RG Pairs for Event 1

Gauge ID	Name	Gi (in)	R _i (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
Loc18	Oakdale Pump Station	0.79	0.76	0.77	0.02	2.5	
KAGC	Pittsburgh Allegheny Cty	0.78	0.76	0.75	0.03	3.8	
<u>03049500</u>	Allegheny River at Natrona	0.00					F/M
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.00					F/M
<u>Loc01</u>	PWSA-Montana St.	0.44					F/M
Loc02	ALCOSAN WWTP Lab	0.53					F/M
<u>Loc05</u>	Upper St. Clair	0.71					F/M
<u>Loc06</u>	Carnegie Transit Time	0.59					F/M
<u>Loc09</u>	Univ of Pittsburgh	0.52					F/M
<u>Loc10</u>	PWSA-Highland Park	0.70					F/M
Loc13	M-59 Access Shaft	0.40					F/M
Loc14	Churchill Munic Bldg	0.52					F/M
<u>Loc20</u>	Gascola Eq Facility	1.54					F/M
<u>Loc21</u>	Moon TWP	0.42					F/M
Loc23	Clinton Munic Bldg	0.11					F/M
<u>Loc24</u>	Jefferson Hills	0.62					F/M
Loc25	White Oak Public Works Bldg	0.68					F/M
Loc27	Marshall TWP	0.31					F/M
Loc30	McCandless Twn Hall	0.35					F/M
Loc32	Arnold	0.55					F/M
Loc33	Richland TWP	0.49					F/M




Figure 4. Scatter Plot of RG Pairs for Event 1




Figure 5. GARR Storm Total for Event 1

Duration	Depth (in)	Pixel Time (EST)		Frequency
15 minutes	0.059	171118	2020-12-16 22:40	<1 yr.
30 minutes	0.096	164155	2020-12-16 22:35	<1 yr.
1 hour	0.139	149138	2020-12-16 18:20	<1 yr.
2 hour	0.231	172118	2020-12-16 22:55	<1 yr.
3 hour	0.293	149138	2020-12-16 20:10	<1 yr.
6 hour	0.431	154142	2020-12-16 22:35	<1 yr.
12 hour	0.718	157149	2020-12-16 21:45	<1 yr.

Table 7. Depth Duration Frequency Analyses for Event 1

Event 2: 2020-12-20

The analysis period was from 2020-12-19 20:00 EST to 2020-12-20 10:00 EST.

The gauges listed in <u>Appendix A</u> were not used to adjust the radar due to inconsistencies between the gauge and the radar or surrounding gauges, or they did not have data available for this event. The gauges listed in <u>Appendix B</u> were not used to adjust the radar since they did not meet statistical criteria for gauge-adjustment.

The Eastern U.S. cool season stratiform Z-R relationship was used to convert radar reflectivity to rainfall rates. Table 8 shows the mean bias and average depth of the event along with the AD and CAD, respectively. Table 9 summarizes the results for each RG pair used for final radar adjustment, where G_i is the gauge estimate, R_i is the non-adjusted radar estimate, R_i^* is the GARR estimate, Diff* (in) is the difference in inches between the gauge and GARR estimate, and Diff* (%) is the percent difference between the gauge and GARR estimate. Those gauges not used to adjust the radar are shown at the bottom of the table and are highlighted in red. The specific reason for gauge exclusion is displayed in the Flag column. Figure 6 shows the scatter plot of the RG pairs. Those gauges not used to adjust the radar are shown in red. Figure 7 depicts the GARR storm total over the 1-km² pixels. The GARR amounts for the 2313 1-km² pixels range from 0.0 - 0.5 inches with a mean of 0.3 inches. The GARR amounts for the 871 RFM sheds range from 0.1 - 0.5 inches with a mean of 0.3 inches. Table 10 shows the Depth Duration Frequency (DDF) maximum values for the 1-km² pixels.

Table 8. GARR Statistics for Event 2

Event #	Radar	Event Date	Start Time (EST)	End Time (EST)	Gauges Used (37)	Avg. Depth (in)		AD (%)	CAD (%)
E2	KPBZ LII	2020-12-20	2020-12-19 20:05	2020-12-20 10:00	27	0.259	0.975	45.0	1.7

· · · · · · · · · · · · · · · · · · ·	Table 9. Summary of mulvius	1	ii	1	1	1	-
Gauge ID	Name	Gi (in)	R i (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
Loc30	McCandless Twn Hall	0.22	0.45	0.23	-0.01	-4.5	
Loc11	M-46 Access Shaft	0.26	0.17	0.27	-0.01	-3.8	
Loc22	North Fayette TWP	0.27	0.45	0.28	-0.01	-3.7	
<u>Loc10</u>	PWSA-Highland Park	0.29	0.22	0.30	-0.01	-3.4	
Loc17	Chartiers Pump Station	0.31	0.26	0.32	-0.01	-3.2	
Loc09	Univ of Pittsburgh	0.32	0.23	0.33	-0.01	-3.1	
Loc03	Shaler Munic Bldg	0.34	0.31	0.35	-0.01	-2.9	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.22	0.14	0.22	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.27	0.52	0.27	0.00	0.0	
Loc04	Kennedy Twp PS	0.33	0.51	0.33	0.00	0.0	
Loc07	Greentree Munic Bldg	0.31	0.29	0.31	0.00	0.0	
Loc14	Churchill Munic Bldg	0.26	0.15	0.26	0.00	0.0	
Loc16	Castle Shannon	0.28	0.19	0.28	0.00	0.0	
Loc21	Moon TWP	0.33	0.58	0.33	0.00	0.0	
Loc23	Clinton Munic Bldg	0.29	0.53	0.29	0.00	0.0	
Loc24	Jefferson Hills	0.21	0.11	0.21	0.00	0.0	
Loc27	Marshall TWP	0.21	0.37	0.21	0.00	0.0	Ī
Loc28	Plum Municipal Bldg	0.28	0.10	0.28	0.00	0.0	
<u>Loc29</u>	Bell Acres Munic Bldg	0.35	0.55	0.35	0.00	0.0	
Loc32	Arnold	0.29	0.13	0.29	0.00	0.0	
Loc33	Richland TWP	0.28	0.23	0.28	0.00	0.0	
Loc08	AC Health Dept Bldg	0.37	0.25	0.36	0.01	2.7	
Loc31	Hampton Municipal Bldg	0.37	0.30	0.36	0.01	2.7	
Loc18	Oakdale Pump Station	0.32	0.41	0.31	0.01	3.1	
Loc05	Upper St. Clair	0.29	0.21	0.28	0.01	3.4	
Loc12	Baldwin	0.29	0.18	0.28	0.01	3.4	
Loc13	M-59 Access Shaft	0.23	0.12	0.22	0.01	4.3	
03049500	Allegheny River at Natrona	0.06					F/M
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.39					F/M
Loc01	PWSA-Montana St.	0.14					F/M
Loc02	ALCOSAN WWTP Lab	0.27					F/M
Loc06	Carnegie Transit Time	0.45					F/M
Loc15	Trafford Maint Bldg	0.15					MSTT
Loc19	Sandy Creek Eq Facility	0.00					ND
Loc20	Gascola Eq Facility	0.42					F/M
	-						

Table 9. Summary of Individual RG Pairs for Event 2

Gauge ID	Name	Gi (in)	Ri (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
Loc25	White Oak Public Works Bldg	0.15					MSTT
Loc26	Elizabeth TWP Municipal Bldg	0.15					MSTT




Figure 6. Scatter Plot of RG Pairs for Event 2




Figure 7. GARR Storm Total for Event 2

	Table 10. Deptil Duration Frequency Maryses for Event 2										
Duration	Depth (in)	Pixel	Time (EST)	Frequency							
15 minutes	0.072	134141	2020-12-20 05:40	<1 yr.							
30 minutes	0.136	135136	2020-12-20 05:50	<1 yr.							
1 hour	0.233	135136	2020-12-20 06:05	<1 yr.							
2 hour	0.373	135136	2020-12-20 06:10	<1 yr.							
3 hour	0.461	135136	2020-12-20 06:55	<1 yr.							
6 hour	0.599	135136	2020-12-20 07:20	<1 yr.							
12 hour	0.599	135136	2020-12-20 08:00	<1 yr.							

 Table 10. Depth Duration Frequency Analyses for Event 2

Event 3: 2020-12-24

The analysis period was from 2020-12-23 19:00 EST to 2020-12-25 11:00 EST. The event was then split into eight sub-event periods at 2020-12-24 08:45 EST, 2020-12-24 11:00 EST, 2020-12-24 13:00 EST, 2020-12-24 14:30 EST, 2020-12-24 16:00 EST, 2020-12-24 17:30 EST and 2020-12-25 00:00 EST to improve gauge adjustment of the radar.

The gauges listed in <u>Appendix A</u> were not used to adjust the radar due to inconsistencies between the gauge and the radar or surrounding gauges, or they did not have data available for this event.

The gauges listed in <u>Appendix B</u> were not used to adjust the radar since they did not meet statistical criteria for gauge-adjustment.

The Eastern U.S. cool season stratiform Z-R relationship was used to convert radar reflectivity to rainfall rates. Table 11 shows the mean bias and average depth of the event along with the AD and CAD, respectively. Tables 12 - 19 summarize the results for each RG pair used for final radar adjustment, where G_i is the gauge estimate, R_i is the non-adjusted radar estimate, R_i^* is the GARR estimate, and Diff* (%) is the percent difference between the gauge and GARR estimate. Those gauges not used to adjust the radar are shown at the bottom of the table and are highlighted in red. The specific reason for gauge exclusion is displayed in the Flag column. Figures 8 - 15 show the scatter plots of the gauge-adjusted RG pairs. Those gauges not used to adjust the radar are shown in red. Figure 16 depicts the GARR storm total over the 1-km² pixels. The GARR amounts for the 440 RFM basins range from 0.9 - 1.1 inches with a mean of 1.0 inches. The GARR amounts for the 871 RFM sheds range from 0.9 - 1.1 inches with a mean of 1.0 inches. Table 20 shows the Depth Duration Frequency (DDF) maximum values for the 1-km² pixels.

Event #	Radar	Event Date	Start Time (EST)	End Time (EST)	Gauges Used (37)	Avg. Depth (in)	Bias	AD (%)	CAD (%)
E3a	KPBZ LII	2020-12-24	2020-12-23 19:05	2020-12-24 08:45	30	0.190	0.839	21.3	1.3
E3b	KPBZ LII	2020-12-24	2020-12-24 08:50	2020-12-24 11:00	9	0.056	0.657	48.0	0.5
E3c	KPBZ LII	2020-12-24	2020-12-24 11:05	2020-12-24 13:00	29	0.097	0.974	15.9	2.5
E3d	KPBZ LII	2020-12-24	2020-12-24 13:05	2020-12-24 14:30	33	0.087	0.940	16.0	2.5
E3e	KPBZ LII	2020-12-24	2020-12-24 14:35	2020-12-24 16:00	31	0.100	0.966	15.6	2.1
E3f	KPBZ LII	2020-12-24	2020-12-24 16:05	2020-12-24 17:30	34	0.086	1.116	18.7	2.0
E3g	KPBZ LII	2020-12-24	2020-12-24 17:35	2020-12-25 00:00	12	0.333	1.005	4.5	0.6
E3h	KPBZ LII	2020-12-24	2020-12-25 00:05	2020-12-25 11:00	2	0.075	0.662	49.8	0.0

Table 11. GARR Statistics for Event 3

Gauge							
ID	Name	Gi (in)	R _i (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
Loc11	M-46 Access Shaft	0.12	0.16	0.13	-0.01	-8.3	
<u>Loc09</u>	Univ of Pittsburgh	0.16	0.18	0.17	-0.01	-6.3	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.21	0.26	0.21	0.00	0.0	
Loc03	Shaler Munic Bldg	0.22	0.24	0.22	0.00	0.0	
Loc04	Kennedy Twp PS	0.25	0.27	0.25	0.00	0.0	
Loc05	Upper St. Clair	0.15	0.20	0.15	0.00	0.0	
<u>Loc07</u>	Greentree Munic Bldg	0.20	0.21	0.20	0.00	0.0	
<u>Loc10</u>	PWSA-Highland Park	0.17	0.18	0.17	0.00	0.0	
Loc12	Baldwin	0.13	0.16	0.13	0.00	0.0	
Loc13	M-59 Access Shaft	0.13	0.15	0.13	0.00	0.0	
Loc14	Churchill Munic Bldg	0.15	0.16	0.15	0.00	0.0	Ì
Loc15	Trafford Maint Bldg	0.11	0.19	0.11	0.00	0.0	Ì
Loc16	Castle Shannon	0.14	0.16	0.14	0.00	0.0	
Loc17	Chartiers Pump Station	0.18	0.23	0.18	0.00	0.0	
Loc18	Oakdale Pump Station	0.24	0.27	0.24	0.00	0.0	Ì
Loc21	Moon TWP	0.26	0.31	0.26	0.00	0.0	
Loc22	North Fayette TWP	0.22	0.26	0.22	0.00	0.0	
Loc23	Clinton Munic Bldg	0.27	0.32	0.27	0.00	0.0	
Loc24	Jefferson Hills	0.12	0.17	0.12	0.00	0.0	
Loc25	White Oak Public Works Bldg	0.12	0.18	0.12	0.00	0.0	
Loc27	Marshall TWP	0.20	0.30	0.20	0.00	0.0	Ì
Loc28	Plum Municipal Bldg	0.17	0.17	0.17	0.00	0.0	Ì
Loc29	Bell Acres Munic Bldg	0.28	0.31	0.28	0.00	0.0	
Loc30	McCandless Twn Hall	0.20	0.31	0.20	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.24	0.26	0.24	0.00	0.0	
Loc32	Arnold	0.15	0.20	0.15	0.00	0.0	Ì
Loc33	Richland TWP	0.27	0.29	0.27	0.00	0.0	
<u>Loc06</u>	Carnegie Transit Time	0.22	0.23	0.21	0.01	4.5	
Loc08	AC Health Dept Bldg	0.19	0.19	0.18	0.01	5.3	
KAGC	Pittsburgh Allegheny Cty	0.14	0.15	0.13	0.01	7.1	
03049500	Allegheny River at Natrona	0.10					U
03085734 Ohi	o River at Emsworth Dam Lower Pool at Emsworth	0.15					U
<u>Loc01</u>	PWSA-Montana St.	0.15					U
<u>Loc02</u>	ALCOSAN WWTP Lab	0.16					U
Loc19	Sandy Creek Eq Facility	0.00					ND

Table 12. Summary of Individual RG Pairs for Event 3a

Gauge ID	Name	Gi (in)	Ri (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
Loc20	Gascola Eq Facility	0.21					0
Loc26	Elizabeth TWP Municipal Bldg	0.10					OAD

Gauge Gi Ri R_i* Diff* Diff* Name Flag ID (in) (in) (in) (in) (%) Pittsburgh Allegheny Cty KAGC 0.05 0.07 0.05 0.00 0.0 M-46 Access Shaft 0.06 Loc11 0.06 0.06 0.00 0.0 Loc12 Baldwin 0.05 0.07 0.05 0.000.0 Churchill Munic Bldg Loc14 0.05 0.05 0.05 0.00 0.0 **Trafford Maint Bldg** Loc15 0.07 0.13 0.07 0.000.0 Loc24 Jefferson Hills 0.05 0.06 0.05 0.00 0.0 Loc25 White Oak Public Works Bldg 0.13 0.06 0.00 0.0 0.06 Loc26 Elizabeth TWP Municipal Bldg 0.15 0.07 0.07 0.000.0 Loc28 Plum Municipal Bldg 0.05 0.06 0.05 0.00 0.0 ----03049500 Allegheny River at Natrona 0.02 ---____ U ---Ohio River at Emsworth Dam Lower 03085734 0.02 MSTT ------------Pool at Emsworth **KPIT** 0.03 MSTT Greater Pittsburgh Int'l ___ ____ ____ ____ ___ Loc01 PWSA-Montana St. 0.02 ---____ MSTT ____ ALCOSAN WWTP Lab 0.02 MSTT Loc02 ____ ____ ____ ____ MSTT Loc03 0.03 Shaler Munic Bldg ------------Kennedy Twp PS MSTT Loc04 0.04 ____ ___ 0.03 MSTT Loc05 Upper St. Clair ____ ___ ____ ____ Loc06 Carnegie Transit Time 0.05 ---____ ___ MSTT ---Loc07 Greentree Munic Bldg 0.04 MSTT ---____ ___ ___ Loc08 AC Health Dept Bldg 0.03 MSTT ------------Univ of Pittsburgh MSTT Loc09 0.03 ____ ___ ___ Loc10 **PWSA-Highland Park** 0.03 MSTT ____ ____ ____ ___ M-59 Access Shaft MSTT Loc13 0.04 ---------____ Loc16 **Castle Shannon** 0.04 MSTT ---___ ___ ---Loc17 **Chartiers Pump Station** 0.04 MSTT ___ ___ ------MSTT Loc18 **Oakdale Pump Station** 0.04 ____ ____ ____ ___ Sandy Creek Eq Facility ND Loc19 ND ____ ___ ___ ---Gascola Eq Facility Loc20 0.06 ---____ 0 ------

 Table 13. Summary of Individual RG Pairs for Event 3b

Gauge ID	Name	Gi (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc21	Moon TWP	0.04					MSTT
Loc22	North Fayette TWP	0.03					MSTT
Loc23	Clinton Munic Bldg	0.04					MSTT
<u>Loc27</u>	Marshall TWP	0.03					MSTT
Loc29	Bell Acres Munic Bldg	0.04					MSTT
Loc30	McCandless Twn Hall	0.04					MSTT
Loc31	Hampton Municipal Bldg	0.03					MSTT
Loc32	Arnold	0.04					MSTT
Loc33	Richland TWP	0.04					MSTT

Table 14. Summary of Individual RG Pairs for Event 3c

	Table 14. Summary of murvid	1	1	0	1	D.00%	
Gauge	Name	Gi	Ri	Ri*	Diff*	Diff*	Flag
ID		(in)	(in)	(in)	(in)	(%)	8
<u>Loc17</u>	Chartiers Pump Station	0.07	0.08	0.08	-0.01	-14.3	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.10	0.10	0.10	0.00	0.0	
Loc01	PWSA-Montana St.	0.05	0.08	0.05	0.00	0.0	
<u>Loc02</u>	ALCOSAN WWTP Lab	0.05	0.08	0.05	0.00	0.0	
<u>Loc03</u>	Shaler Munic Bldg	0.08	0.08	0.08	0.00	0.0	
<u>Loc04</u>	Kennedy Twp PS	0.06	0.07	0.06	0.00	0.0	
<u>Loc05</u>	Upper St. Clair	0.09	0.09	0.09	0.00	0.0	
<u>Loc07</u>	Greentree Munic Bldg	0.09	0.08	0.09	0.00	0.0	
Loc08	AC Health Dept Bldg	0.10	0.09	0.10	0.00	0.0	
<u>Loc10</u>	PWSA-Highland Park	0.10	0.09	0.10	0.00	0.0	
Loc11	M-46 Access Shaft	0.10	0.10	0.10	0.00	0.0	
Loc12	Baldwin	0.11	0.10	0.11	0.00	0.0	
Loc13	M-59 Access Shaft	0.11	0.10	0.11	0.00	0.0	
Loc14	Churchill Munic Bldg	0.11	0.09	0.11	0.00	0.0	
<u>Loc15</u>	Trafford Maint Bldg	0.12	0.16	0.12	0.00	0.0	
<u>Loc16</u>	Castle Shannon	0.10	0.10	0.10	0.00	0.0	
Loc18	Oakdale Pump Station	0.08	0.07	0.08	0.00	0.0	
Loc22	North Fayette TWP	0.06	0.06	0.06	0.00	0.0	
Loc23	Clinton Munic Bldg	0.09	0.08	0.09	0.00	0.0	
<u>Loc24</u>	Jefferson Hills	0.11	0.11	0.11	0.00	0.0	
<u>Loc25</u>	White Oak Public Works Bldg	0.14	0.16	0.14	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.17	0.20	0.17	0.00	0.0	

Gauge ID	Name	Gi (in)	R _i (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
Loc28	Plum Municipal Bldg	0.12	0.12	0.12	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.06	0.06	0.06	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.07	0.08	0.07	0.00	0.0	
Loc32	Arnold	0.09	0.12	0.09	0.00	0.0	
Loc33	Richland TWP	0.06	0.07	0.06	0.00	0.0	
Loc09	Univ of Pittsburgh	0.12	0.09	0.11	0.01	8.3	
<u>Loc06</u>	Carnegie Transit Time	0.11	0.08	0.10	0.01	9.1	
03049500	Allegheny River at Natrona	0.07					U
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.03					U
<u>KPIT</u>	Greater Pittsburgh Int'l	0.03					MSTT
Loc19	Sandy Creek Eq Facility	ND					ND
<u>Loc20</u>	Gascola Eq Facility	0.15					0
Loc21	Moon TWP	0.04					MSTT
Loc27	Marshall TWP	0.03					MSTT
<u>Loc30</u>	McCandless Twn Hall	0.03					MSTT

Table 15. Summary of Individual RG Pairs for Event 3d

Gauge ID	Name	Gi (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.09	0.13	0.10	-0.01	-11.1	
<u>Loc17</u>	Chartiers Pump Station	0.11	0.13	0.12	-0.01	-9.1	
<u>Loc30</u>	McCandless Twn Hall	0.12	0.17	0.13	-0.01	-8.3	
03049500	Allegheny River at Natrona	0.06	0.10	0.06	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.16	0.15	0.16	0.00	0.0	
<u>Loc01</u>	PWSA-Montana St.	0.06	0.07	0.06	0.00	0.0	
<u>Loc03</u>	Shaler Munic Bldg	0.05	0.07	0.05	0.00	0.0	
<u>Loc05</u>	Upper St. Clair	0.12	0.12	0.12	0.00	0.0	
<u>Loc07</u>	Greentree Munic Bldg	0.09	0.09	0.09	0.00	0.0	
<u>Loc08</u>	AC Health Dept Bldg	0.05	0.06	0.05	0.00	0.0	
Loc09	Univ of Pittsburgh	0.06	0.06	0.06	0.00	0.0	
<u>Loc10</u>	PWSA-Highland Park	0.05	0.06	0.05	0.00	0.0	
Loc11	M-46 Access Shaft	0.05	0.05	0.05	0.00	0.0	
Loc12	Baldwin	0.06	0.06	0.06	0.00	0.0	

Gauge ID	Name	Gi (in)	R _i (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
Loc13	M-59 Access Shaft	0.05	0.05	0.05	0.00	0.0	
Loc14	Churchill Munic Bldg	0.06	0.05	0.06	0.00	0.0	
Loc15	Trafford Maint Bldg	0.07	0.07	0.07	0.00	0.0	
Loc16	Castle Shannon	0.06	0.07	0.06	0.00	0.0	
Loc18	Oakdale Pump Station	0.16	0.14	0.16	0.00	0.0	
Loc21	Moon TWP	0.18	0.17	0.18	0.00	0.0	
Loc22	North Fayette TWP	0.13	0.11	0.13	0.00	0.0	
Loc23	Clinton Munic Bldg	0.09	0.11	0.09	0.00	0.0	
Loc24	Jefferson Hills	0.06	0.05	0.06	0.00	0.0	
Loc25	White Oak Public Works Bldg	0.05	0.06	0.05	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.06	0.07	0.06	0.00	0.0	
Loc28	Plum Municipal Bldg	0.09	0.07	0.09	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.13	0.14	0.13	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.05	0.06	0.05	0.00	0.0	
Loc32	Arnold	0.06	0.07	0.06	0.00	0.0	
Loc33	Richland TWP	0.06	0.07	0.06	0.00	0.0	
Loc27	Marshall TWP	0.16	0.17	0.15	0.01	6.3	
Loc06	Carnegie Transit Time	0.15	0.13	0.14	0.01	6.7	
Loc04	Kennedy Twp PS	0.12	0.14	0.11	0.01	8.3	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.05					MSTT
Loc02	ALCOSAN WWTP Lab	0.05					OAD
Loc19	Sandy Creek Eq Facility	ND					ND
Loc20	Gascola Eq Facility	0.10					0

Table 16. Summary of Individual RG Pairs for Event 3e

Gauge ID	Name	Gi (in)	R _i (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
Loc08	AC Health Dept Bldg	0.09	0.10	0.10	-0.01	-11.1	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.10	0.11	0.10	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.05	0.07	0.05	0.00	0.0	
Loc02	ALCOSAN WWTP Lab	0.10	0.10	0.10	0.00	0.0	
Loc03	Shaler Munic Bldg	0.13	0.13	0.13	0.00	0.0	
<u>Loc04</u>	Kennedy Twp PS	0.05	0.06	0.05	0.00	0.0	
Loc05	Upper St. Clair	0.06	0.07	0.06	0.00	0.0	
Loc07	Greentree Munic Bldg	0.08	0.09	0.08	0.00	0.0	

Gauge ID	Name	Gi (in)	R _i (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
Loc09	Univ of Pittsburgh	0.10	0.10	0.10	0.00	0.0	
Loc10	PWSA-Highland Park	0.10	0.10	0.10	0.00	0.0	
Loc11	M-46 Access Shaft	0.13	0.13	0.13	0.00	0.0	
Loc12	Baldwin	0.10	0.13	0.10	0.00	0.0	
Loc13	M-59 Access Shaft	0.09	0.10	0.09	0.00	0.0	
Loc14	Churchill Munic Bldg	0.12	0.11	0.12	0.00	0.0	
Loc15	Trafford Maint Bldg	0.11	0.10	0.11	0.00	0.0	
Loc16	Castle Shannon	0.10	0.11	0.10	0.00	0.0	
Loc17	Chartiers Pump Station	0.05	0.06	0.05	0.00	0.0	
Loc18	Oakdale Pump Station	0.07	0.06	0.07	0.00	0.0	
Loc21	Moon TWP	0.06	0.09	0.06	0.00	0.0	
Loc22	North Fayette TWP	0.06	0.05	0.06	0.00	0.0	
Loc23	Clinton Munic Bldg	0.06	0.08	0.06	0.00	0.0	
Loc24	Jefferson Hills	0.11	0.10	0.11	0.00	0.0	
Loc25	White Oak Public Works Bldg	0.13	0.12	0.13	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.15	0.13	0.15	0.00	0.0	
Loc28	Plum Municipal Bldg	0.10	0.07	0.10	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.07	0.09	0.07	0.00	0.0	
<u>Loc30</u>	McCandless Twn Hall	0.06	0.09	0.06	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.12	0.14	0.12	0.00	0.0	
Loc32	Arnold	0.10	0.09	0.10	0.00	0.0	
Loc33	Richland TWP	0.16	0.16	0.16	0.00	0.0	
Loc06	Carnegie Transit Time	0.08	0.06	0.07	0.01	12.5	
<u>03049500</u>	Allegheny River at Natrona	0.06					U
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.03					U
Loc01	PWSA-Montana St.	0.08					U
Loc19	Sandy Creek Eq Facility	ND					ND
<u>Loc20</u>	Gascola Eq Facility	0.16					0
Loc27	Marshall TWP	0.05					OAD

	Table 17. Summary of mulviuu						
Gauge ID	Name	Gi (in)	R _i (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
03049500	Allegheny River at Natrona	0.09	0.06	0.09	0.00	0.0	
KAGC	Pittsburgh Allegheny Cty	0.07	0.07	0.07	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.07	0.09	0.07	0.00	0.0	
Loc01	PWSA-Montana St.	0.09	0.08	0.09	0.00	0.0	
Loc02	ALCOSAN WWTP Lab	0.08	0.08	0.08	0.00	0.0	
Loc03	Shaler Munic Bldg	0.09	0.07	0.09	0.00	0.0	
Loc04	Kennedy Twp PS	0.08	0.09	0.08	0.00	0.0	
Loc05	Upper St. Clair	0.10	0.07	0.10	0.00	0.0	
Loc06	Carnegie Transit Time	0.09	0.07	0.09	0.00	0.0	
Loc07	Greentree Munic Bldg	0.09	0.07	0.09	0.00	0.0	
Loc08	AC Health Dept Bldg	0.08	0.07	0.08	0.00	0.0	
Loc09	Univ of Pittsburgh	0.08	0.07	0.08	0.00	0.0	
<u>Loc10</u>	PWSA-Highland Park	0.08	0.07	0.08	0.00	0.0	
Loc11	M-46 Access Shaft	0.07	0.07	0.07	0.00	0.0	
Loc12	Baldwin	0.09	0.07	0.09	0.00	0.0	
Loc13	M-59 Access Shaft	0.08	0.06	0.08	0.00	0.0	
Loc14	Churchill Munic Bldg	0.08	0.06	0.08	0.00	0.0	
Loc15	Trafford Maint Bldg	0.11	0.07	0.11	0.00	0.0	
Loc16	Castle Shannon	0.08	0.06	0.08	0.00	0.0	
Loc17	Chartiers Pump Station	0.08	0.07	0.08	0.00	0.0	
Loc18	Oakdale Pump Station	0.09	0.08	0.09	0.00	0.0	
Loc21	Moon TWP	0.07	0.09	0.07	0.00	0.0	
Loc22	North Fayette TWP	0.07	0.08	0.07	0.00	0.0	
Loc23	Clinton Munic Bldg	0.07	0.08	0.07	0.00	0.0	
Loc24	Jefferson Hills	0.07	0.06	0.07	0.00	0.0	
Loc25	White Oak Public Works Bldg	0.10	0.07	0.10	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.11	0.07	0.11	0.00	0.0	
<u>Loc27</u>	Marshall TWP	0.05	0.07	0.05	0.00	0.0	
Loc28	Plum Municipal Bldg	0.08	0.06	0.08	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.06	0.08	0.06	0.00	0.0	
<u>Loc30</u>	McCandless Twn Hall	0.09	0.09	0.09	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.09	0.08	0.09	0.00	0.0	
Loc32	Arnold	0.09	0.07	0.09	0.00	0.0	
<u>Loc33</u>	Richland TWP	0.11	0.09	0.11	0.00	0.0	
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.06					U

Table 17. Summary of Individual RG Pairs for Event 3f

Gauge ID	Name	Gi (in)	Ri (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
Loc19	Sandy Creek Eq Facility	ND					ND
Loc20	Gascola Eq Facility	0.12					0

Gauge Gi Ri R_i* Diff* Diff* Name Flag (%) ID (in) **(in)** (in) (in) Loc01 PWSA-Montana St. 0.35 0.36 0.36 -0.01-2.9 **KAGC** Pittsburgh Allegheny Cty 0.32 0.31 0.32 0.00 0.0 Carnegie Transit Time Loc06 0.33 0.34 0.33 0.000.0 **PWSA-Highland Park** 0.0 Loc10 0.32 0.33 0.32 0.00 M-46 Access Shaft Loc11 0.31 0.32 0.31 0.000.0 Loc12 Baldwin 0.34 0.34 0.34 0.00 0.0 Loc17 **Chartiers Pump Station** 0.32 0.34 0.32 0.00 0.0 Loc23 Clinton Munic Bldg 0.33 0.35 0.33 0.00 0.0 Loc28 Plum Municipal Bldg 0.33 0.31 0.33 0.00 0.0 Loc32 Arnold 0.33 0.31 0.33 0.00 0.0 Loc33 **Richland TWP** 0.30 0.30 0.30 0.00 0.0 Shaler Munic Bldg 0.40 0.34 Loc03 0.39 0.01 2.5 03049500 Allegheny River at Natrona 0.21 ---F/M ------____ Ohio River at Emsworth Dam Lower 03085734 0.05 F/M ____ ---___ ---Pool at Emsworth 0.22 ND **KPIT** Greater Pittsburgh Int'l ---___ ------ALCOSAN WWTP Lab 0.28 F/M Loc02 ____ ____ Kennedy Twp PS 0.21 F/M Loc04 ____ ____ ____ ____ Loc05 Upper St. Clair 0.26 ____ F/M ___ ___ ---Loc07 Greentree Munic Bldg 0.28 F/M ____ ___ ___ ____ Loc08 AC Health Dept Bldg 0.22 F/M ------------Univ of Pittsburgh F/M Loc09 0.31 ____ ___ ____ Loc13 M-59 Access Shaft 0.16 F/M ---___ ___ ___ Churchill Munic Bldg 0.23 F/M Loc14 ---___ ___ ---0.24 F/M Loc15 **Trafford Maint Bldg** ____ ____ ___ ---0.30 F/M Loc16 **Castle Shannon** ------------F/M Loc18 **Oakdale Pump Station** 0.29 ____ ____ ____ ____ Sandy Creek Eq Facility ND Loc19 ND ____ ___ ___ ____ Gascola Eq Facility F/M Loc20 0.44 ---____ ------

Table 18. Summary of Individual RG Pairs for Event 3g

Gauge ID	Name	Gi (in)	R _i (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
Loc21	Moon TWP	0.26					F/M
Loc22	North Fayette TWP	0.25					F/M
Loc24	Jefferson Hills	0.22					F/M
Loc25	White Oak Public Works Bldg	0.21					F/M
Loc26	Elizabeth TWP Municipal Bldg	0.24					F/M
Loc27	Marshall TWP	0.21					F/M
Loc29	Bell Acres Munic Bldg	0.22					F/M
Loc30	McCandless Twn Hall	0.20					F/M
Loc31	Hampton Municipal Bldg	0.29					F/M

Table 19. Summary of Individual RG Pairs for Event 3h

	Table 17. Summary of Individual Ko Tans for Event Sh						-
Gauge	Name	Gi	Ri	R _i *	Diff*	Diff*	Flag
ID	i (unite	(in)	(in)	(in)	(in)	(%)	1 mg
KAGC	Pittsburgh Allegheny Cty	0.07	0.09	0.07	0.00	0.0	
<u>Loc03</u>	Shaler Munic Bldg	0.08	0.14	0.08	0.00	0.0	
<u>03049500</u>	Allegheny River at Natrona	0.00					F/M
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.00					F/M
<u>KPIT</u>	Greater Pittsburgh Int'l	1.74					F/M
<u>Loc01</u>	PWSA-Montana St.	0.00					F/M
Loc02	ALCOSAN WWTP Lab	0.00					F/M
<u>Loc04</u>	Kennedy Twp PS	0.00					F/M
<u>Loc05</u>	Upper St. Clair	0.00					F/M
<u>Loc06</u>	Carnegie Transit Time	0.00					F/M
<u>Loc07</u>	Greentree Munic Bldg	0.02					F/M
<u>Loc08</u>	AC Health Dept Bldg	0.01					F/M
<u>Loc09</u>	Univ of Pittsburgh	0.01					F/M
Loc10	PWSA-Highland Park	0.00					F/M
Loc11	M-46 Access Shaft	0.02					F/M
Loc12	Baldwin	0.02					F/M
Loc13	M-59 Access Shaft	0.03					F/M
Loc14	Churchill Munic Bldg	0.00					F/M
Loc15	Trafford Maint Bldg	0.13					F/M
Loc16	Castle Shannon	0.02					F/M
Loc17	Chartiers Pump Station	0.00					F/M

Gauge ID	Name	Gi (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc18	Oakdale Pump Station	0.00					F/M
Loc19	Sandy Creek Eq Facility	ND					ND
<u>Loc20</u>	Gascola Eq Facility	0.02					F/M
Loc21	Moon TWP	0.04					F/M
Loc22	North Fayette TWP	0.00					F/M
Loc23	Clinton Munic Bldg	0.01					F/M
Loc24	Jefferson Hills	0.01					F/M
Loc25	White Oak Public Works Bldg	0.00					F/M
Loc26	Elizabeth TWP Municipal Bldg	0.00					F/M
Loc27	Marshall TWP	0.01					F/M
Loc28	Plum Municipal Bldg	0.00					F/M
Loc29	Bell Acres Munic Bldg	0.00					F/M
Loc30	McCandless Twn Hall	0.01					F/M
Loc31	Hampton Municipal Bldg	0.02					F/M
Loc32	Arnold	0.00					F/M
Loc33	Richland TWP	0.12					F/M




Figure 8. Scatter Plot of RG Pairs for Event 3a




Figure 9. Scatter Plot of RG Pairs for Event 3b




Figure 10. Scatter Plot of RG Pairs for Event 3c

31




Figure 11. Scatter Plot of RG Pairs for Event 3d




Figure 12. Scatter Plot of RG Pairs for Event 3e

32




Figure 13. Scatter Plot of RG Pairs for Event 3f




Figure 14. Scatter Plot of RG Pairs for Event 3g

33




Figure 15. Scatter Plot of RG Pairs for Event 3h




Figure 16. GARR Storm Total for Event 3

Duration	Depth (in)	Pixel	Time (EST)	Frequency
15 minutes	0.113	141120	2020-12-24 14:30	<1 yr.
30 minutes	0.150	141120	2020-12-24 14:35	<1 yr.
1 hour	0.196	133114	2020-12-24 13:55	<1 yr.
2 hour	0.315	173148	2020-12-24 16:35	<1 yr.
3 hour	0.413	173148	2020-12-24 17:35	<1 yr.
6 hour	0.670	160166	2020-12-24 16:55	<1 yr.
12 hour	1.009	165164	2020-12-24 17:15	<1 yr.
24 hour	1.340	165164	2020-12-25 01:55	<1 yr.

Table 20. Depth Duration Frequency Analyses for Event 3

Event 4: 2020-12-31

The analysis period was from 2020-12-30 14:00 EST to 2020-12-31 09:00 EST. The event was then split into three sub-event periods at 2020-12-30 22:15 EST and 2020-12-31 03:00 EST to improve gauge adjustment of the radar.

The gauges listed in <u>Appendix A</u> were not used to adjust the radar due to inconsistencies between the gauge and the radar or surrounding gauges, or they did not have data available for this event. The gauges listed in <u>Appendix B</u> were not used to adjust the radar since they did not meet statistical criteria for gauge-adjustment.

The Eastern U.S. cool season stratiform Z-R relationship was used to convert radar reflectivity to rainfall rates. Table 21 shows the mean bias and average depth of the event along with the AD and CAD, respectively. Tables 22 - 24 summarize the results for each RG pair used for final radar adjustment, where G_i is the gauge estimate, R_i is the non-adjusted radar estimate, R_i^* is the GARR estimate, and Diff* (%) is the percent difference between the gauge and GARR estimate. Those gauges not used to adjust the radar are shown at the bottom of the table and are highlighted in red. The specific reason for gauge exclusion is displayed in the Flag column. Figures 17 - 19 show the scatter plots of the gauge-adjusted RG pairs. Those gauges not used to adjust the radar are shown in red. Figure 20 depicts the GARR storm total over the 1-km² pixels. The GARR amounts for the 440 RFM basins range from 0.2 - 0.6 inches with a mean of 0.3 inches. The GARR amounts for the 871 RFM sheds range from 0.3 - 0.5 inches with a mean of 0.3 inches. Table 25 shows the Depth Duration Frequency (DDF) maximum values for the 1-km² pixels.

Event #	Radar	Event Date	Start Time (EST)	End Time (EST)	Gauges Used (37)	Avg. Depth (in)	Bias	AD (%)	CAD (%)
E4a	KPBZ LII	2020-12-31	2020-12-30 14:05	2020-12-30 22:15	23	0.053	0.457	123.8	2.1
E4b	KPBZ LII	2020-12-31	2020-12-30 22:20	2020-12-31 03:00	29	0.130	1.161	24.4	1.8
E4c	KPBZ LII	2020-12-31	2020-12-31 03:05	2020-12-31 09:00	26	0.160	1.146	31.0	1.8

Table 21. GARR Statistics for Event 4

Table 22. Summary of Individual RG Pairs for Event 4a

Gauge ID	Name	Gi (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.06	0.13	0.06	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.08	0.13	0.08	0.00	0.0	
<u>Loc02</u>	ALCOSAN WWTP Lab	0.05	0.13	0.05	0.00	0.0	
Loc03	Shaler Munic Bldg	0.07	0.14	0.07	0.00	0.0	
<u>Loc07</u>	Greentree Munic Bldg	0.05	0.13	0.05	0.00	0.0	
<u>Loc08</u>	AC Health Dept Bldg	0.06	0.14	0.06	0.00	0.0	
<u>Loc09</u>	Univ of Pittsburgh	0.05	0.14	0.05	0.00	0.0	
<u>Loc10</u>	PWSA-Highland Park	0.06	0.15	0.06	0.00	0.0	
<u>Loc17</u>	Chartiers Pump Station	0.05	0.10	0.05	0.00	0.0	
<u>Loc18</u>	Oakdale Pump Station	0.07	0.12	0.07	0.00	0.0	
Loc19	Sandy Creek Eq Facility	0.07	0.16	0.07	0.00	0.0	
<u>Loc20</u>	Gascola Eq Facility	0.05	0.12	0.05	0.00	0.0	
Loc21	Moon TWP	0.08	0.16	0.08	0.00	0.0	
Loc22	North Fayette TWP	0.07	0.14	0.07	0.00	0.0	
<u>Loc23</u>	Clinton Munic Bldg	0.08	0.15	0.08	0.00	0.0	
<u>Loc27</u>	Marshall TWP	0.07	0.17	0.07	0.00	0.0	
Loc28	Plum Municipal Bldg	0.08	0.21	0.08	0.00	0.0	
<u>Loc29</u>	Bell Acres Munic Bldg	0.06	0.15	0.06	0.00	0.0	
Loc30	McCandless Twn Hall	0.05	0.14	0.05	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.08	0.14	0.08	0.00	0.0	
Loc32	Arnold	0.06	0.19	0.06	0.00	0.0	
Loc33	Richland TWP	0.08	0.15	0.08	0.00	0.0	
Loc04	Kennedy Twp PS	0.08	0.13	0.07	0.01	12.5	
03049500	Allegheny River at Natrona	0.05					MSTT

Gauge ID	Name		R _i (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.03					MSTT
Loc01	PWSA-Montana St.	0.04					U
<u>Loc05</u>	Upper St. Clair	0.02					MSTT
<u>Loc06</u>	Carnegie Transit Time	0.03					U
Loc11	M-46 Access Shaft						MSTT
Loc12	Baldwin	0.02					MSTT
Loc13	M-59 Access Shaft	0.03					MSTT
<u>Loc14</u>	Churchill Munic Bldg	0.04					MSTT
Loc15	Trafford Maint Bldg	0.03					MSTT
Loc16	Castle Shannon	0.02					MSTT
Loc24	Jefferson Hills						MSTT
Loc25	White Oak Public Works Bldg						MSTT
Loc26	Elizabeth TWP Municipal Bldg	0.00					MSTT

Table 23. Summary of Individual RG Pairs for Event 4b

Gauge ID	Name	G _i (in)	R _i (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
Loc01	PWSA-Montana St.		0.09	0.10	-0.01	-11.1	
Loc09	Univ of Pittsburgh	0.10	0.08	0.11	-0.01	-10.0	
KAGC	Pittsburgh Allegheny Cty	0.15	0.09	0.15	0.00	0.0	
Loc02	ALCOSAN WWTP Lab	0.10	0.09	0.10	0.00	0.0	
Loc03	Shaler Munic Bldg	0.11	0.09	0.11	0.00	0.0	
Loc04	Kennedy Twp PS	0.10	0.09	0.10	0.00	0.0	
Loc05	Upper St. Clair	0.11	0.09	0.11	0.00	0.0	
Loc07	Greentree Munic Bldg		0.08	0.11	0.00	0.0	
Loc10	PWSA-Highland Park	0.11	0.09	0.11	0.00	0.0	
Loc12	Baldwin	0.14	0.09	0.14	0.00	0.0	
Loc14	Churchill Munic Bldg	0.11	0.07	0.11	0.00	0.0	
Loc15	Trafford Maint Bldg	0.15	0.18	0.15	0.00	0.0	
Loc16	Castle Shannon	0.12	0.09	0.12	0.00	0.0	
<u>Loc17</u>	Chartiers Pump Station	0.10	0.08	0.10	0.00	0.0	
Loc18	Oakdale Pump Station		0.08	0.11	0.00	0.0	
Loc19	Sandy Creek Eq Facility		0.08	0.12	0.00	0.0	
Loc21	Moon TWP	0.14	0.13	0.14	0.00	0.0	
Loc22	North Fayette TWP	0.12	0.09	0.12	0.00	0.0	

Gauge ID	Name		R _i (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
Loc23	Clinton Munic Bldg	0.12	0.09	0.12	0.00	0.0	
Loc24	Jefferson Hills	0.14	0.15	0.14	0.00	0.0	
<u>Loc25</u>	White Oak Public Works Bldg	0.15	0.24	0.15	0.00	0.0	
<u>Loc27</u>	Marshall TWP	0.07	0.07	0.07	0.00	0.0	
Loc28	Plum Municipal Bldg	0.15	0.10	0.15	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.11	0.12	0.11	0.00	0.0	
Loc30	McCandless Twn Hall	0.08	0.10	0.08	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.11	0.08	0.11	0.00	0.0	
Loc32	Arnold		0.14	0.11	0.00	0.0	
Loc33	Richland TWP	0.12	0.07	0.12	0.00	0.0	
Loc11	M-46 Access Shaft	0.14	0.07	0.13	0.01	7.1	
03049500	Allegheny River at Natrona	0.09					U
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.07					U
<u>KPIT</u>	Greater Pittsburgh Int'l	0.08					U
<u>Loc06</u>	Carnegie Transit Time						U
Loc08	AC Health Dept Bldg						U
Loc13	M-59 Access Shaft						U
Loc20	Gascola Eq Facility						0
Loc26	Elizabeth TWP Municipal Bldg						OAD

Table 24. Summary of Individual RG Pairs for Event 4c

Gauge ID	Name	Gi (in)	R _i (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag
Loc08	AC Health Dept Bldg	0.14	0.09	0.15	-0.01	-7.1	
<u>Loc05</u>	Upper St. Clair	0.15	0.13	0.16	-0.01	-6.7	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.15	0.11	0.15	0.00	0.0	
<u>Loc02</u>	ALCOSAN WWTP Lab	0.14	0.11	0.14	0.00	0.0	
<u>Loc03</u>	Shaler Munic Bldg	0.13	0.11	0.13	0.00	0.0	
<u>Loc06</u>	Carnegie Transit Time	0.16	0.09	0.16	0.00	0.0	
<u>Loc07</u>	Greentree Munic Bldg	0.17	0.09	0.17	0.00	0.0	
Loc11	M-46 Access Shaft	0.15	0.10	0.15	0.00	0.0	
Loc12	Baldwin	0.16	0.11	0.16	0.00	0.0	
Loc14	Churchill Munic Bldg		0.10	0.13	0.00	0.0	
Loc15	Trafford Maint Bldg	0.17	0.25	0.17	0.00	0.0	

Gauge	Name	Gi	Ri	R _i *	Diff*	Diff*	Flag
ID			(in)	(in)	(in)	(%)	Flag
<u>Loc17</u>	Chartiers Pump Station		0.10	0.15	0.00	0.0	
Loc18	Oakdale Pump Station	0.14	0.09	0.14	0.00	0.0	
Loc19	Sandy Creek Eq Facility	0.13	0.10	0.13	0.00	0.0	
Loc22	North Fayette TWP	0.13	0.10	0.13	0.00	0.0	
<u>Loc24</u>	Jefferson Hills	0.14	0.23	0.14	0.00	0.0	
<u>Loc26</u>	Elizabeth TWP Municipal Bldg	0.23	0.44	0.23	0.00	0.0	
Loc27	Marshall TWP	0.08	0.09	0.08	0.00	0.0	
Loc28	Plum Municipal Bldg	0.17	0.12	0.17	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.12	0.11	0.12	0.00	0.0	
<u>Loc30</u>	McCandless Twn Hall	0.09	0.10	0.09	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.15	0.13	0.15	0.00	0.0	
Loc32	Arnold	0.16	0.12	0.16	0.00	0.0	
Loc33	Richland TWP	0.13	0.10	0.13	0.00	0.0	
<u>Loc09</u>	Univ of Pittsburgh	0.17	0.09	0.16	0.01	5.9	
<u>Loc10</u>	PWSA-Highland Park	0.17	0.10	0.16	0.01	5.9	
<u>03049500</u>	Allegheny River at Natrona	0.02					F/M
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.02					F/M
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.12					F/M
<u>Loc01</u>	PWSA-Montana St.	0.16					F/M
Loc04	Kennedy Twp PS	0.13					F/M
Loc13	M-59 Access Shaft	0.09					F/M
Loc16	Castle Shannon						F/M
<u>Loc20</u>	Gascola Eq Facility						F/M
<u>Loc21</u>	Moon TWP						F/M
Loc23	Clinton Munic Bldg	0.08					F/M
Loc25	White Oak Public Works Bldg	0.16					OAD




Figure 17. Scatter Plot of RG Pairs for Event 4a




Figure 18. Scatter Plot of RG Pairs for Event 4b




Figure 19. Scatter Plot of RG Pairs for Event 4c




Figure 20. GARR Storm Total for Event 4

Duration	Depth (in)	Pixel	Time (EST)	Frequency
15 minutes	0.077	170130	2020-12-30 19:10	<1 yr.
30 minutes	0.121	173129	2020-12-30 19:20	<1 yr.
1 hour	0.192	160158	2020-12-31 01:25	<1 yr.
2 hour	0.256	156166	2020-12-31 01:55	<1 yr.
3 hour	0.294	156166	2020-12-31 03:15	<1 yr.
6 hour	0.473	156167	2020-12-31 05:55	<1 yr.
12 hour	0.570	156167	2020-12-31 07:25	<1 yr.

 Table 25. Depth Duration Frequency Analyses for Event 4

Appendices

- <u>Appendix A</u> Gauge Performance Exclusion Table
- Appendix B Gauge Statistical Criteria Exclusion Table
- Appendix C Event 1 (2020-12-16) CDPs
- Appendix D Event 2 (2020-12-20) CDPs
- Appendix E Event 3 (2020-12-24) CDPs
- Appendix F Event 4 (2020-12-31) CDPs

Tippendix II Guuge I errormance Exclusion Tuble					
Reason	Explanation				
Clog (C)	Gauge appeared to be clogged				
Zero (Z)	Gauge did not report any rainfall while radar rainfall estimates reported significant rainfall				
Stop (S)	Gauge appeared to stop reporting rainfall while radar rainfall estimates reported significant rainfall				
Over (O)	Gauge appeared to significantly over-report rainfall as compared to radar rainfall estimates and surrounding gauges (e.g. anomalously high rainfall values caused by field calibration, data transmission error, or switch malfunctions)				
Under (U)	Gauge appeared to significantly under-report as compared to radar rainfall estimates and surrounding Gauges (e.g. half-tipper)				
Sync (SY)	Gauge appeared to be reporting out-of-sync with the radar rainfall estimates				
Frozen/Melt (F/M)	Gauge not reporting properly due to frozen or melting precipitation				
Other (T)	Combination of multiple reasons				
No Data (ND)	Gauge reported "no data" for a significant amount of time				

Appendix A - Gauge Performance Exclusion Table

Event #	<u>E1</u>	<u>E2</u>	E3a	E3b	E3c
Event Date	2020-12-16	2020-12-20	2020-12-24	2020-12-24	2020-12-24
Start Time (EST)	2020-12-16 07:05	2020-12-19 20:05	2020-12-23 19:05	2020-12-24 08:50	2020-12-24 11:05
End Time (EST)	2020-12-17 06:00	2020-12-20 10:00	2020-12-24 08:45	2020-12-24 11:00	2020-12-24 13:00
Loc01	F/M	F/M	U		
Loc02	F/M	F/M	U		
Loc03					
Loc04					
Loc05	F/M				
Loc06	F/M	F/M			
Loc07					
Loc08					
Loc09	F/M				
Loc10	F/M				
Loc11					
Loc12					
Loc13	F/M				
Loc14	F/M				
Loc15					
Loc16					
Loc17					
Loc18					
Loc19		ND	ND	ND	ND
Loc20	F/M	F/M	0	0	0
Loc21	F/M				
Loc22					
Loc23	F/M				
Loc24	F/M				
Loc25	F/M				
Loc26					
Loc27	F/M				
Loc28					

Event #	<u>E1</u>	<u>E2</u>	E3a	E3b	<u>E3c</u>
Event Date	2020-12-16	2020-12-20	2020-12-24	2020-12-24	2020-12-24
Start Time (EST)	2020-12-16 07:05	2020-12-19 20:05	2020-12-23 19:05	2020-12-24 08:50	2020-12-24 11:05
End Time (EST)	2020-12-17 06:00	2020-12-20 10:00	2020-12-24 08:45	2020-12-24 11:00	2020-12-24 13:00
Loc29					
Loc30	F/M				
Loc31					
Loc32	F/M				
Loc33	F/M				
KAGC					
KPIT					
03049500	F/M	F/M	U	U	U
03085734	F/M	F/M	U		U

Event #	E3d	<u>E3e</u>	<u>E3f</u>	E3g	E3h
Event Date	2020-12-24	2020-12-24	2020-12-24	2020-12-24	2020-12-24
Start Time (EST)	2020-12-24 13:05	2020-12-24 14:35	2020-12-24 16:05	2020-12-24 17:35	2020-12-25 00:05
End Time (EST)	2020-12-24 14:30	2020-12-24 16:00	2020-12-24 17:30	2020-12-25 00:00	2020-12-25 11:00
Loc01		U			F/M
Loc02				F/M	F/M
Loc03					
Loc04				F/M	F/M
Loc05				F/M	F/M
Loc06					F/M
Loc07				F/M	F/M
Loc08				F/M	F/M
Loc09				F/M	F/M
Loc10					F/M
Loc11					F/M
Loc12					F/M
Loc13				F/M	F/M
Loc14				F/M	F/M
Loc15				F/M	F/M
Loc16				F/M	F/M
Loc17					F/M
Loc18				F/M	F/M
Loc19	ND	ND	ND	ND	ND
Loc20	0	0	0	F/M	F/M
Loc21				F/M	F/M
Loc22				F/M	F/M
Loc23					F/M
Loc24				F/M	F/M
Loc25				F/M	F/M
Loc26				F/M	F/M

Event #	E3d	E3e	<u>E3f</u>	E3g	<u>E3h</u>
Event Date	2020-12-24	2020-12-24	2020-12-24	2020-12-24	2020-12-24
Start Time (EST)	2020-12-24 13:05	2020-12-24 14:35	2020-12-24 16:05	2020-12-24 17:35	2020-12-25 00:05
End Time (EST)	2020-12-24 14:30	2020-12-24 16:00	2020-12-24 17:30	2020-12-25 00:00	2020-12-25 11:00
Loc27				F/M	F/M
Loc28					F/M
Loc29				F/M	F/M
Loc30				F/M	F/M
Loc31				F/M	F/M
Loc32					F/M
Loc33					F/M
KAGC					
KPIT				ND	F/M
03049500		U		F/M	F/M
03085734		U	U	F/M	F/M

Event #	E4a	<u>E4b</u>	<u>E4c</u>
Event Date	2020-12-31	2020-12-31	2020-12-31
Start Time (EST)	2020-12-30 14:05	2020-12-30 22:20	2020-12-31 03:05
End Time (EST)	2020-12-30 22:15	2020-12-31 03:00	2020-12-31 09:00
Loc01	U		F/M
Loc02			
Loc03			
Loc04			F/M
Loc05			
Loc06	U	U	
Loc07			
Loc08		U	
Loc09			
Loc10			
Loc11			
Loc12			
Loc13		U	F/M
Loc14			
Loc15			
Loc16			F/M
Loc17			
Loc18			
Loc19			
Loc20		0	F/M
Loc21			F/M
Loc22			
Loc23			F/M
Loc24			
Loc25			
Loc26			
Loc27			
Loc28			

Event #	<u>E4a</u>	<u>E4b</u>	<u>E4c</u>
Event Date	2020-12-31	2020-12-31	2020-12-31
Start Time (EST)	2020-12-30 14:05	2020-12-30 22:20	2020-12-31 03:05
End Time (EST)	2020-12-30 22:15	2020-12-31 03:00	2020-12-31 09:00
Loc29			
Loc30			
Loc31			
Loc32			
Loc33			
KAGC			F/M
KPIT		U	
03049500		U	F/M
03085734		U	F/M

Reason	Explanation			
Minimum Storm Total Threshold (MSTT)	The radar or gauge cumulative sum during the event or sub-event period was less than MSTT			
Outlier Based on Mean Field Bias (OMFB)	The RG pair bias (G/R) was greater than three standard deviations from the mean bias (e.g. G>>R)			
Outlier Based on Average Difference (OAD)	The RG pair average difference $((G-R)/G)$ was greater than three standard deviations from the mean average difference (e.g. G< <r)< td=""></r)<>			

Appendix B - Gauge Statistical Criteria Exclusion Table

Event #	<u>E1</u>	<u>E2</u>	E3a	E3b	E3c
Event Date	2020-12-16	2020-12-20	2020-12-24	2020-12-24	2020-12-24
Start Time (EST)	2020-12-16 07:05	2020-12-19 20:05	2020-12-23 19:05	2020-12-24 08:50	2020-12-24 11:05
End Time (EST)	2020-12-17 06:00	2020-12-20 10:00	2020-12-24 08:45	2020-12-24 11:00	2020-12-24 13:00
Source	KPBZ LII				
Loc01				MSTT	
Loc02				MSTT	
Loc03				MSTT	
Loc04				MSTT	
Loc05				MSTT	
Loc06				MSTT	
Loc07				MSTT	
Loc08				MSTT	
Loc09				MSTT	
Loc10				MSTT	
Loc11					
Loc12					
Loc13				MSTT	
Loc14					
Loc15		MSTT			
Loc16				MSTT	
Loc17				MSTT	
Loc18				MSTT	
Loc19					
Loc20					
Loc21				MSTT	MSTT
Loc22				MSTT	
Loc23				MSTT	
Loc24					
Loc25		MSTT			
Loc26		MSTT	OAD		
Loc27				MSTT	MSTT

Event #	<u>E1</u>	<u>E2</u>	E3a	<u>E3b</u>	<u>E3c</u>
Event Date	2020-12-16	2020-12-20	2020-12-24	2020-12-24	2020-12-24
Start Time (EST)	2020-12-16 07:05	2020-12-19 20:05	2020-12-23 19:05	2020-12-24 08:50	2020-12-24 11:05
End Time (EST)	2020-12-17 06:00	2020-12-20 10:00	2020-12-24 08:45	2020-12-24 11:00	2020-12-24 13:00
Source	KPBZ LII				
Loc28					
Loc29				MSTT	
Loc30				MSTT	MSTT
Loc31				MSTT	
Loc32				MSTT	
Loc33				MSTT	
KAGC					
KPIT				MSTT	MSTT
03049500					
03085734				MSTT	


Event #	E3d	E3e	<u>E3f</u>	E3g	<u>E3h</u>
Event Date	2020-12-24	2020-12-24	2020-12-24	2020-12-24	2020-12-24
Start Time (EST)	2020-12-24 13:05	2020-12-24 14:35	2020-12-24 16:05	2020-12-24 17:35	2020-12-25 00:05
End Time (EST)	2020-12-24 14:30	2020-12-24 16:00	2020-12-24 17:30	2020-12-25 00:00	2020-12-25 11:00
Source	KPBZ LII				
Loc01					
Loc02	OAD				
Loc03					
Loc04					
Loc05					
Loc06					
Loc07					
Loc08					
Loc09					
Loc10					
Loc11					
Loc12					
Loc13					
Loc14					
Loc15					
Loc16					
Loc17					
Loc18					
Loc19					
Loc20					
Loc21					
Loc22					
Loc23					
Loc24					
Loc25					


Event #	E3d	E3e	<u>E3f</u>	E3g	<u>E3h</u>
Event Date	2020-12-24	2020-12-24	2020-12-24	2020-12-24	2020-12-24
Start Time (EST)	2020-12-24 13:05	2020-12-24 14:35	2020-12-24 16:05	2020-12-24 17:35	2020-12-25 00:05
End Time (EST)	2020-12-24 14:30	2020-12-24 16:00	2020-12-24 17:30	2020-12-25 00:00	2020-12-25 11:00
Source	KPBZ LII				
Loc26					
Loc27		OAD			
Loc28					
Loc29					
Loc30					
Loc31					
Loc32					
Loc33					
KAGC	MSTT				
KPIT					
03049500					
03085734					


Event #	E4a	<u>E4b</u>	<u>E4c</u>
Event Date	2020-12-31	2020-12-31	2020-12-31
Start Time (EST)	2020-12-30 14:05	2020-12-30 22:20	2020-12-31 03:05
End Time (EST)	2020-12-30 22:15	2020-12-31 03:00	2020-12-31 09:00
Source	KPBZ LII	KPBZ LII	KPBZ LII
Loc01			
Loc02			
Loc03			
Loc04			
Loc05	MSTT		
Loc06			
Loc07			
Loc08			
Loc09			
Loc10			
Loc11	MSTT		
Loc12	MSTT		
Loc13	MSTT		
Loc14	MSTT		
Loc15	MSTT		
Loc16	MSTT		
Loc17			
Loc18			
Loc19			
Loc20			
Loc21			
Loc22			
Loc23			
Loc24	MSTT		
Loc25	MSTT		OAD
Loc26	MSTT	OAD	
Loc27			


Event #	<u>E4a</u>	<u>E4b</u>	<u>E4c</u>
Event Date	2020-12-31	2020-12-31	2020-12-31
Start Time (EST)	2020-12-30 14:05	2020-12-30 22:20	2020-12-31 03:05
End Time (EST)	2020-12-30 22:15	2020-12-31 03:00	2020-12-31 09:00
Source	KPBZ LII	KPBZ LII	KPBZ LII
Loc28			
Loc29			
Loc30			
Loc31			
Loc32			
Loc33			
KAGC	MSTT		
KPIT			
03049500	MSTT		
03085734			

Appendix C - Event 1 (2020-12-16) CDPs













December 2020 Radar Rainfall Analysis Report








December 2020 Radar Rainfall Analysis Report































Cumulative Distribution Plot - Castle Shannon (Loc16)











































December 2020 Radar Rainfall Analysis Report























Cumulative Distribution Plot - Ohio River at Emsworth Dam Lower Pool at Emsworth (03085734)


Appendix D - Event 2 (2020-12-20) CDPs












































































Cumulative Distribution Plot - Elizabeth TWP Municipal Bldg (Loc26)





























Cumulative Distribution Plot - Allegheny River at Natrona (03049500)






Cumulative Distribution Plot - Ohio River at Emsworth Dam Lower Pool at Emsworth (03085734)


Appendix E - Event 3 (2020-12-24) CDPs




Cumulative Distribution Plot - PWSA-Montana St. (Loc01)


Cumulative Distribution Plot - ALCOSAN WWTP Lab (Loc02)







Comments directions Directions Directions Directions Directions Directions






Cumulative Distribution Plot - Carnegie Transit Time (Loc06)






Cumulative Distribution Plot - Greentree Munic Bldg (Loc07)


Cumulative Distribution Plot - AC Health Dept Bldg (Loc08)







Cumulative Distribution Plot - Univ of Pittsburgh (Loc09)


Cumulative Distribution Plot - PWSA-Highland Park (Loc10)






Cumulative Distribution Plot - Baldwin (Loc12)






Cumulative Distribution Plot - M-59 Access Shaft (Loc13)


Cumulative Distribution Plot - Churchill Munic Bldg (Loc14)






Cumulative Distribution Plot - Trafford Maint Bldg (Loc15)


Cumulative Distribution Plot - Castle Shannon (Loc16)






Cumulative Distribution Plot - Chartiers Pump Station (Loc17)


Cumulative Distribution Plot - Oakdale Pump Station (Loc18)






Cumulative Distribution Plot - Sandy Creek Eq Facility (Loc19)


Cumulative Distribution Plot - Gascola Eq Facility (Loc20)







Cumulative Distribution Plot - Moon TWP (Loc21)


Cumulative Distribution Plot - North Fayette TWP (Loc22)






Cumulative Distribution Plot - Jefferson Hills (Loc24)






Cumulative Distribution Plot - White Oak Public Works Bldg (Loc25)


Cumulative Distribution Plot - Elizabeth TWP Municipal Bldg (Loc26)






Cumulative Distribution Plot - Marshall TWP (Loc27)


Cumulative Distribution Plot - Plum Municipal Bldg (Loc28)






Cumulative Distribution Plot - Bell Acres Munic Bldg (Loc29)


Cumulative Distribution Plot - McCandless Twn Hall (Loc30)










Cumulative Distribution Plot - Arnold (Loc32)






Cumulative Distribution Plot - Pittsburgh Allegheny Cty (KAGC)






Cumulative Distribution Plot - Greater Pittsburgh Int'l (KPIT)


Cumulative Distribution Plot - Allegheny River at Natrona (03049500)








Cumulative Distribution Plot - Ohio River at Emsworth Dam Lower Pool at Emsworth (03085734)


Appendix F - Event 4 (2020-12-31) CDPs











































































































Cumulative Distribution Plot - Ohio River at Emsworth Dam Lower Pool at Emsworth (03085734)