Radar Rainfall Analysis February 2020 Summary Report



Prepared for 3 Rivers Wet Weather

March 23, 2020



301 David L. Boren Blvd., Suite 3050 Norman, Oklahoma 73072 www.vieuxinc.com

TABLE OF CONTENTS

Glossary	
Overview	4
Methodology	6
Metadata	8
Gauge-Adjusted Radar Rainfall (GARR)	9
Events	
Event 1: 2020-02-04	
Event 2: 2020-02-05	17
Event 3: 2020-02-06	23
Event 4: 2020-02-10	27
Event 5: 2020-02-12	40
Event 6: 2020-02-26	53
Appendices	64
Appendix A - Gauge Performance Exclusion Table	66
Appendix B - Gauge Statistical Criteria Exclusion Table	77
Appendix C - Event 1 (2020-02-04) CDPs	
Appendix D - Event 2 (2020-02-05) CDPs	
Appendix E - Event 3 (2020-02-06) CDPs	
Appendix F - Event 4 (2020-02-10) CDPs	146
Appendix G - Event 5 (2020-02-12) CDPs	166
Appendix H - Event 6 (2020-02-26) CDPs	

Glossary

- Average Difference (AD) Average of the absolute percentage differences between the rain gauge data and uncalibrated radar data sampled over the gauges.
- **Bias Correction Factor** Bias is a systematic error that can be corrected through calibration. The correction factor is the sum of the gauges divided by the sum of the sampled radar values over the gauges.
- **Calibrated Average Difference (CAD)** Average of the absolute percentage differences between the rain gauges and local bias calibrated radar data sampled over the gauges.
- **Cumulative Distribution Plot (CDP)** A graph depicting the accumulation of a rain gauge and the unadjusted/adjusted radar over that gauge.
- **Decibels of Reflectance (dBZ)** The logarithmic scale for measuring radar reflectivity factor or a measure of reflectivity of a radar signal off a remote object.
- Gauge Adjusted Radar Rainfall (GARR) Bias corrected radar rainfall through comparison with rain gauges.
- **KCCX** Federal Communications Commission (FCC) call sign for the NEXRAD near State College, PA.
- **KPBZ** Federal Communications Commission (FCC) call sign for the NEXRAD near Pittsburgh, PA.
- **Level II** The Level II radar products are the highest resolution, and consist of the base data that includes reflectivity measured in decibels of reflectance (dBZ) among Doppler velocity and spectrum width.
- **Level III** The Level III radar products are derivative products from Level II, and consist of horizontal and vertical reflectivity among other products.
- **Local Bias (LB)** An approach to adjusting radar rainfall that uses the ratio of gauge to radar accumulations from surrounding gauges, with the closest gauge having the most weight.
- Minimum Storm Total Threshold (MSTT) A check used to remove radar/gauge pairs whose cumulative radar and/or gauge values for a given event period were below 0.05 inches.
- **Next Generation RADAR (NEXRAD)** A network of S-band (10.5-cm wavelength) radars operated by the National Weather Service.
- <u>Radio</u> <u>Detection and Ranging</u> (RADAR) An electronic instrument used for the detection and ranging of distant objects of such composition that they scatter or reflect radio energy.
- **Radar-Gauge** (**RG**) A pair of rainfall accumulations measured by the rain gauge and the radar rainfall accumulation sampled above the gauge.
- **Z-R relationship** An empirical relationship between radar reflectivity factor $Z \text{ (mm}^6 \text{ m}^{-3})$ and rain rate $R \text{ (mm hr}^{-1})$. Radar reflectivity factor is dependent on the rain drop size distribution. [Z = aR^b, where a and b are empirically derived constants]
 - **Convective** generally used for convective (i.e. thunderstorms) rainfall $[Z = 300R^{1.4}]$
 - Eastern U.S. Cool Stratiform generally used for cool season, non-convective rainfall that occurs east of the Continental Divide $[Z = 130R^{2.0}]$

Overview

Vieux & Associates, Inc. (Vieux) processes radar and rain gauge data for 3 Rivers Wet Weather (3RWW). During each month, radar and rain gauge data are segmented into qualified storm event periods and then Quality Controlled (QC). To produce QC gauge-adjusted radar rainfall (GARR), both radar and rain gauge data are reviewed manually to remove inconsistent data. While only qualified rainfall events are included in this report, the RainVieux online database contains continuous data where QC rain gauge and radar data are available during the inter-event periods. QC is performed to remove anomalous radar data and inconsistent rain gauges during both the qualified and inter-event periods.

Radar data used in production of GARR is produced by the National Weather Service (NWS) <u>Next</u> Generation <u>Radar</u> (NEXRAD) system. NEXRAD Level II radar data are often referred to as Base Data and contain the full spatial/temporal/data resolution data from the radar. Level II radar data measures reflectivity in decibels of reflectance (dBZ), and at a spatial resolution of 0.5-degree by 0.25-km every 4 - 10 minutes with a data resolution of 0.5 dBZ amounting to 256 data levels of data. Level III reflectivity radar data have the same data and temporal resolution, but a reduced spatial resolution of 1-degree by 1-km.

The primary radar data source used to process this period was Level II NEXRAD data from KPBZ located near Pittsburgh, PA. The succession of data used gives priority to Level II followed by Level III products. If KPBZ Level II NEXRAD data are unavailable, then KPBZ Level III Q1 is substituted. If no radar data are available from KPBZ, then Level III Q0 NEXRAD data from KCCX (State College, PA) are used. In the event that all radar sources are unavailable or if the radar provides insufficient rainfall information, then a gauge-only product that spatially distributes point rainfall estimates is used. All radar data were processed into five-minute increments.

Because the radar measures reflectivity in polar coordinates centered on the radar installation, the 1-degree azimuth increases in width as range increases from the radar. Range resolution of the Level II radar data is 1-km and is measured out to 230 km from the radar. Due to the proximity of KPBZ to the study area, the polar coordinates defining horizontal resolution over Allegheny County range from 0.1 - 0.9 km, whereas KCCX ranges from 2.5 - 3.6 km. The radar data represented in these polar coordinates are sampled through spatial averaging into a Cartesian grid of uniform resolution, i.e. 1x1 km. An advantage of the Cartesian grid is that one radar can be substituted for the other without changing the grid resolution, as would be necessary if polar coordinates were used for output of rainfall information at 1x1 km spatial resolution. The Cartesian grid used was defined by a 1-km² grid domain shapefile containing 2313 1-km² pixels covering the study area. CDM Smith provided two basin shapefiles consisting of 440 RFM basins and 871 RFM sheds that are located within the 1-km² pixel domain.

Rain gauge data from as many as 37 gauges were used to adjust the radar. 3RWW provided rain data in 5-minute increments for 33 stations. In addition, rain gauge data were obtained from two United States Geological Survey (USGS) stations and two NWS Automated Surface Observing System (ASOS) stations. Figure 1 depicts the spatial distribution of the rain gauge network, KPBZ NEXRAD, RFM basins and 1-km² pixels. For the gauges shown in Figure 1, the ID, name and source of each gauge is listed in Table 1. Radar data review, preparation and sampling the radar over the gauges and 1-km² pixels were achieved using software developed at Vieux.




Figure 1. Spatial Distribution of the Rain Gauge Network, KPBZ NEXRAD, RFM Basins and 1-km² Pixels

Gauge ID	Gauge Name	Source
Loc01	PWSA-Montana St.	3RWW
Loc02	ALCOSAN WWTP Lab	3RWW
Loc03	Shaler Munic Bldg	3RWW
Loc04	Kennedy Twp PS	3RWW
Loc05	Upper St. Clair	3RWW
Loc06	Carnegie Transit Time	3RWW
Loc07	Greentree Munic Bldg	3RWW
Loc08	AC Health Dept Bldg	3RWW
Loc09	Univ of Pittsburgh	3RWW
Loc10	PWSA-Highland Park	3RWW
Loc11	M-46 Access Shaft	3RWW
Loc12	Baldwin	3RWW
Loc13	M-59 Access Shaft	3RWW

Table 1. Rain Gauge ID, Name and Source

Gauge ID	Gauge Name	Source
Loc14	Churchill Munic Bldg	3RWW
Loc15	Trafford Maint Bldg	3RWW
Loc16	Castle Shannon	3RWW
Loc17	Chartiers Pump Station	3RWW
Loc18	Oakdale Pump Station	3RWW
Loc19	Sandy Creek Eq Facility	3RWW
Loc20	Gascola Eq Facility	3RWW
Loc21	Moon TWP	3RWW
Loc22	North Fayette TWP	3RWW
Loc23	Clinton Munic Bldg	3RWW
Loc24	Jefferson Hills	3RWW
Loc25	White Oak Public Works Bldg	3RWW
Loc26	Elizabeth TWP Municipal Bldg	3RWW
Loc27	Marshall TWP	3RWW
Loc28	Plum Municipal Bldg	3RWW
Loc29	Bell Acres Munic Bldg	3RWW
Loc30	McCandless Twn Hall	3RWW
Loc31	Hampton Municipal Bldg	3RWW
Loc32	Arnold	3RWW
Loc33	Richland TWP	3RWW
KAGC	Pittsburgh Allegheny Cty	NWS - ASOS
KPIT	Greater Pittsburgh Int'l	NWS - ASOS
03049500	Allegheny River at Natrona	USGS
03085734	Ohio River at Emsworth Dam Lower Pool at Emsworth	USGS

The 37 rain gauges and the two NWS NEXRAD radars are used to produce gauge-adjusted radar rainfall (GARR). The methodology used in production of the GARR and the dataset metadata are described in the following sections.

Methodology

Radar and rain gauge data are segmented into qualified storm event periods and then Quality Controlled (QC). Qualified rainfall events are defined based on the storm event definition where, for any given hour, at least 50% of all working 3RWW gauges have an accumulation of 0.05 inches. Only qualified rainfall events are included in the report, while the RainVieux online database contains continuous data. Both the qualified and inter-event periods receive QC to remove anomalous radar data and inconsistent rain gauges.

Statistical control of the data makes radar rainfall measurements more accurate. By statistical comparison between the radar and rain gauge accumulations during a GARR period, certain gauges may be identified as statistical outliers and excluded for all or part of an event. Radar data

is enhanced by correcting it for systematic errors called bias, which helps improve the accuracy of the rainfall product. The bias correction factors are multiplicative factors applied to the radar that enhances the accuracy of the radar rainfall for any accumulation period. By adjusting the radar data with rain gauge data, better maps of rainfall are produced than either sensor system could produce alone.

In the production of GARR, radar rainfall is bias corrected through comparison with rain gauge accumulations. To the extent possible, individual gauges are combined to cover the target area for use in bias adjustment. The method of adjustment depends on the hydrologic application and the spatial extent of the area of interest. The local bias (LB) approach to adjusting the radar rainfall uses the ratio of gauge to radar accumulations from surrounding gauges with the closest gauge having the most weight. The LB approach distributes the variation of bias over the region, and is computed and applied within each event period.

The LB uses the ratio between the sum of each gauge divided by the sum of the sampled radar values over each gauge. Gauge and radar accumulations were computed for each event period. A minimum storm total threshold (MSTT) check was used to remove radar/gauge (RG) pairs whose R or G cumulative values for a given event period were below a chosen threshold (i.e. 0.05 inches for this study). The remaining RG pairs were then checked for statistical outliers. Those RG pairs with individual bias (G/R) or average difference ((G-R)/G)) values greater than three standard deviations from the mean were then excluded from being used to adjust the radar.

After RG pairs have been removed on an event basis by either the MSTT, outlier check or gauge performance review, there must be at least two remaining RG pairs to proceed with gauge-adjustment of the radar. The individual biases of the remaining RG pairs are then distributed spatially over the analysis area using the LB weighted distance method. The resulting LB value over each radar bin is the multiplicative factor that adjusts the radar. For example, a bias of 1.5 can be interpreted as a 33% underestimation by the radar. The statistical measures reported are 1) average difference (AD) and 2) calibrated average difference (CAD). Both of these statistical measures are expressed as an absolute percentage about the mean of G/R accumulations for each event period. GARR is then spatially aggregated from the final adjusted radar bins to the basins and 1-km² pixels using an area-averaged technique.

After bias correction, though generally small, differences between rain gauge and radar rainfall accumulations still exist due to sampling differences or local meteorological conditions among other reasons. A major reason for departures is that radar collects data by averaging reflectivity over a 1-degree by 1-km sample volume, while rain gauges measure at a point. Another source of difference is that radar measures above the ground, while rain gauges measure close to the ground. Further, updrafts and downdrafts during storms can decrease or increase rain rates, respectively. However, radar cannot detect local wind effects, while rain gauges can be affected. Differences between the radar data and the rain gauge data are also affected by precipitation processes associated with the type of storm, which also are affected by the season of the year.

Metadata

Data accompanying this document provides a continuous rainfall record of all 2313 1-km pixels, 440 RFM basins and 871 RFM sheds in 15-minute intervals. The data are provided in CSV format for the period from 2020-02-01 00:00 EST to 2020-03-01 00:00 EST. Shapefiles of the 1-km pixels, RFM basins and RFM sheds are located in the Shapefiles subfolder.

1-km² Pixel CSV metadata:

- > Individual CSV files are provided for each pixel.
- The pixel filenames use a "Ryymm_" (i.e. R, year, month) prefix in front of the pixel ID.
- The comma-delimited text files contain a header row in the 1st row and time/data values beginning on the 2nd row.
- The time/data columns consist of Month, Day, Year, Hour, Minute, Rainfall and Source, where R represents EOM GARR quality.
- ➢ Time stamps are in EST/EDT.
- > Data values represent 15-min accumulation (inches) at end of interval.
- > The 1-km Pixel ID field that was used from the shapefile DBF is "PIXEL".

Basin CSV metadata:

- > Individual CSV files are provided for each RFM Basin and RFM Shed.
- The RFM Basin filenames use a "P-" prefix and a "yyyymmG" (i.e. year, month, G) suffix in front and after the RFM Basin ID.
- The RFM Shed filenames use a "P-" prefix and a "yyyymmN" (i.e. year, month, N) suffix in front and after the RFM Shed ID.
- The comma-delimited text files contain a header row in the 1st row and time/data values beginning on the 2nd row.
- The 1st column contains the date (yyyy/mm/dd hh:mm) and the 2nd column contains the corresponding rainfall value.
- ➢ Time stamps are in EST/EDT.
- > Data values represent 15-min accumulation (inches) at end of interval.
- The RFM Basin ID field that was used from the shapefile DBF is "DS_METERNA".
- > The RFM Shed ID field that was used from the shapefile DBF is "DELINID".

Shapefile metadata:

▶ NAD 1983, State Plane Pennsylvania South (feet).

Gauge-Adjusted Radar Rainfall (GARR)

Rainfall totals for February 2020 are shown in Figure 2. The rainfall amounts for the 2313 1-km² pixels range from 2.7 to 4.5 inches with a mean of 3.5 inches. The rainfall amounts for the 440 RFM basins range from 2.9 to 4.2 inches with a mean of 3.5 inches. The rainfall amounts for the 871 RFM sheds range from 2.9 to 4.2 inches with a mean of 3.5 inches.




Figure 2. GARR Storm Total for February 2020

GARR was processed continuously at five-minute increments and covers the period from 2020-02-01 00:00 EST to 2020-03-01 00:00 EST. Six rainfall events were identified as having met the storm definition during February 2020. The GARR statistics for each event are listed in Table 2. Five of the events were split into multiple sub-event periods to improve gauge-adjustment of the radar, resulting in a total of twenty-five event and sub-event periods. The events that were split into multiple periods are shown in the **Event#** column with the letter "a", "b", "c", etc. appended to the event number (e.g., E1a, E1b, E1c). The **Source** column shows what rainfall source was used to produce GARR for each event or sub-event period. The listed **Event Date** shown in Table 2 corresponds to the day or portion of the day when most of the rainfall occurred for that GARR event period. All six rainfall events are discussed in more detail in the following Events section.

The **Bias** value shown in Table 2 is the sum of the gauges divided by the sum of the sampled radar values over the gauges. Those rain events with the lowest CAD values shown in Table 2 represent the best agreement between GARR and gauge values for all radar/gauge pairs used to adjust the radar. On average, lower values of CAD imply higher statistical confidence in the reliability of the

dataset. Typically, stratiform rainfall events (i.e., low spatial variability) have lower CAD values than convective rainfall events (i.e., high spatial variability). Based on all twenty-five event and sub-event periods, the event CAD averaged 1.8%, indicating that the mean GARR agrees with the mean gauge accumulation to within $\pm 0.9\%$.

						-	r	r	
Event #	Source	Event Date	Start Time (EST)	End Time (EST)	Gauges Used (37)	Avg. Depth (in)	Bias	AD (%)	CAD (%)
<u>E1a</u>	Gauge Only	2020-02-04	2020-02-04 07:05	2020-02-04 15:40	30	0.067			
<u>E1b</u>	KPBZ LII	2020-02-04	2020-02-04 15:45	2020-02-05 04:00	29	0.196	2.557	59.6	1.4
<u>E2a</u>	KPBZ LII	2020-02-05	2020-02-05 17:05	2020-02-05 22:15	18	0.044	0.596	68.6	1.4
<u>E2b</u>	KPBZ LII	2020-02-05	2020-02-05 22:20	2020-02-06 00:30	31	0.221	2.101	52.0	2.0
<u>E2c</u>	Gauge Only	2020-02-05	2020-02-06 00:35	2020-02-06 12:00	32	0.161			
<u>E3</u>	KPBZ LII	2020-02-06	2020-02-06 12:05	2020-02-06 17:00	20	0.098	1.357	28.1	1.3
<u>E4a</u>	KPBZ LII	2020-02-10	2020-02-09 16:05	2020-02-10 00:45	4	4 0.042		152.1	0.7
<u>E4b</u>	KPBZ LII	2020-02-10	2020-02-10 00:50	2020-02-10 03:00	23	0.068	0.556	81.5	2.1
<u>E4c</u>	KPBZ LII	2020-02-10	2020-02-10 03:05	2020-02-10 05:30	32	0.160	1.111	11.4	0.9
<u>E4d</u>	KPBZ LII	2020-02-10	2020-02-10 05:35	2020-02-10 06:30	10	0.039	0.504	97.2	1.2
<u>E4e</u>	Gauge Only	2020-02-10	2020-02-10 06:35	2020-02-10 09:45	32	0.029			
<u>E4f</u>	KPBZ LII	2020-02-10	2020-02-10 09:50	2020-02-10 12:30	28	0.132	0.800	25.7	1.3
<u>E4g</u>	Gauge Only	2020-02-10	2020-02-10 12:35	2020-02-10 21:00	33	0.050			
<u>E5a</u>	KPBZ LII	2020-02-12	2020-02-12 14:05	2020-02-12 19:00	33 0.068		0.599	72.0	3.2
<u>E5b</u>	KPBZ LII	2020-02-12	2020-02-12 19:05	2020-02-12 20:15	32 0.066		0.594	68.8	3.7
<u>E5c</u>	KPBZ LII	2020-02-12	2020-02-12 20:20	2020-02-12 21:30	29	0.144	0.905	14.7	0.8
<u>E5d</u>	KPBZ LII	2020-02-12	2020-02-12 21:35	2020-02-13 00:00	29	0.258	1.876	46.1	1.2

 Table 2. Storm Events and GARR Statistics

Event #	Source	Event Date	Start Time (EST)	End Time (EST)	Gauges Used (37)	Avg. Depth (in)	Bias	AD (%)	CAD (%)
<u>E5e</u>	KPBZ LII	2020-02-12	2020-02-13 00:05	2020-02-13 02:00	33	0.165	1.541	33.6	1.8
<u>E5f</u>	KPBZ LII	2020-02-12	2020-02-13 02:05	2020-02-13 03:45	20	0.078	0.727	39.0	2.2
<u>E5g</u>	Gauge Only	2020-02-12	2020-02-13 03:50	2020-02-13 13:00	29	0.039			
<u>E6a</u>	KPBZ LII	2020-02-26	2020-02-26 08:05	2020-02-26 18:00	32	0.266	0.905	19.4	1.1
<u>E6b</u>	KPBZ LII	2020-02-26	2020-02-26 18:05	2020-02-26 19:30	34	0.173	0.726	35.3	1.7
<u>E6c</u>	KPBZ LII	2020-02-26	2020-02-26 19:35	2020-02-26 20:15	30	0.068	0.594	79.1	2.3
<u>E6d</u>	KPBZ LII	2020-02-26	2020-02-26 20:20	2020-02-26 21:30	32	0.083	0.584	81.5	4.7
<u>E6e</u>	Gauge Only	2020-02-26	2020-02-26 21:35	2020-02-27 00:00	31	0.037			

Statistical review of the data can provide an indication of data quality. Depending on the quality of the radar and gauge data, CAD values for individual events less than 10% are considered excellent, 10 - 20% are considered good, and 20 - 30% are considered fair. However, CAD may not serve as a reliable indicator of data quality when abrupt changes in bias occur within the analysis period, particularly when compensating over- and under-estimation results due to using an assumed Z-R relationship throughout the period while atmospheric conditions merit different Z-R coefficients. The effects from abrupt changes in Z-R are mitigated by splitting the event periods.

Rain gauges were analyzed to identify those that were not consistent with the radar or surrounding gauges. Cumulative Distribution Plots (CDPs) at each gauge location showing gauge, unadjusted radar and GARR values were produced for each rainfall event and are presented in Appendices C - H. CDPs are useful for visualizing rain gauge performance. Figure 3 shows the rainfall accumulation at the Jefferson Hills (Loc24) gauge during the 2020-02-26 event as measured by the gauge (green), unadjusted radar (blue), and gauge-adjusted radar (red). Rain gauges that are not performing consistently with the radar or surrounding gauges have characteristics such as clogs, synchronization or other mechanical/transmission malfunctions that can be visually identified in the CDP graph.




Figure 3. CDP Showing Rain Gauge Versus Unadjusted Radar Versus GARR

Reasons for not using gauges in rainfall analysis include clogs, significant under- or over-reporting of rainfall, gauges that stop reporting during rainfall, or a combination of these reasons. A list of possible reasons for not using a gauge based on CDP analysis is shown in Table 3. Those gauges that were excluded from analysis based on gauge performance are shown in <u>Appendix A</u>. Additional gauges were not used to adjust the radar for a given event or sub-event period if they did not meet the statistical criteria outlined in the Methodology section. A list of reasons for not using a gauge based on statistical criteria is shown in Table 4. The gauges listed in <u>Appendix B</u> did not meet statistical criteria for gauge-adjustment of the radar and were not used to adjust the radar.

Reason	Explanation
Clog (C)	Gauge appeared to be clogged
Zero (Z)	Gauge did not report any rainfall while radar rainfall estimates reported significant rainfall
Stop (S)	Gauge appeared to stop reporting rainfall while radar rainfall estimates reported significant rainfall
Over (O)	Gauge appeared to significantly over-report rainfall as compared to radar rainfall estimates and surrounding gauges (e.g. anomalously high rainfall values caused by field calibration, data transmission error, or switch malfunctions)
Under (U)	Gauge appeared to significantly under-report as compared to radar rainfall estimates and surrounding Gauges (e.g. half-tipper)
Sync (SY)	Gauge appeared to be reporting out-of-sync with the radar rainfall estimates

Table 3. Reasons for Gauge Exclusion Based on Performance

Reason	Explanation
Frozen/Melt (F/M)	Gauge not reporting properly due to frozen or melting precipitation
Other (T)	Combination of multiple reasons
No Data (ND)	Gauge reported "no data" for a significant amount of time

Table 4. Reasons for Gauge Exclusion Based on Statistical Criteria

Reason	Explanation
Minimum Storm Total Threshold (MSTT)	The radar or gauge cumulative sum during the event or sub-event period was less than MSTT
Outlier Based on Mean Field Bias (OMFB)	The RG pair bias (G/R) was greater than three standard deviations from the mean bias (e.g. G>>R)
Outlier Based on Average Difference (OAD)	The RG pair average difference $((G-R)/G)$ was greater than three standard deviations from the mean average difference (e.g. G< <r)< td=""></r)<>

A synopsis for each event is described below in terms of the specific processing protocol applied to each event period as well as specific GARR information.

Events

Event 1: 2020-02-04

The analysis period was from 2020-02-04 07:00 EST to 2020-02-05 04:00 EST. The event was then split into two sub-event periods at 2020-02-04 15:40 EST to improve gauge adjustment of the radar. Gauge Only was used during Event 1a since all radar sources were either unavailable or provided insufficient rainfall information.

The gauges listed in <u>Appendix A</u> were not used to adjust the radar due to inconsistencies between the gauge and the radar or surrounding gauges, or they did not have data available for this event. The gauges listed in <u>Appendix B</u> were not used to adjust the radar since they did not meet statistical criteria for gauge-adjustment.

The Eastern U.S. cool season stratiform Z-R relationship was used to convert radar reflectivity to rainfall rates. Table 5 shows the mean bias and average depth of the event along with the AD and CAD, respectively. Tables 6 - 7 summarize the results for each RG pair used for final radar adjustment, where G_i is the gauge estimate, R_i is the non-adjusted radar estimate, R_i^* is the GARR estimate, and Diff* (%) is the percent difference between the gauge and GARR estimate. Those gauges not used to adjust the radar are shown at the bottom of the table and are highlighted in red. The specific reason for gauge exclusion is displayed in the Flag column. Figure 4 shows the scatter plot of the gauge-adjusted RG pairs. Those gauges not used to adjust the radar are shown in red. Figure 5 depicts the GARR storm total over the 1-km² pixels. The GARR amounts for the 2313 1-km² pixels range from 0.1 - 0.4 inches with a mean of 0.3 inches. The GARR amounts for the 440 RFM basins range from 0.2 - 0.4 inches with a mean of 0.3 inches.

871 RFM sheds range from 0.2 - 0.4 inches with a mean of 0.3 inches. Table 8 shows the Depth Duration Frequency (DDF) maximum values for the $1 - \text{km}^2$ pixels.

Event #	Radar	Event Date	Start Time (EST)	End Time (EST)	Gauges Used (37)	Avg. Depth (in)	Bias	AD (%)	CAD (%)
E1a	Gauge Only	2020-02-04	2020-02-04 07:05	2020-02-04 15:40	30	0.067			
E1b	KPBZ LII	2020-02-04	2020-02-04 15:45	2020-02-05 04:00	29	0.196	2.557	59.6	1.4

Table 5. GARR Statistics for Event 1

Table 6. Summary of Individual RG Pairs for Event 1a

Gauge		Gi	Ri	R _i *	Diff*	Diff*	
ID	Name	(in)	(in)	(in)	(in)	(%)	Flag
Loc15	Trafford Maint Bldg	0.00					
Loc07	Greentree Munic Bldg	0.01					
Loc11	M-46 Access Shaft	0.01					
Loc14	Churchill Munic Bldg	0.01					
<u>Loc06</u>	Carnegie Transit Time	0.02					
Loc09	Univ of Pittsburgh	0.02					
Loc12	Baldwin	0.02					
Loc13	M-59 Access Shaft	0.02					
Loc16	Castle Shannon	0.02					
Loc18	Oakdale Pump Station	0.02					
<u>Loc20</u>	Gascola Eq Facility	0.02					
Loc22	North Fayette TWP	0.02					
Loc05	Upper St. Clair	0.03					
Loc17	Chartiers Pump Station	0.03					
Loc25	White Oak Public Works Bldg	0.03					
Loc24	Jefferson Hills	0.04					
Loc26	Elizabeth TWP Municipal Bldg	0.05					
Loc08	AC Health Dept Bldg	0.07					
Loc19	Sandy Creek Eq Facility	0.09					
Loc31	Hampton Municipal Bldg	0.09					
Loc32	Arnold	0.09					
Loc28	Plum Municipal Bldg	0.10					
Loc30	McCandless Twn Hall	0.10					
Loc02	ALCOSAN WWTP Lab	0.11					

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc33	Richland TWP	0.11					
Loc21	Moon TWP	0.12					
<u>Loc01</u>	PWSA-Montana St.	0.13					
<u>Loc03</u>	Shaler Munic Bldg	0.13					
<u>Loc04</u>	Kennedy Twp PS	0.13					
<u>Loc27</u>	Marshall TWP	0.13					
<u>03049500</u>	Allegheny River at Natrona	0.03					U
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.09					Т
KAGC	Pittsburgh Allegheny Cty	0.04					Т
<u>KPIT</u>	Greater Pittsburgh Int'l	0.14					Т
<u>Loc10</u>	PWSA-Highland Park	0.07					ND
Loc23	Clinton Munic Bldg	0.00					ND
Loc29	Bell Acres Munic Bldg	0.08					U

Table 7. Summary of Individual RG Pairs for Event 1b

	Tuble 7: Summary of marvia	1	1				
Gauge	Name	Gi	Ri	R _i *	Diff*	Diff*	Flag
ID	1 vanie	(in)	(in)	(in)	(in)	(%)	Thas
Loc08	AC Health Dept Bldg	0.20	0.09	0.21	-0.01	-5.0	
Loc19	Sandy Creek Eq Facility	0.20	0.07	0.21	-0.01	-5.0	
Loc09	Univ of Pittsburgh	0.25	0.11	0.26	-0.01	-4.0	
Loc12	Baldwin	0.27	0.11	0.28	-0.01	-3.7	
<u>Loc14</u>	Churchill Munic Bldg	0.27	0.10	0.28	-0.01	-3.7	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.22	0.08	0.22	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.14	0.08	0.14	0.00	0.0	
<u>Loc01</u>	PWSA-Montana St.	0.20	0.08	0.20	0.00	0.0	
Loc02	ALCOSAN WWTP Lab	0.21	0.09	0.21	0.00	0.0	
<u>Loc03</u>	Shaler Munic Bldg	0.15	0.05	0.15	0.00	0.0	
<u>Loc04</u>	Kennedy Twp PS	0.21	0.10	0.21	0.00	0.0	
<u>Loc05</u>	Upper St. Clair	0.22	0.10	0.22	0.00	0.0	
<u>Loc06</u>	Carnegie Transit Time	0.25	0.11	0.25	0.00	0.0	
<u>Loc07</u>	Greentree Munic Bldg	0.26	0.11	0.26	0.00	0.0	
Loc11	M-46 Access Shaft	0.28	0.11	0.28	0.00	0.0	
Loc15	Trafford Maint Bldg	0.27	0.06	0.27	0.00	0.0	
Loc17	Chartiers Pump Station	0.24	0.11	0.24	0.00	0.0	

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc18</u>	Oakdale Pump Station	0.26	0.11	0.26	0.00	0.0	
<u>Loc21</u>	Moon TWP	0.12	0.07	0.12	0.00	0.0	
Loc22	North Fayette TWP	0.25	0.11	0.25	0.00	0.0	
<u>Loc24</u>	Jefferson Hills	0.21	0.07	0.21	0.00	0.0	
<u>Loc25</u>	White Oak Public Works Bldg	0.26	0.07	0.26	0.00	0.0	
<u>Loc26</u>	Elizabeth TWP Municipal Bldg	0.22	0.07	0.22	0.00	0.0	
Loc28	Plum Municipal Bldg	0.27	0.07	0.27	0.00	0.0	
<u>Loc29</u>	Bell Acres Munic Bldg		0.07	0.12	0.00	0.0	
<u>Loc30</u>	McCandless Twn Hall		0.05	0.13	0.00	0.0	
<u>Loc20</u>	Gascola Eq Facility		0.09	0.30	0.01	3.2	
Loc16	Castle Shannon	0.30	0.11	0.29	0.01	3.3	
<u>Loc10</u>	PWSA-Highland Park	0.22	0.07	0.20	0.02	9.1	
03049500	Allegheny River at Natrona	0.17					MSTT
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.10					U
<u>Loc13</u>	M-59 Access Shaft	0.16					U
Loc23	Clinton Munic Bldg	0.00					ND
Loc27	Marshall TWP						MSTT
Loc31	Hampton Municipal Bldg						MSTT
Loc32	Arnold	0.14					MSTT
Loc33	Richland TWP	0.17					MSTT




Figure 4. Scatter Plot of RG Pairs for Event 1b




Figure 5. GARR Storm Total for Event 1

Table 8. Depth I	Duration Free	quency.	Analyses for	Event 1

Duration	Depth (in)	Pixel	Time (EST)	Frequency
15 minutes	0.075	125140	2020-02-04 16:20	<1 yr.
30 minutes	0.130	131139	2020-02-04 16:30	<1 yr.
1 hour	0.201	131139	2020-02-04 16:40	<1 yr.
2 hour	0.270	136137	2020-02-04 16:35	<1 yr.
3 hour	0.291	136137	2020-02-04 17:05	<1 yr.
6 hour	0.352	136137	2020-02-04 20:30	<1 yr.
12 hour	0.425	173134	2020-02-05 00:25	<1 yr.

Event 2: 2020-02-05

The analysis period was from 2020-02-05 17:00 EST to 2020-02-06 12:00 EST. The event was then split into three sub-event periods at 2020-02-05 22:15 EST and 2020-02-06 00:30 EST to improve gauge adjustment of the radar. Gauge Only was used during Event 2c since all radar sources were either unavailable or provided insufficient rainfall information.

The gauges listed in <u>Appendix A</u> were not used to adjust the radar due to inconsistencies between the gauge and the radar or surrounding gauges, or they did not have data available for this event.

The gauges listed in <u>Appendix B</u> were not used to adjust the radar since they did not meet statistical criteria for gauge-adjustment.

The Eastern U.S. cool season stratiform Z-R relationship was used to convert radar reflectivity to rainfall rates. Table 9 shows the mean bias and average depth of the event along with the AD and CAD, respectively. Tables 10 - 12 summarize the results for each RG pair used for final radar adjustment, where G_i is the gauge estimate, R_i is the non-adjusted radar estimate, R_i^* is the GARR estimate, and Diff* (%) is the percent difference between the gauge and GARR estimate. Those gauges not used to adjust the radar are shown at the bottom of the table and are highlighted in red. The specific reason for gauge exclusion is displayed in the Flag column. Figures 6 - 7 show the scatter plots of the gauge-adjusted RG pairs. Those gauges not used to adjust the radar are shown in red. Figure 8 depicts the GARR storm total over the 1-km² pixels. The GARR amounts for the 440 RFM basins range from 0.1 - 0.7 inches with a mean of 0.4 inches. The GARR amounts for the 871 RFM sheds range from 0.2 - 0.5 inches with a mean of 0.4 inches. Table 13 shows the Depth Duration Frequency (DDF) maximum values for the 1-km² pixels.

	Table 7. GARK Statistics for Event 2									
Event #	Radar	Event Date	Start Time (EST)	End Time (EST)	Gauges Used (37)	Avg. Depth (in)	Bias	AD (%)	CAD (%)	
E2a	KPBZ LII	2020-02-05	2020-02-05 17:05	2020-02-05 22:15	18	0.044	0.596	68.6	1.4	
E2b	KPBZ LII	2020-02-05	2020-02-05 22:20	2020-02-06 00:30	31	0.221	2.101	52.0	2.0	
E2c	Gauge Only	2020-02-05	2020-02-06 00:35	2020-02-06 12:00	32	0.161				

Table 9. GARR Statistics for Event 2

Table 10. Summary of mulvidual KO Tan's for Event 2a									
Gauge ID	Name	Gi (in)	R _i (in)	Ri* (in)	Diff* (in)	Diff* (%)	Flag		
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.06	0.08	0.06	0.00	0.0			
<u>KPIT</u>	Greater Pittsburgh Int'l	0.05	0.06	0.05	0.00	0.0			
Loc01	PWSA-Montana St. 0		0.10	0.05	0.00	0.0			
<u>Loc04</u>	Kennedy Twp PS		0.09	0.06	0.00	0.0			
<u>Loc06</u>	Carnegie Transit Time		0.10	0.05	0.00	0.0			
Loc12	Baldwin	0.05	0.08	0.05	0.00	0.0			
Loc14	Churchill Munic Bldg	0.05	0.09	0.05	0.00	0.0			
Loc15	Trafford Maint Bldg		0.11	0.06	0.00	0.0			
<u>Loc17</u>	Chartiers Pump Station		0.09	0.05	0.00	0.0			
Loc18	Oakdale Pump Station		0.09	0.06	0.00	0.0			
Loc19	Sandy Creek Eq Facility	0.06	0.10	0.06	0.00	0.0			

 Table 10. Summary of Individual RG Pairs for Event 2a

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc20	Gascola Eq Facility	0.05	0.06	0.05	0.00	0.0	
Loc24	Jefferson Hills	0.06	0.09	0.06	0.00	0.0	
Loc25	White Oak Public Works Bldg		0.12	0.05	0.00	0.0	
Loc27	Marshall TWP	0.05	0.05	0.05	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.05	0.07	0.05	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.05	0.12	0.05	0.00	0.0	
Loc32	Arnold	0.05	0.11	0.05	0.00	0.0	
03049500	Allegheny River at Natrona	0.03					MSTT
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth						MSTT
Loc02	ALCOSAN WWTP Lab						MSTT
Loc03	Shaler Munic Bldg						MSTT
<u>Loc05</u>	Upper St. Clair						MSTT
<u>Loc07</u>	Greentree Munic Bldg	0.04					MSTT
Loc08	AC Health Dept Bldg	0.03					MSTT
Loc09	Univ of Pittsburgh	0.03					MSTT
<u>Loc10</u>	PWSA-Highland Park	0.03					MSTT
Loc11	M-46 Access Shaft	0.04					MSTT
Loc13	M-59 Access Shaft	0.04					MSTT
<u>Loc16</u>	Castle Shannon	0.03					MSTT
Loc21	Moon TWP	0.04					MSTT
Loc22	North Fayette TWP	0.03					MSTT
Loc23	Clinton Munic Bldg	0.00					ND
Loc26	Elizabeth TWP Municipal Bldg	0.02					MSTT
Loc28	Plum Municipal Bldg	0.02					MSTT
Loc30	McCandless Twn Hall	0.02					MSTT
Loc33	Richland TWP	0.05					MSTT

Gauge ID	Name		R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc08	AC Health Dept Bldg		0.11	0.22	-0.02	-10.0	
<u>KAGC</u>	Pittsburgh Allegheny Cty		0.09	0.18	-0.01	-5.9	
Loc03	Shaler Munic Bldg		0.10	0.19	-0.01	-5.6	
<u>Loc19</u>	Sandy Creek Eq Facility	0.19	0.10	0.20	-0.01	-5.3	

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff * (%)	Flag
Loc02	ALCOSAN WWTP Lab	0.20	0.11	0.21	-0.01	-5.0	
Loc07	Greentree Munic Bldg	0.23	0.12	0.24	-0.01	-4.3	
Loc22	North Fayette TWP	0.23	0.13	0.24	-0.01	-4.3	
<u>03049500</u>	Allegheny River at Natrona	0.18	0.08	0.18	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.27	0.14	0.27	0.00	0.0	
<u>Loc04</u>	Kennedy Twp PS	0.23	0.11	0.23	0.00	0.0	
<u>Loc09</u>	Univ of Pittsburgh	0.21	0.11	0.21	0.00	0.0	
<u>Loc11</u>	M-46 Access Shaft	0.22	0.10	0.22	0.00	0.0	
<u>Loc15</u>	Trafford Maint Bldg	0.17	0.08	0.17	0.00	0.0	
Loc16	Castle Shannon	0.24	0.10	0.24	0.00	0.0	
<u>Loc17</u>	Chartiers Pump Station	0.25	0.12	0.25	0.00	0.0	
<u>Loc20</u>	Gascola Eq Facility	0.19	0.10	0.19	0.00	0.0	
<u>Loc21</u>	Moon TWP	0.30	0.16	0.30	0.00	0.0	
Loc24	Jefferson Hills		0.08	0.17	0.00	0.0	
<u>Loc25</u>	White Oak Public Works Bldg		0.08	0.14	0.00	0.0	
<u>Loc27</u>	Marshall TWP	0.35	0.14	0.35	0.00	0.0	
Loc28	Plum Municipal Bldg	0.19	0.09	0.19	0.00	0.0	
<u>Loc29</u>	Bell Acres Munic Bldg	0.32	0.15	0.32	0.00	0.0	
<u>Loc31</u>	Hampton Municipal Bldg	0.22	0.11	0.22	0.00	0.0	
<u>Loc32</u>	Arnold	0.19	0.08	0.19	0.00	0.0	
<u>Loc33</u>	Richland TWP	0.31	0.13	0.31	0.00	0.0	
<u>Loc18</u>	Oakdale Pump Station	0.28	0.12	0.27	0.01	3.6	
<u>Loc06</u>	Carnegie Transit Time	0.26	0.12	0.25	0.01	3.8	
<u>Loc12</u>	Baldwin	0.25	0.10	0.24	0.01	4.0	
<u>Loc01</u>	PWSA-Montana St.	0.21	0.10	0.20	0.01	4.8	
<u>Loc14</u>	Churchill Munic Bldg	0.21	0.10	0.20	0.01	4.8	
<u>Loc10</u>	PWSA-Highland Park	0.24	0.10	0.22	0.02	8.3	
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.19					U
Loc05	Upper St. Clair	0.21					U
Loc13	M-59 Access Shaft						U
Loc23	Clinton Munic Bldg	ND					ND
Loc26	Elizabeth TWP Municipal Bldg	0.09					OAD
Loc30	McCandless Twn Hall	0.27					U

C	v	Table 12. Summary of Individual RG Pairs for Event 2c					
Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc26	Elizabeth TWP Municipal Bldg	0.03					
Loc24	Jefferson Hills	0.04					
Loc25	White Oak Public Works Bldg	0.04					
Loc15	Trafford Maint Bldg	0.05					
Loc22	North Fayette TWP	0.13					
Loc17	Chartiers Pump Station	0.16					
Loc20	Gascola Eq Facility	0.16					
Loc01	PWSA-Montana St.	0.17					
Loc04	Kennedy Twp PS	0.17					
Loc13	M-59 Access Shaft	0.17					
Loc14	Churchill Munic Bldg	0.17					
Loc30	McCandless Twn Hall	0.17					
Loc03	Shaler Munic Bldg	0.18					
Loc06	Carnegie Transit Time	0.18					
Loc07	Greentree Munic Bldg						
Loc11	M-46 Access Shaft						
Loc18	Oakdale Pump Station						
Loc21	Moon TWP	0.18					
Loc29	Bell Acres Munic Bldg	0.18					
Loc32	Arnold	0.18					
Loc02	ALCOSAN WWTP Lab	0.19					
<u>Loc05</u>	Upper St. Clair	0.19					
Loc08	AC Health Dept Bldg	0.19					
Loc09	Univ of Pittsburgh	0.19					
Loc16	Castle Shannon	0.19					
<u>Loc27</u>	Marshall TWP	0.19					
Loc12	Baldwin	0.20					
Loc19	Sandy Creek Eq Facility	0.21					
<u>Loc10</u>	PWSA-Highland Park	0.22					
Loc28	Plum Municipal Bldg	0.22					
Loc31	Hampton Municipal Bldg	0.22					
Loc33	Richland TWP	0.30					
03049500	Allegheny River at Natrona	0.39					Т
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.14					Т
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.12					Т

Table 12. Summary of Individual RG Pairs for Event 2c

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>KPIT</u>	Greater Pittsburgh Int'l	tsburgh Int'l 0.14					Т
Loc23	Clinton Munic Bldg	0.03					ND




Figure 6. Scatter Plot of RG Pairs for Event 2a




Figure 7. Scatter Plot of RG Pairs for Event 2b




Figure 8. GARR Storm Total for Event 2

Table 15. Depth Duration Frequency Analyses for Event 2									
Duration	Depth (in)	Pixel	Time (EST)	Frequency					
15 minutes	0.110	133112	2020-02-05 23:20	<1 yr.					
30 minutes	0.205	133112	2020-02-05 23:25	<1 yr.					
1 hour	0.337	134111	2020-02-05 23:30	<1 yr.					
2 hour	0.438	134111	2020-02-05 23:55	<1 yr.					
3 hour	0.469	134111	2020-02-06 01:05	<1 yr.					
6 hour	0.590	134111	2020-02-06 03:20	<1 yr.					
12 hour	0.639	134111	2020-02-06 08:35	<1 yr.					

 Table 13. Depth Duration Frequency Analyses for Event 2

Event 3: 2020-02-06

The analysis period was from 2020-02-06 12:00 EST to 2020-02-06 17:00 EST.

The gauges listed in <u>Appendix A</u> were not used to adjust the radar due to inconsistencies between the gauge and the radar or surrounding gauges, or they did not have data available for this event. The gauges listed in <u>Appendix B</u> were not used to adjust the radar since they did not meet statistical criteria for gauge-adjustment.

The Eastern U.S. cool season stratiform Z-R relationship was used to convert radar reflectivity to rainfall rates. Table 14 shows the mean bias and average depth of the event along with the AD and CAD, respectively. Table 15 summarizes the results for each RG pair used for final radar adjustment, where G_i is the gauge estimate, R_i is the non-adjusted radar estimate, R_i^* is the GARR estimate, Diff* (in) is the difference in inches between the gauge and GARR estimate, and Diff* (%) is the percent difference between the gauge and GARR estimate. Those gauges not used to adjust the radar are shown at the bottom of the table and are highlighted in red. The specific reason for gauge exclusion is displayed in the Flag column. Figure 9 shows the scatter plot of the RG pairs. Those gauges not used to adjust the radar are shown in red. Figure 10 depicts the GARR storm total over the 1-km² pixels. The GARR amounts for the 2313 1-km² pixels range from 0.0 - 0.1 inches with a mean of 0.1 inches. The GARR amounts for the 871 RFM sheds range from 0.0 - 0.1 inches with a mean of 0.1 inches. Table 16 shows the Depth Duration Frequency (DDF) maximum values for the 1-km² pixels.

Event #	Radar	Event Date	Start Time (EST)	End Time (EST)	Gauges Used (37)			AD (%)	CAD (%)
E3	KPBZ LII	2020-02-06	2020-02-06 12:05	2020-02-06 17:00	20	0.098	1.357	28.1	1.3

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc13	M-59 Access Shaft	0.10	0.09	0.11	-0.01	-10.0	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.12	0.09	0.12	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.17	0.12	0.17	0.00	0.0	
<u>Loc05</u>	Upper St. Clair	0.08	0.05	0.08	0.00	0.0	
Loc11	M-46 Access Shaft	0.10	0.07	0.10	0.00	0.0	
Loc12	Baldwin	0.10	0.06	0.10	0.00	0.0	
Loc14	Churchill Munic Bldg	0.10	0.07	0.10	0.00	0.0	
Loc15	Trafford Maint Bldg	0.11	0.07	0.11	0.00	0.0	
Loc16	Castle Shannon	0.10	0.06	0.10	0.00	0.0	
<u>Loc19</u>	Sandy Creek Eq Facility	0.09	0.05	0.09	0.00	0.0	
<u>Loc20</u>	Gascola Eq Facility	0.13	0.08	0.13	0.00	0.0	
Loc21	Moon TWP	0.24	0.19	0.24	0.00	0.0	
Loc23	Clinton Munic Bldg	0.23	0.22	0.23	0.00	0.0	
<u>Loc24</u>	Jefferson Hills	0.11	0.09	0.11	0.00	0.0	
<u>Loc25</u>	White Oak Public Works Bldg	0.09	0.06	0.09	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.07	0.07	0.07	0.00	0.0	

 Table 15. Summary of Individual RG Pairs for Event 3

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc27	Marshall TWP	0.18	0.14	0.18	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.26	0.20	0.26	0.00	0.0	
Loc30	McCandless Twn Hall	0.24	0.18	0.24	0.00	0.0	
Loc33	Richland TWP	0.10	0.06	0.10	0.00	0.0	
03049500	Allegheny River at Natrona	0.07					MSTT
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.05					MSTT
<u>Loc01</u>	PWSA-Montana St.	0.06					MSTT
<u>Loc02</u>	ALCOSAN WWTP Lab	0.05					MSTT
Loc03	Shaler Munic Bldg	0.06					MSTT
<u>Loc04</u>	Kennedy Twp PS	0.07					MSTT
<u>Loc06</u>	Carnegie Transit Time	0.05					MSTT
Loc07	Greentree Munic Bldg	0.06					MSTT
Loc08	AC Health Dept Bldg	0.06					MSTT
Loc09	Univ of Pittsburgh	0.08					MSTT
<u>Loc10</u>	PWSA-Highland Park	0.08					MSTT
Loc17	Chartiers Pump Station	0.06					MSTT
Loc18	Oakdale Pump Station	0.04					MSTT
Loc22	North Fayette TWP	0.06					MSTT
Loc28	Plum Municipal Bldg	0.12					OMFB
Loc31	Hampton Municipal Bldg	0.07					MSTT
Loc32	Arnold	0.09					MSTT




Figure 9. Scatter Plot of RG Pairs for Event 3




Figure 10. GARR Storm Total for Event 3

Duration	Depth (in)	Pixel	Time (EST)	Frequency
15 minutes	0.069	118138	2020-02-06 13:20	<1 yr.
30 minutes	0.108	126130	2020-02-06 13:35	<1 yr.
1 hour	0.168	127126	2020-02-06 13:40	<1 yr.
2 hour	0.272	126130	2020-02-06 14:35	<1 yr.
3 hour	0.283	126130	2020-02-06 15:00	<1 yr.

 Table 16. Depth Duration Frequency Analyses for Event 3

Event 4: 2020-02-10

The analysis period was from 2020-02-09 16:00 EST to 2020-02-10 21:00 EST. The event was then split into seven sub-event periods at 2020-02-10 00:45 EST, 2020-02-10 03:00 EST, 2020-02-10 05:30 EST, 2020-02-10 06:30 EST, 2020-02-10 09:45 EST and 2020-02-10 12:30 EST to improve gauge adjustment of the radar. Gauge Only was used during Event 4e since all radar sources were either unavailable or provided insufficient rainfall information. Gauge Only was used during Event 4g since all radar sources were either unavailable or provided insufficient rainfall information.

The gauges listed in <u>Appendix A</u> were not used to adjust the radar due to inconsistencies between the gauge and the radar or surrounding gauges, or they did not have data available for this event. The gauges listed in <u>Appendix B</u> were not used to adjust the radar since they did not meet statistical criteria for gauge-adjustment.

The Eastern U.S. cool season stratiform Z-R relationship was used to convert radar reflectivity to rainfall rates. Table 17 shows the mean bias and average depth of the event along with the AD and CAD, respectively. Tables 18 - 24 summarize the results for each RG pair used for final radar adjustment, where G_i is the gauge estimate, R_i is the non-adjusted radar estimate, R_i^* is the GARR estimate, and Diff* (%) is the percent difference between the gauge and GARR estimate. Those gauges not used to adjust the radar are shown at the bottom of the table and are highlighted in red. The specific reason for gauge exclusion is displayed in the Flag column. Figures 11 - 15 show the scatter plots of the gauge-adjusted RG pairs. Those gauges not used to adjust the radar are shown in red. Figure 16 depicts the GARR storm total over the 1-km² pixels. The GARR amounts for the 440 RFM basins range from 0.3 - 0.9 inches with a mean of 0.5 inches. The GARR amounts for the 871 RFM sheds range from 0.4 - 0.8 inches with a mean of 0.5 inches. Table 25 shows the Depth Duration Frequency (DDF) maximum values for the 1-km² pixels.

Event #	Radar	Event Date	Start Time (EST)	(EST) Used (37)		Avg. Depth (in)	Bias	AD (%)	CAD (%)
E4a	KPBZ LII	2020-02-10	2020-02-09 16:05	2020-02-10 00:45	4	0.042	0.395	152.1	0.7
E4b	KPBZ LII	2020-02-10	2020-02-10 00:50	2020-02-10 03:00	23	0.068	0.556	81.5	2.1
E4c	KPBZ LII	2020-02-10	2020-02-10 03:05	2020-02-10 05:30	32	0.160	1.111	11.4	0.9
E4d	KPBZ LII	2020-02-10	2020-02-10 05:35	2020-02-10 06:30	10	0.039	0.504	97.2	1.2
E4e	Gauge Only	2020-02-10	2020-02-10 06:35	2020-02-10 09:45	32	0.029			
E4f	KPBZ LII	2020-02-10	2020-02-10 09:50	2020-02-10 12:30	28	0.132	0.800	25.7	1.3
E4g	Gauge Only	2020-02-10	2020-02-10 12:35	2020-02-10 21:00	33	0.050			

 Table 17. GARR Statistics for Event 4

Table 18. Summary of Individual RG Pairs for Event 4a

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc27</u>	Marshall TWP	0.05	0.14	0.05	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.05	0.11	0.05	0.00	0.0	
<u>Loc30</u>	McCandless Twn Hall	0.05	0.12	0.05	0.00	0.0	
<u>Loc33</u>	Richland TWP	0.06	0.17	0.06	0.00	0.0	
<u>03049500</u>	Allegheny River at Natrona	0.12					F/M
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.02					MSTT
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.02					MSTT
<u>KPIT</u>	Greater Pittsburgh Int'l	0.02					MSTT
Loc01	PWSA-Montana St.	0.00					MSTT
<u>Loc02</u>	ALCOSAN WWTP Lab	0.00					MSTT
<u>Loc03</u>	Shaler Munic Bldg	0.02					MSTT
<u>Loc04</u>	Kennedy Twp PS	0.01					MSTT
<u>Loc05</u>	Upper St. Clair	0.01					MSTT
<u>Loc06</u>	Carnegie Transit Time	0.00					MSTT
<u>Loc07</u>	Greentree Munic Bldg	0.00					MSTT
<u>Loc08</u>	AC Health Dept Bldg	0.02					MSTT
<u>Loc09</u>	Univ of Pittsburgh	0.00					MSTT

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc10</u>	PWSA-Highland Park	0.00					MSTT
Loc11	M-46 Access Shaft	0.01					MSTT
Loc12	Baldwin	0.01					MSTT
Loc13	M-59 Access Shaft	0.01					MSTT
Loc14	Churchill Munic Bldg	0.00					MSTT
Loc15	Trafford Maint Bldg	0.04					MSTT
Loc16	Castle Shannon	0.01					MSTT
Loc17	Chartiers Pump Station	0.00					MSTT
Loc18	Oakdale Pump Station	0.00					MSTT
Loc19	Sandy Creek Eq Facility	0.01					MSTT
Loc20	Gascola Eq Facility	0.01					MSTT
Loc21	Moon TWP	0.02					MSTT
Loc22	North Fayette TWP	0.00					MSTT
Loc23	Clinton Munic Bldg	0.00					ND
Loc24	Jefferson Hills	0.02					MSTT
Loc25	White Oak Public Works Bldg	0.04					MSTT
Loc26	Elizabeth TWP Municipal Bldg	0.03					MSTT
Loc28	Plum Municipal Bldg	0.02					MSTT
Loc31	Hampton Municipal Bldg	0.04					MSTT
Loc32	Arnold	0.04					MSTT

Table 19. Summary of Individual RG Pairs for Event 4b

Gauge ID	Name	Gi (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc20</u>	Gascola Eq Facility	0.06	0.17	0.07	-0.01	-16.7	
03049500	Allegheny River at Natrona	0.07	0.11	0.07	0.00	0.0	
<u>Loc03</u>	Shaler Munic Bldg	0.06	0.09	0.06	0.00	0.0	
<u>Loc04</u>	Kennedy Twp PS	0.05	0.08	0.05	0.00	0.0	
<u>Loc05</u>	Upper St. Clair	0.06	0.11	0.06	0.00	0.0	
<u>Loc06</u>	Carnegie Transit Time	0.06	0.08	0.06	0.00	0.0	
Loc08	AC Health Dept Bldg	0.06	0.11	0.06	0.00	0.0	
Loc09	Univ of Pittsburgh	0.06	0.11	0.06	0.00	0.0	
<u>Loc10</u>	PWSA-Highland Park	0.06	0.12	0.06	0.00	0.0	
Loc11	M-46 Access Shaft	0.06	0.11	0.06	0.00	0.0	
Loc13	M-59 Access Shaft	0.07	0.13	0.07	0.00	0.0	

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc15	Trafford Maint Bldg	0.11	0.19	0.11	0.00	0.0	
Loc16	Castle Shannon	0.05	0.11	0.05	0.00	0.0	
Loc17	Chartiers Pump Station	0.06	0.10	0.06	0.00	0.0	
Loc19	Sandy Creek Eq Facility	0.07	0.15	0.07	0.00	0.0	
Loc22	North Fayette TWP	0.05	0.09	0.05	0.00	0.0	
Loc24	Jefferson Hills	0.12	0.20	0.12	0.00	0.0	
Loc25	White Oak Public Works Bldg	0.13	0.23	0.13	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.14	0.32	0.14	0.00	0.0	
Loc28	Plum Municipal Bldg	0.12	0.16	0.12	0.00	0.0	
Loc32	Arnold	0.09	0.13	0.09	0.00	0.0	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.09	0.15	0.08	0.01	11.1	
Loc14	Churchill Munic Bldg	0.08	0.14	0.07	0.01	12.5	
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.04					MSTT
<u>KPIT</u>	Greater Pittsburgh Int'l	0.04					MSTT
Loc01	PWSA-Montana St.	0.01					S
Loc02	ALCOSAN WWTP Lab	0.04					MSTT
Loc07	Greentree Munic Bldg	0.04					MSTT
Loc12	Baldwin	0.03					S
Loc18	Oakdale Pump Station	0.04					MSTT
Loc21	Moon TWP	0.02					MSTT
Loc23	Clinton Munic Bldg	ND					ND
Loc27	Marshall TWP	0.05					MSTT
Loc29	Bell Acres Munic Bldg	0.02					MSTT
Loc30	McCandless Twn Hall	0.02					MSTT
Loc31	Hampton Municipal Bldg	0.06					MSTT
Loc33	Richland TWP	0.07					OMFB

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
03049500	Allegheny River at Natrona	0.20	0.19	0.20	0.00	0.0	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.10	0.10	0.10	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.14	0.14	0.14	0.00	0.0	
<u>Loc02</u>	ALCOSAN WWTP Lab	0.13	0.14	0.13	0.00	0.0	

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc03	Shaler Munic Bldg	0.17	0.17	0.17	0.00	0.0	
Loc04	Kennedy Twp PS	0.14	0.14	0.14	0.00	0.0	
Loc06	Carnegie Transit Time	0.14	0.13	0.14	0.00	0.0	
Loc07	Greentree Munic Bldg	0.15	0.13	0.15	0.00	0.0	
Loc08	AC Health Dept Bldg	0.16	0.15	0.16	0.00	0.0	
Loc09	Univ of Pittsburgh	0.15	0.14	0.15	0.00	0.0	
Loc11	M-46 Access Shaft	0.13	0.12	0.13	0.00	0.0	
Loc12	Baldwin	0.11	0.11	0.11	0.00	0.0	
Loc13	M-59 Access Shaft	0.13	0.11	0.13	0.00	0.0	
Loc14	Churchill Munic Bldg	0.17	0.14	0.17	0.00	0.0	
Loc15	Trafford Maint Bldg	0.12	0.10	0.12	0.00	0.0	
Loc16	Castle Shannon	0.10	0.11	0.10	0.00	0.0	
Loc17	Chartiers Pump Station	0.11	0.11	0.11	0.00	0.0	
Loc18	Oakdale Pump Station	0.14	0.11	0.14	0.00	0.0	
Loc19	Sandy Creek Eq Facility	0.22	0.18	0.22	0.00	0.0	
Loc21	Moon TWP	0.16	0.17	0.16	0.00	0.0	
Loc22	North Fayette TWP	0.15	0.11	0.15	0.00	0.0	
<u>Loc24</u>	Jefferson Hills	0.14	0.10	0.14	0.00	0.0	
Loc25	White Oak Public Works Bldg	0.13	0.10	0.13	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.11	0.09	0.11	0.00	0.0	
<u>Loc27</u>	Marshall TWP	0.15	0.14	0.15	0.00	0.0	
Loc28	Plum Municipal Bldg	0.28	0.18	0.28	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.16	0.16	0.16	0.00	0.0	
Loc30	McCandless Twn Hall	0.17	0.18	0.17	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.18	0.19	0.18	0.00	0.0	
Loc32	Arnold	0.23	0.19	0.23	0.00	0.0	
Loc33	Richland TWP	0.20	0.16	0.20	0.00	0.0	
<u>Loc10</u>	PWSA-Highland Park	0.19	0.16	0.18	0.01	5.3	
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.13					U
Loc01	PWSA-Montana St.	0.09					U
Loc05	Upper St. Clair	0.08					U
Loc20	Gascola Eq Facility	0.15					U
Loc23	Clinton Munic Bldg	0.01					ND

<u> </u>	Table 21. Summary of mulvidual KG Pairs for Event 40							
Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag	
Loc03	Shaler Munic Bldg	0.07	0.18	0.07	0.00	0.0		
Loc06	Carnegie Transit Time	0.05	0.06	0.05	0.00	0.0		
Loc08	AC Health Dept Bldg	0.05	0.10	0.05	0.00	0.0		
<u>Loc10</u>	PWSA-Highland Park	0.05	0.13	0.05	0.00	0.0		
<u>Loc19</u>	Sandy Creek Eq Facility	0.05	0.12	0.05	0.00	0.0		
Loc22	North Fayette TWP	0.05	0.07	0.05	0.00	0.0		
Loc23	Clinton Munic Bldg	0.05	0.08	0.05	0.00	0.0		
Loc28	Plum Municipal Bldg	0.07	0.14	0.07	0.00	0.0		
Loc31	Hampton Municipal Bldg	0.06	0.14	0.06	0.00	0.0		
Loc32	Arnold	0.09	0.16	0.09	0.00	0.0		
03049500	Allegheny River at Natrona	0.06					U	
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.04					MSTT	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.03					MSTT	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.04					MSTT	
<u>Loc01</u>	PWSA-Montana St.	0.02					U	
Loc02	ALCOSAN WWTP Lab	0.04					MSTT	
<u>Loc04</u>	Kennedy Twp PS	0.04					MSTT	
Loc05	Upper St. Clair	0.04					MSTT	
<u>Loc07</u>	Greentree Munic Bldg	0.04					MSTT	
Loc09	Univ of Pittsburgh	0.04					MSTT	
<u>Loc11</u>	M-46 Access Shaft	0.02					U	
Loc12	Baldwin	0.04					MSTT	
Loc13	M-59 Access Shaft	0.04					MSTT	
Loc14	Churchill Munic Bldg	0.04					MSTT	
Loc15	Trafford Maint Bldg	0.04					MSTT	
Loc16	Castle Shannon	0.04					MSTT	
<u>Loc17</u>	Chartiers Pump Station	0.04					MSTT	
Loc18	Oakdale Pump Station	0.04					MSTT	
Loc20	Gascola Eq Facility	0.04					MSTT	
Loc21	Moon TWP	0.04					MSTT	
Loc24	Jefferson Hills	0.03					MSTT	
Loc25	White Oak Public Works Bldg	0.05					MSTT	
Loc26	Elizabeth TWP Municipal Bldg	0.02					MSTT	
Loc27	Marshall TWP	0.02					MSTT	
Loc29	Bell Acres Munic Bldg	0.01					MSTT	

Table 21. Summary of Individual RG Pairs for Event 4d

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc30</u>	McCandless Twn Hall	0.01					MSTT
Loc33	Richland TWP	0.02					MSTT

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc02	ALCOSAN WWTP Lab	0.01					
<u>Loc04</u>	Kennedy Twp PS	0.01					
<u>Loc10</u>	PWSA-Highland Park	0.01					
Loc17	Chartiers Pump Station	0.01					
Loc03	Shaler Munic Bldg	0.02					
Loc07	Greentree Munic Bldg	0.02					
Loc08	AC Health Dept Bldg	0.02					
Loc18	Oakdale Pump Station	0.02					
Loc19	Sandy Creek Eq Facility	0.02					
Loc21	Moon TWP	0.02					
Loc22	North Fayette TWP	0.02					
Loc23	Clinton Munic Bldg	0.02					
Loc26	Elizabeth TWP Municipal Bldg	0.02					
Loc27	Marshall TWP	0.02					
Loc29	Bell Acres Munic Bldg	0.02					
Loc30	McCandless Twn Hall	0.02					
<u>Loc05</u>	Upper St. Clair	0.03					
Loc09	Univ of Pittsburgh	0.03					
Loc12	Baldwin	0.03					
Loc13	M-59 Access Shaft	0.03					
Loc14	Churchill Munic Bldg	0.03					
Loc16	Castle Shannon	0.03					
<u>Loc20</u>	Gascola Eq Facility	0.03					
Loc31	Hampton Municipal Bldg	0.03					
Loc33	Richland TWP	0.03					
Loc06	Carnegie Transit Time	0.04					
Loc11	M-46 Access Shaft	0.04					
Loc24	Jefferson Hills	0.04					
Loc15	Trafford Maint Bldg	0.05					

Table 22. Summary of Individual RG Pairs for Event 4e

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc25</u>	White Oak Public Works Bldg	0.05					
Loc28	Plum Municipal Bldg	0.05					
Loc32	Arnold	0.05					
03049500	Allegheny River at Natrona	0.04					Т
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.01					Т
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.02					Т
<u>KPIT</u>	Greater Pittsburgh Int'l	0.02					Т
Loc01	PWSA-Montana St.	0.00					Z

Table 23. Summary of Individual RG Pairs for Event 4f

~	Tuble 201 Summing of marvia	1					
Gauge	Name	Gi	Ri	R _i *	Diff*	Diff*	Flag
ID	- ((in)	(in)	(in)	(in)	(%)	8
<u>Loc14</u>	Churchill Munic Bldg	0.16	0.24	0.17	-0.01	-6.3	
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.10	0.13	0.10	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.10	0.12	0.10	0.00	0.0	
<u>Loc01</u>	PWSA-Montana St.	0.11	0.16	0.11	0.00	0.0	
<u>Loc02</u>	ALCOSAN WWTP Lab	0.11	0.15	0.11	0.00	0.0	
<u>Loc03</u>	Shaler Munic Bldg	0.14	0.18	0.14	0.00	0.0	
<u>Loc04</u>	Kennedy Twp PS	0.10	0.13	0.10	0.00	0.0	
<u>Loc07</u>	Greentree Munic Bldg	0.14	0.17	0.14	0.00	0.0	
Loc08	AC Health Dept Bldg	0.14	0.17	0.14	0.00	0.0	
<u>Loc09</u>	Univ of Pittsburgh	0.15	0.18	0.15	0.00	0.0	
<u>Loc10</u>	PWSA-Highland Park	0.16	0.19	0.16	0.00	0.0	
Loc11	M-46 Access Shaft	0.15	0.18	0.15	0.00	0.0	
Loc12	Baldwin	0.15	0.18	0.15	0.00	0.0	
Loc13	M-59 Access Shaft	0.17	0.19	0.17	0.00	0.0	
Loc17	Chartiers Pump Station	0.14	0.15	0.14	0.00	0.0	
Loc19	Sandy Creek Eq Facility	0.18	0.23	0.18	0.00	0.0	
Loc21	Moon TWP	0.10	0.13	0.10	0.00	0.0	
Loc23	Clinton Munic Bldg	0.11	0.11	0.11	0.00	0.0	
Loc24	Jefferson Hills	0.14	0.12	0.14	0.00	0.0	
Loc25	White Oak Public Works Bldg	0.16	0.20	0.16	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.14	0.16	0.14	0.00	0.0	

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc28	Plum Municipal Bldg	0.20	0.31	0.20	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.07	0.08	0.07	0.00	0.0	
<u>Loc30</u>	McCandless Twn Hall	0.05	0.07	0.05	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.14	0.16	0.14	0.00	0.0	
Loc32	Arnold	0.17	0.33	0.17	0.00	0.0	
Loc33	Richland TWP	0.08	0.08	0.08	0.00	0.0	
Loc06	Carnegie Transit Time	0.16	0.15	0.15	0.01	6.3	
03049500	Allegheny River at Natrona	0.11					U
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.13					U
<u>Loc05</u>	Upper St. Clair	0.12					U
Loc15	Trafford Maint Bldg	0.16					OAD
Loc16	Castle Shannon	0.11					U
Loc18	Oakdale Pump Station	0.11					U
<u>Loc20</u>	Gascola Eq Facility	0.15					U
Loc22	North Fayette TWP	0.19					0
Loc27	Marshall TWP	0.04					MSTT

Table 24. Summary of Individual RG Pairs for Event 4g

Gauge ID	Name	Gi (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc09</u>	Univ of Pittsburgh	0.02					
<u>Loc08</u>	AC Health Dept Bldg	0.03					
<u>Loc10</u>	PWSA-Highland Park	0.03					
Loc13	M-59 Access Shaft	0.03					
Loc18	Oakdale Pump Station	0.03					
Loc22	North Fayette TWP	0.03					
Loc24	Jefferson Hills	0.03					
Loc26	Elizabeth TWP Municipal Bldg	0.03					
Loc01	PWSA-Montana St.	0.04					
Loc02	ALCOSAN WWTP Lab	0.04					
<u>Loc06</u>	Carnegie Transit Time	0.04					
<u>Loc14</u>	Churchill Munic Bldg	0.04					
Loc17	Chartiers Pump Station	0.04					
Loc21	Moon TWP	0.04					
Loc29	Bell Acres Munic Bldg	0.04					

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc33	Richland TWP	0.04					
<u>Loc07</u>	Greentree Munic Bldg	0.05					
<u>Loc19</u>	Sandy Creek Eq Facility	0.05					
<u>Loc23</u>	Clinton Munic Bldg	0.05					
Loc31	Hampton Municipal Bldg	0.05					
<u>Loc03</u>	Shaler Munic Bldg	0.06					
<u>Loc04</u>	Kennedy Twp PS	0.06					
<u>Loc11</u>	M-46 Access Shaft	0.06					
Loc12	Baldwin	0.06					
<u>Loc20</u>	Gascola Eq Facility	0.06					
<u>Loc30</u>	McCandless Twn Hall	0.06					
Loc32	Arnold	0.06					
<u>Loc05</u>	Upper St. Clair	0.07					
<u>Loc16</u>	Castle Shannon	0.07					
Loc25	White Oak Public Works Bldg	0.07					
<u>Loc27</u>	Marshall TWP	0.07					
Loc28	Plum Municipal Bldg	0.08					
Loc15	Trafford Maint Bldg	0.09					
03049500	Allegheny River at Natrona	0.05					Т
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.02					U
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.06					Т
<u>KPIT</u>	Greater Pittsburgh Int'l	0.03					Т




Figure 11. Scatter Plot of RG Pairs for Event 4a




Figure 12. Scatter Plot of RG Pairs for Event 4b




Figure 13. Scatter Plot of RG Pairs for Event 4c




Figure 14. Scatter Plot of RG Pairs for Event 4d




Figure 15. Scatter Plot of RG Pairs for Event 4f




Figure 16. GARR Storm Total for Event 4

Duration	Depth (in)	Pixel	Time (EST)	Frequency
15 minutes	0.055	134138	2020-02-10 05:45	<1 yr.
30 minutes	0.096	170145	2020-02-10 11:45	<1 yr.
1 hour	0.178	171145	2020-02-10 12:00	<1 yr.
2 hour	0.295	172144	2020-02-10 12:10	<1 yr.
3 hour	0.326	165132	2020-02-10 06:20	<1 yr.
6 hour	0.495	173132	2020-02-10 06:50	<1 yr.
12 hour	0.788	173135	2020-02-10 12:10	<1 yr.
24 hour	0.913	173132	2020-02-10 18:20	<1 yr.

 Table 25. Depth Duration Frequency Analyses for Event 4

Event 5: 2020-02-12

The analysis period was from 2020-02-12 14:00 EST to 2020-02-13 13:00 EST. The event was then split into seven sub-event periods at 2020-02-12 19:00 EST, 2020-02-12 20:15 EST, 2020-02-12 21:30 EST, 2020-02-13 00:00 EST, 2020-02-13 02:00 EST and 2020-02-13 03:45 EST to improve gauge adjustment of the radar. Gauge Only was used during Event 5g since all radar sources were either unavailable or provided insufficient rainfall information.

The gauges listed in <u>Appendix A</u> were not used to adjust the radar due to inconsistencies between the gauge and the radar or surrounding gauges, or they did not have data available for this event. The gauges listed in <u>Appendix B</u> were not used to adjust the radar since they did not meet statistical criteria for gauge-adjustment.

The Eastern U.S. cool season stratiform Z-R relationship was used to convert radar reflectivity to rainfall rates. Table 26 shows the mean bias and average depth of the event along with the AD and CAD, respectively. Tables 27 - 33 summarize the results for each RG pair used for final radar adjustment, where G_i is the gauge estimate, R_i is the non-adjusted radar estimate, R_i^* is the GARR estimate, and Diff* (%) is the percent difference between the gauge and GARR estimate. Those gauges not used to adjust the radar are shown at the bottom of the table and are highlighted in red. The specific reason for gauge exclusion is displayed in the Flag column. Figures 17 - 22 show the scatter plots of the gauge-adjusted RG pairs. Those gauges not used to adjust the radar are shown in red. Figure 23 depicts the GARR storm total over the 1-km² pixels. The GARR amounts for the 440 RFM basins range from 0.7 - 1.0 inches with a mean of 0.8 inches. The GARR amounts for the 871 RFM sheds range from 0.7 - 1.0 inches with a mean of 0.8 inches. Table 34 shows the Depth Duration Frequency (DDF) maximum values for the 1-km² pixels.

Event #	Radar	Event Date	Start Time (EST)	End Time (EST)	Gauges Used (37)	Avg. Depth (in)	Bias	AD (%)	CAD (%)	
E5a	KPBZ LII	2020-02-12	2020-02-12 14:05	2020-02-12 19:00	33	0.068	0.599	72.0	3.2	
E5b	KPBZ LII	2020-02-12	2020-02-12 19:05	2020-02-12 20:15	32	0.066	0.594	68.8	3.7	
E5c	KPBZ LII	2020-02-12	2020-02-12 20:20	2020-02-12 21:30	29	0.144	0.905	14.7	0.8	
E5d	KPBZ LII	2020-02-12	2020-02-12 21:35	2020-02-13 00:00	29	0.258	1.876	46.1	1.2	
E5e	KPBZ LII	2020-02-12	2020-02-13 00:05	2020-02-13 02:00	33	0.165	1.541	33.6	1.8	
E5f	KPBZ LII	2020-02-12	2020-02-13 02:05	2020-02-13 03:45	20	0.078	0.727	39.0	2.2	
E5g	Gauge Only	2020-02-12	2020-02-13 03:50	2020-02-13 13:00	29	0.039				

 Table 26. GARR Statistics for Event 5

Table 27. Summary of Individual RG Pairs for Event 5a

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc20</u>	Gascola Eq Facility	0.06	0.09	0.07	-0.01	-16.7	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.07	0.11	0.07	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.06	0.11	0.06	0.00	0.0	
<u>Loc01</u>	PWSA-Montana St.	0.07	0.13	0.07	0.00	0.0	
<u>Loc02</u>	ALCOSAN WWTP Lab	0.06	0.13	0.06	0.00	0.0	
Loc03	Shaler Munic Bldg	0.06	0.13	0.06	0.00	0.0	
<u>Loc04</u>	Kennedy Twp PS	0.07	0.12	0.07	0.00	0.0	
<u>Loc05</u>	Upper St. Clair	0.07	0.10	0.07	0.00	0.0	
<u>Loc06</u>	Carnegie Transit Time	0.08	0.10	0.08	0.00	0.0	
<u>Loc07</u>	Greentree Munic Bldg	0.08	0.10	0.08	0.00	0.0	
Loc09	Univ of Pittsburgh	0.07	0.09	0.07	0.00	0.0	
<u>Loc10</u>	PWSA-Highland Park	0.07	0.10	0.07	0.00	0.0	
Loc11	M-46 Access Shaft	0.06	0.09	0.06	0.00	0.0	
Loc12	Baldwin	0.06	0.09	0.06	0.00	0.0	
Loc13	M-59 Access Shaft	0.07	0.10	0.07	0.00	0.0	
Loc16	Castle Shannon	0.07	0.09	0.07	0.00	0.0	
Loc17	Chartiers Pump Station	0.07	0.10	0.07	0.00	0.0	
Loc18	Oakdale Pump Station	0.09	0.11	0.09	0.00	0.0	

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc19	Sandy Creek Eq Facility	0.08	0.09	0.08	0.00	0.0	
Loc21	Moon TWP	0.05	0.14	0.05	0.00	0.0	
Loc22	North Fayette TWP	0.08	0.13	0.08	0.00	0.0	
Loc23	Clinton Munic Bldg	0.05	0.13	0.05	0.00	0.0	
Loc24	Jefferson Hills	0.08	0.17	0.08	0.00	0.0	
<u>Loc25</u>	White Oak Public Works Bldg	0.10	0.18	0.10	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.08	0.19	0.08	0.00	0.0	
<u>Loc27</u>	Marshall TWP	0.06	0.12	0.06	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.07	0.14	0.07	0.00	0.0	
<u>Loc30</u>	McCandless Twn Hall	0.05	0.13	0.05	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.06	0.10	0.06	0.00	0.0	
Loc32	Arnold	0.06	0.15	0.06	0.00	0.0	
Loc33	Richland TWP	0.06	0.12	0.06	0.00	0.0	
<u>Loc08</u>	AC Health Dept Bldg	0.09	0.10	0.08	0.01	11.1	
Loc14	Churchill Munic Bldg	0.09	0.09	0.08	0.01	11.1	
03049500	Allegheny River at Natrona	0.03					F/M
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.05					MSTT
Loc15	Trafford Maint Bldg	ND					ND
Loc28	Plum Municipal Bldg	0.04					U

 Table 28. Summary of Individual RG Pairs for Event 5b

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc08</u>	AC Health Dept Bldg	0.05	0.09	0.06	-0.01	-20.0	
Loc13	M-59 Access Shaft	0.05	0.11	0.06	-0.01	-20.0	
<u>Loc20</u>	Gascola Eq Facility	0.05	0.11	0.06	-0.01	-20.0	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.07	0.09	0.07	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.05	0.10	0.05	0.00	0.0	
Loc01	PWSA-Montana St.	0.07	0.09	0.07	0.00	0.0	
Loc02	ALCOSAN WWTP Lab	0.06	0.09	0.06	0.00	0.0	
Loc03	Shaler Munic Bldg	0.07	0.11	0.07	0.00	0.0	
<u>Loc04</u>	Kennedy Twp PS	0.07	0.10	0.07	0.00	0.0	
<u>Loc06</u>	Carnegie Transit Time	0.06	0.07	0.06	0.00	0.0	
<u>Loc07</u>	Greentree Munic Bldg	0.05	0.08	0.05	0.00	0.0	

Gauge ID	Name	G _i	\mathbf{R}_{i}	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc09	Univ of Pittsburgh	(in) 0.06	(in) 0.08	0.06	0.00	0.0	
<u>Loc09</u> Loc10	PWSA-Highland Park	0.00	0.08	0.00	0.00	0.0	
	M-46 Access Shaft	0.07	0.10	0.07	0.00	0.0	
<u>Loc11</u>	Baldwin	0.05	0.06	0.05	0.00	0.0	
<u>Loc12</u>		0.06	0.08	0.06	0.00	0.0	
<u>Loc14</u>	Churchill Munic Bldg		0.08	0.06		0.0	
<u>Loc16</u>	Castle Shannon	0.05			0.00		
<u>Loc17</u>	Chartiers Pump Station	0.05	0.06	0.05	0.00	0.0	
Loc18	Oakdale Pump Station	0.07	0.07	0.07	0.00	0.0	
<u>Loc19</u>	Sandy Creek Eq Facility	0.07	0.11	0.07	0.00	0.0	
<u>Loc21</u>	Moon TWP	0.07	0.14	0.07	0.00	0.0	
<u>Loc22</u>	North Fayette TWP	0.07	0.10	0.07	0.00	0.0	
<u>Loc23</u>	Clinton Munic Bldg	0.06	0.12	0.06	0.00	0.0	
<u>Loc24</u>	Jefferson Hills	0.06	0.12	0.06	0.00	0.0	
<u>Loc25</u>	White Oak Public Works Bldg	0.05	0.15	0.05	0.00	0.0	
<u>Loc27</u>	Marshall TWP	0.08	0.15	0.08	0.00	0.0	
Loc28	Plum Municipal Bldg	0.06	0.14	0.06	0.00	0.0	
<u>Loc29</u>	Bell Acres Munic Bldg	0.08	0.16	0.08	0.00	0.0	
<u>Loc30</u>	McCandless Twn Hall	0.06	0.14	0.06	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.07	0.12	0.07	0.00	0.0	
Loc32	Arnold	0.07	0.16	0.07	0.00	0.0	
Loc33	Richland TWP	0.08	0.17	0.08	0.00	0.0	
03049500	Allegheny River at Natrona	0.05					F/M
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.03					U
<u>Loc05</u>	Upper St. Clair	0.04					U
Loc15	Trafford Maint Bldg	ND					ND
Loc26	Elizabeth TWP Municipal Bldg	0.04					MSTT

Table 29. Summary of	Individual RG Pair	s for Event 5c
----------------------	--------------------	----------------

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.13	0.13	0.13	0.00	0.0	
Loc01	PWSA-Montana St.	0.13	0.13	0.13	0.00	0.0	
Loc02	ALCOSAN WWTP Lab	0.13	0.13	0.13	0.00	0.0	

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc03	Shaler Munic Bldg	0.12	0.13	0.12	0.00	0.0	
Loc04	Kennedy Twp PS	0.13	0.13	0.13	0.00	0.0	
Loc05	Upper St. Clair	0.16	0.16	0.16	0.00	0.0	
Loc06	Carnegie Transit Time	0.15	0.15	0.15	0.00	0.0	
Loc07	Greentree Munic Bldg	0.15	0.15	0.15	0.00	0.0	
Loc09	Univ of Pittsburgh	0.12	0.14	0.12	0.00	0.0	
Loc10	PWSA-Highland Park	0.14	0.14	0.14	0.00	0.0	
Loc11	M-46 Access Shaft	0.12	0.15	0.12	0.00	0.0	
Loc12	Baldwin	0.15	0.15	0.15	0.00	0.0	
Loc13	M-59 Access Shaft	0.13	0.17	0.13	0.00	0.0	
Loc14	Churchill Munic Bldg	0.11	0.17	0.11	0.00	0.0	
Loc16	Castle Shannon	0.14	0.15	0.14	0.00	0.0	
Loc17	Chartiers Pump Station	0.16	0.16	0.16	0.00	0.0	
Loc18	Oakdale Pump Station	0.15	0.15	0.15	0.00	0.0	
Loc19	Sandy Creek Eq Facility	0.11	0.18	0.11	0.00	0.0	
Loc20	Gascola Eq Facility	0.11	0.21	0.11	0.00	0.0	
Loc21	Moon TWP	0.11	0.14	0.11	0.00	0.0	
<u>Loc22</u>	North Fayette TWP	0.14	0.14	0.14	0.00	0.0	
<u>Loc23</u>	Clinton Munic Bldg	0.14	0.14	0.14	0.00	0.0	
<u>Loc24</u>	Jefferson Hills	0.19	0.17	0.19	0.00	0.0	
<u>Loc25</u>	White Oak Public Works Bldg	0.18	0.20	0.18	0.00	0.0	
<u>Loc26</u>	Elizabeth TWP Municipal Bldg	0.20	0.19	0.20	0.00	0.0	
<u>Loc27</u>	Marshall TWP	0.12	0.14	0.12	0.00	0.0	
<u>Loc29</u>	Bell Acres Munic Bldg	0.12	0.13	0.12	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.12	0.12	0.12	0.00	0.0	
Loc33	Richland TWP	0.11	0.15	0.11	0.00	0.0	
03049500	Allegheny River at Natrona	0.12					F/M
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.12					U
<u>KPIT</u>	Greater Pittsburgh Int'l	0.09					U
Loc08	AC Health Dept Bldg	0.11					U
Loc15	Trafford Maint Bldg	ND					ND
Loc28	Plum Municipal Bldg	0.10					OAD
<u>Loc30</u>	McCandless Twn Hall	0.10					U
<u>Loc32</u>	Arnold	0.10					OAD

· · · · · ·	Table 30. Summary of mulvidua				litta		
Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc08	AC Health Dept Bldg	0.22	0.12	0.23	-0.01	-4.5	
Loc21	Moon TWP	0.22	0.15	0.23	-0.01	-4.5	
Loc11	M-46 Access Shaft	0.24	0.13	0.25	-0.01	-4.2	
Loc16	Castle Shannon	0.25	0.13	0.26	-0.01	-4.0	
Loc01	PWSA-Montana St.	0.22	0.12	0.22	0.00	0.0	
Loc02	ALCOSAN WWTP Lab	0.23	0.12	0.23	0.00	0.0	
Loc03	Shaler Munic Bldg	0.22	0.12	0.22	0.00	0.0	
<u>Loc04</u>	Kennedy Twp PS	0.22	0.13	0.22	0.00	0.0	
<u>Loc07</u>	Greentree Munic Bldg	0.25	0.13	0.25	0.00	0.0	
Loc09	Univ of Pittsburgh	0.24	0.13	0.24	0.00	0.0	
Loc13	M-59 Access Shaft	0.26	0.14	0.26	0.00	0.0	
Loc14	Churchill Munic Bldg	0.24	0.13	0.24	0.00	0.0	
<u>Loc17</u>	Chartiers Pump Station	0.28	0.13	0.28	0.00	0.0	
Loc18	Oakdale Pump Station	0.25	0.13	0.25	0.00	0.0	
<u>Loc20</u>	Gascola Eq Facility	0.22	0.13	0.22	0.00	0.0	
Loc22	North Fayette TWP	0.25	0.14	0.25	0.00	0.0	
<u>Loc24</u>	Jefferson Hills	0.31	0.15	0.31	0.00	0.0	
<u>Loc25</u>	White Oak Public Works Bldg	0.30	0.14	0.30	0.00	0.0	
<u>Loc26</u>	Elizabeth TWP Municipal Bldg	0.36	0.16	0.36	0.00	0.0	
<u>Loc27</u>	Marshall TWP	0.21	0.14	0.21	0.00	0.0	
Loc28	Plum Municipal Bldg	0.23	0.12	0.23	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.23	0.16	0.23	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.22	0.12	0.22	0.00	0.0	
<u>Loc32</u>	Arnold	0.24	0.12	0.24	0.00	0.0	
Loc33	Richland TWP	0.23	0.13	0.23	0.00	0.0	
Loc12	Baldwin	0.30	0.13	0.29	0.01	3.3	
Loc06	Carnegie Transit Time	0.28	0.13	0.27	0.01	3.6	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.25	0.14	0.24	0.01	4.0	
<u>Loc10</u>	PWSA-Highland Park	0.27	0.12	0.25	0.02	7.4	
03049500	Allegheny River at Natrona	0.27					F/M
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.20					U
KAGC	Pittsburgh Allegheny Cty	0.09					ND
<u>Loc05</u>	Upper St. Clair	0.24					U
Loc15	Trafford Maint Bldg	ND					ND
Loc19	Sandy Creek Eq Facility	0.19					U

Table 30. Summary of Individual RG Pairs for Event 5d

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc23	Clinton Munic Bldg	0.15					ND
<u>Loc30</u>	McCandless Twn Hall	0.19					U

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc08</u>	AC Health Dept Bldg	0.14	0.11	0.15	-0.01	-7.1	
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.18	0.13	0.18	0.00	0.0	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.13	0.10	0.13	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.20	0.13	0.20	0.00	0.0	
Loc02	ALCOSAN WWTP Lab	0.18	0.12	0.18	0.00	0.0	
Loc03	Shaler Munic Bldg	0.20	0.12	0.20	0.00	0.0	
Loc04	Kennedy Twp PS	0.19	0.13	0.19	0.00	0.0	
<u>Loc05</u>	Upper St. Clair	0.18	0.12	0.18	0.00	0.0	
<u>Loc06</u>	Carnegie Transit Time	0.19	0.12	0.19	0.00	0.0	
<u>Loc07</u>	Greentree Munic Bldg	0.17	0.12	0.17	0.00	0.0	
Loc09	Univ of Pittsburgh	0.15	0.11	0.15	0.00	0.0	
Loc11	M-46 Access Shaft	0.14	0.10	0.14	0.00	0.0	
Loc13	M-59 Access Shaft	0.12	0.10	0.12	0.00	0.0	
<u>Loc14</u>	Churchill Munic Bldg	0.14	0.10	0.14	0.00	0.0	
Loc16	Castle Shannon	0.14	0.11	0.14	0.00	0.0	
<u>Loc17</u>	Chartiers Pump Station	0.18	0.12	0.18	0.00	0.0	
Loc18	Oakdale Pump Station	0.20	0.12	0.20	0.00	0.0	
<u>Loc20</u>	Gascola Eq Facility	0.13	0.10	0.13	0.00	0.0	
Loc21	Moon TWP	0.20	0.12	0.20	0.00	0.0	
Loc22	North Fayette TWP	0.19	0.12	0.19	0.00	0.0	
Loc24	Jefferson Hills	0.11	0.09	0.11	0.00	0.0	
Loc25	White Oak Public Works Bldg	0.10	0.08	0.10	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.09	0.06	0.09	0.00	0.0	
<u>Loc27</u>	Marshall TWP	0.19	0.10	0.19	0.00	0.0	
Loc28	Plum Municipal Bldg	0.17	0.11	0.17	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.20	0.12	0.20	0.00	0.0	
Loc30	McCandless Twn Hall	0.19	0.11	0.19	0.00	0.0	
Loc32	Arnold	0.21	0.12	0.21	0.00	0.0	

Table 31. Summary of Individual RG Pairs for Event 5e

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc33	Richland TWP	0.20	0.11	0.20	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.23	0.11	0.22	0.01	4.3	
<u>Loc01</u>	PWSA-Montana St.	0.19	0.12	0.18	0.01	5.3	
<u>Loc10</u>	PWSA-Highland Park	0.19	0.11	0.18	0.01	5.3	
Loc12	Baldwin	0.17	0.10	0.16	0.01	5.9	
03049500	Allegheny River at Natrona	0.31					F/M
<u>Loc15</u>	Trafford Maint Bldg	ND					ND
Loc19	Sandy Creek Eq Facility	0.00					Ζ
Loc23	Clinton Munic Bldg	ND					ND

Table 32. Summary of Individual RG Pairs for Event 5f

Gauge ID	Name	Gi (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc13	M-59 Access Shaft	0.12	0.21	0.13	-0.01	-8.3	
KAGC	Pittsburgh Allegheny Cty	0.14	0.23	0.14	0.00	0.0	
<u>Loc02</u>	ALCOSAN WWTP Lab	0.08	0.06	0.08	0.00	0.0	
<u>Loc05</u>	Upper St. Clair	0.12	0.19	0.12	0.00	0.0	
Loc06	Carnegie Transit Time	0.10	0.11	0.10	0.00	0.0	
<u>Loc07</u>	Greentree Munic Bldg	0.11	0.13	0.11	0.00	0.0	
Loc08	AC Health Dept Bldg	0.09	0.13	0.09	0.00	0.0	
Loc09	Univ of Pittsburgh	0.11	0.15	0.11	0.00	0.0	
Loc10	PWSA-Highland Park	0.11	0.13	0.11	0.00	0.0	
Loc11	M-46 Access Shaft	0.13	0.18	0.13	0.00	0.0	
<u>Loc14</u>	Churchill Munic Bldg	0.14	0.19	0.14	0.00	0.0	
Loc16	Castle Shannon	0.14	0.20	0.14	0.00	0.0	
Loc17	Chartiers Pump Station	0.10	0.15	0.10	0.00	0.0	
Loc18	Oakdale Pump Station	0.07	0.06	0.07	0.00	0.0	
<u>Loc20</u>	Gascola Eq Facility	0.15	0.20	0.15	0.00	0.0	
<u>Loc24</u>	Jefferson Hills	0.17	0.23	0.17	0.00	0.0	
Loc25	White Oak Public Works Bldg	0.13	0.24	0.13	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.14	0.22	0.14	0.00	0.0	
Loc28	Plum Municipal Bldg	0.17	0.18	0.17	0.00	0.0	
Loc12	Baldwin	0.15	0.20	0.14	0.01	6.7	
03049500	Allegheny River at Natrona	0.09					F/M

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff * (%)	Flag
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.05					MSTT
<u>KPIT</u>	Greater Pittsburgh Int'l	0.05					MSTT
Loc01	PWSA-Montana St.	0.09					MSTT
Loc03	Shaler Munic Bldg	0.09					MSTT
<u>Loc04</u>	Kennedy Twp PS	0.08					MSTT
<u>Loc15</u>	Trafford Maint Bldg	ND					ND
Loc19	Sandy Creek Eq Facility	0.00					Z
<u>Loc21</u>	Moon TWP	0.05					MSTT
Loc22	North Fayette TWP	0.07					MSTT
<u>Loc23</u>	Clinton Munic Bldg	ND					ND
<u>Loc27</u>	Marshall TWP	0.05					MSTT
Loc29	Bell Acres Munic Bldg	0.03					MSTT
<u>Loc30</u>	McCandless Twn Hall	0.05					MSTT
Loc31	Hampton Municipal Bldg	0.08					MSTT
Loc32	Arnold	0.14					OMFB
Loc33	Richland TWP	0.06					MSTT

Table 33. Summary of Individual RG Pairs for Event 5g

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc32	Arnold	0.01					
Loc02	ALCOSAN WWTP Lab	0.02					
Loc14	Churchill Munic Bldg	0.02					
Loc01	PWSA-Montana St.	0.03					
Loc03	Shaler Munic Bldg	0.03					
Loc04	Kennedy Twp PS	0.03					
<u>Loc05</u>	Upper St. Clair	0.03					
Loc12	Baldwin	0.03					
Loc17	Chartiers Pump Station	0.03					
<u>Loc20</u>	Gascola Eq Facility	0.03					
Loc24	Jefferson Hills	0.03					
Loc28	Plum Municipal Bldg	0.03					
Loc31	Hampton Municipal Bldg	0.03					
<u>Loc06</u>	Carnegie Transit Time	0.04					

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc09</u>	Univ of Pittsburgh	0.04					
<u>Loc10</u>	PWSA-Highland Park	0.04					
Loc11	M-46 Access Shaft	0.04					
Loc16	Castle Shannon	0.04					
Loc25	White Oak Public Works Bldg	0.04					
<u>Loc07</u>	Greentree Munic Bldg	0.05					
<u>Loc08</u>	AC Health Dept Bldg	0.05					
<u>Loc21</u>	Moon TWP	0.05					
Loc22	North Fayette TWP	0.05					
Loc26	Elizabeth TWP Municipal Bldg	0.05					
Loc29	Bell Acres Munic Bldg	0.05					
<u>Loc30</u>	McCandless Twn Hall	0.05					
Loc18	Oakdale Pump Station	0.06					
Loc33	Richland TWP	0.07					
<u>Loc27</u>	Marshall TWP	0.08					
03049500	Allegheny River at Natrona	0.04					F/M
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.02					Т
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.05					Т
<u>KPIT</u>	Greater Pittsburgh Int'l	0.03					Т
Loc13	M-59 Access Shaft	0.00					Ζ
Loc15	Trafford Maint Bldg	ND					ND
Loc19	Sandy Creek Eq Facility	0.00					Ζ
Loc23	Clinton Munic Bldg	ND					ND




Figure 17. Scatter Plot of RG Pairs for Event 5a




Figure 18. Scatter Plot of RG Pairs for Event 5b




Figure 19. Scatter Plot of RG Pairs for Event 5c




Figure 20. Scatter Plot of RG Pairs for Event 5d




Figure 21. Scatter Plot of RG Pairs for Event 5e




Figure 22. Scatter Plot of RG Pairs for Event 5f




Figure 23. GARR Storm Total for Event 5

	Table 54. Depth I	Duration Fre	equency Analyses for Event	3
Duration	Depth (in)	Pixel	Time (EST)	Frequency
15 minutes	0.111	174113	2020-02-12 21:45	<1 yr.
30 minutes	0.159	158166	2020-02-12 23:05	<1 yr.
1 hour	0.264	155167	2020-02-12 23:05	<1 yr.
2 hour	0.413	155167	2020-02-12 23:20	<1 yr.
3 hour	0.586	163163	2020-02-12 23:15	<1 yr.
6 hour	0.752	167112	2020-02-13 01:35	<1 yr.
12 hour	0.989	160164	2020-02-13 03:55	<1 yr.

Table 34. Depth Duration Frequency Analyses for Event 5

Event 6: 2020-02-26

The analysis period was from 2020-02-26 08:00 EST to 2020-02-27 00:00 EST. The event was then split into five sub-event periods at 2020-02-26 18:00 EST, 2020-02-26 19:30 EST, 2020-02-26 20:15 EST and 2020-02-26 21:30 EST to improve gauge adjustment of the radar. Gauge Only was used during Event 6e since all radar sources were either unavailable or provided insufficient rainfall information.

The gauges listed in <u>Appendix A</u> were not used to adjust the radar due to inconsistencies between the gauge and the radar or surrounding gauges, or they did not have data available for this event. The gauges listed in <u>Appendix B</u> were not used to adjust the radar since they did not meet statistical criteria for gauge-adjustment.

The Eastern U.S. cool season stratiform Z-R relationship was used to convert radar reflectivity to rainfall rates. Table 35 shows the mean bias and average depth of the event along with the AD and CAD, respectively. Tables 36 - 40 summarize the results for each RG pair used for final radar adjustment, where G_i is the gauge estimate, R_i is the non-adjusted radar estimate, R_i^* is the GARR estimate, and Diff* (%) is the percent difference between the gauge and GARR estimate. Those gauges not used to adjust the radar are shown at the bottom of the table and are highlighted in red. The specific reason for gauge exclusion is displayed in the Flag column. Figures 24 - 27 show the scatter plots of the gauge-adjusted RG pairs. Those gauges not used to adjust the radar are shown in red. Figure 28 depicts the GARR storm total over the 1-km² pixels. The GARR amounts for the 440 RFM basins range from 0.4 - 0.9 inches with a mean of 0.6 inches. The GARR amounts for the 871 RFM sheds range from 0.4 - 0.9 inches with a mean of 0.6 inches. Table 41 shows the Depth Duration Frequency (DDF) maximum values for the 1-km² pixels.

Event #	Radar	Event Date	Start Time (EST)	End Time (EST)	Gauges Used (37)	Avg. Depth (in)	Bias	AD (%)	CAD (%)
Еба	KPBZ LII	2020-02-26	2020-02-26 08:05	2020-02-26 18:00	32	0.266	0.905	19.4	1.1
E6b	KPBZ LII	2020-02-26	2020-02-26 18:05	2020-02-26 19:30	34	0.173	0.726	35.3	1.7
E6c	KPBZ LII	2020-02-26	2020-02-26 19:35	2020-02-26 20:15	30	0.068	0.594	79.1	2.3
E6d	KPBZ LII	2020-02-26	2020-02-26 20:20	2020-02-26 21:30	32	0.083	0.584	81.5	4.7
E6e	Gauge Only	2020-02-26	2020-02-26 21:35	2020-02-27 00:00	31	0.037			

 Table 35. GARR Statistics for Event 6

Table 36. Summary of Individual RG Pairs for Event 6a

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.22	0.27	0.23	-0.01	-4.5	
Loc11	M-46 Access Shaft	0.28	0.37	0.29	-0.01	-3.6	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.30	0.42	0.31	-0.01	-3.3	
<u>Loc20</u>	Gascola Eq Facility	0.31	0.45	0.32	-0.01	-3.2	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.19	0.17	0.19	0.00	0.0	

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc01</u>	PWSA-Montana St.	0.29	0.27	0.29	0.00	0.0	
<u>Loc03</u>	Shaler Munic Bldg	0.31	0.29	0.31	0.00	0.0	
<u>Loc04</u>	Kennedy Twp PS	0.24	0.25	0.24	0.00	0.0	
<u>Loc05</u>	Upper St. Clair	0.23	0.23	0.23	0.00	0.0	
<u>Loc06</u>	Carnegie Transit Time	0.24	0.23	0.24	0.00	0.0	
<u>Loc08</u>	AC Health Dept Bldg	0.29	0.28	0.29	0.00	0.0	
<u>Loc09</u>	Univ of Pittsburgh	0.29	0.29	0.29	0.00	0.0	
Loc12	Baldwin	0.29	0.35	0.29	0.00	0.0	
Loc14	Churchill Munic Bldg	0.31	0.41	0.31	0.00	0.0	
Loc16	Castle Shannon	0.26	0.28	0.26	0.00	0.0	
Loc17	Chartiers Pump Station	0.24	0.23	0.24	0.00	0.0	
Loc18	Oakdale Pump Station	0.25	0.21	0.25	0.00	0.0	
Loc19	Sandy Creek Eq Facility	0.32	0.41	0.32	0.00	0.0	
Loc21	Moon TWP	0.21	0.18	0.21	0.00	0.0	
Loc22	North Fayette TWP	0.20	0.16	0.20	0.00	0.0	
Loc24	Jefferson Hills	0.29	0.45	0.29	0.00	0.0	
Loc25	White Oak Public Works Bldg	0.20	0.27	0.20	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.18	0.24	0.18	0.00	0.0	
<u>Loc27</u>	Marshall TWP	0.28	0.24	0.28	0.00	0.0	
Loc28	Plum Municipal Bldg	0.36	0.45	0.36	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.25	0.22	0.25	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.34	0.31	0.34	0.00	0.0	
Loc32	Arnold	0.28	0.45	0.28	0.00	0.0	
Loc33	Richland TWP	0.30	0.37	0.30	0.00	0.0	
<u>Loc10</u>	PWSA-Highland Park	0.36	0.33	0.35	0.01	2.8	
Loc02	ALCOSAN WWTP Lab	0.29	0.26	0.28	0.01	3.4	
Loc07	Greentree Munic Bldg	0.27	0.24	0.26	0.01	3.7	
03049500	Allegheny River at Natrona	0.19					U
Loc13	M-59 Access Shaft	0.22					OAD
Loc15	Trafford Maint Bldg	ND					ND
Loc23	Clinton Munic Bldg	ND					ND
Loc30	McCandless Twn Hall	0.20					U

	Table 57. Summary of mulvidua	1	ii				1
Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc05</u>	Upper St. Clair	0.14	0.25	0.15	-0.01	-7.1	
Loc08	AC Health Dept Bldg	0.18	0.28	0.19	-0.01	-5.6	
Loc19	Sandy Creek Eq Facility	0.21	0.36	0.22	-0.01	-4.8	
03049500	Allegheny River at Natrona	0.21	0.22	0.21	0.00	0.0	
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.12	0.13	0.12	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.07	0.09	0.07	0.00	0.0	
<u>Loc02</u>	ALCOSAN WWTP Lab	0.15	0.16	0.15	0.00	0.0	
<u>Loc03</u>	Shaler Munic Bldg	0.18	0.23	0.18	0.00	0.0	
<u>Loc04</u>	Kennedy Twp PS	0.11	0.12	0.11	0.00	0.0	
<u>Loc06</u>	Carnegie Transit Time	0.13	0.18	0.13	0.00	0.0	
Loc07	Greentree Munic Bldg	0.14	0.20	0.14	0.00	0.0	
Loc09	Univ of Pittsburgh	0.19	0.30	0.19	0.00	0.0	
Loc11	M-46 Access Shaft	0.22	0.35	0.22	0.00	0.0	
Loc12	Baldwin	0.22	0.34	0.22	0.00	0.0	
Loc13	M-59 Access Shaft	0.24	0.36	0.24	0.00	0.0	
Loc16	Castle Shannon	0.18	0.30	0.18	0.00	0.0	
Loc17	Chartiers Pump Station	0.13	0.20	0.13	0.00	0.0	
Loc18	Oakdale Pump Station	0.12	0.14	0.12	0.00	0.0	
<u>Loc20</u>	Gascola Eq Facility	0.22	0.34	0.22	0.00	0.0	
<u>Loc21</u>	Moon TWP	0.08	0.09	0.08	0.00	0.0	
Loc22	North Fayette TWP	0.09	0.11	0.09	0.00	0.0	
<u>Loc24</u>	Jefferson Hills	0.23	0.35	0.23	0.00	0.0	
Loc25	White Oak Public Works Bldg	0.22	0.29	0.22	0.00	0.0	
<u>Loc26</u>	Elizabeth TWP Municipal Bldg	0.22	0.28	0.22	0.00	0.0	
<u>Loc27</u>	Marshall TWP	0.12	0.13	0.12	0.00	0.0	
<u>Loc28</u>	Plum Municipal Bldg	0.23	0.31	0.23	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.09	0.09	0.09	0.00	0.0	
Loc30	McCandless Twn Hall	0.11	0.13	0.11	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.17	0.23	0.17	0.00	0.0	
Loc32	Arnold	0.23	0.30	0.23	0.00	0.0	
Loc33	Richland TWP	0.16	0.26	0.16	0.00	0.0	
Loc10	PWSA-Highland Park	0.26	0.33	0.25	0.01	3.8	
Loc14	Churchill Munic Bldg	0.25	0.35	0.24	0.01	4.0	
Loc01	PWSA-Montana St.	0.17	0.17	0.16	0.01	5.9	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.20					U

Table 37. Summary of Individual RG Pairs for Event 6b

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc15	Trafford Maint Bldg	ND					ND
Loc23	Clinton Munic Bldg	ND					ND

Gauge Gi Ri R_i* Diff* Diff* Name Flag ID (in) (in) (in) (in) (%) 03049500 Allegheny River at Natrona 0.08 0.08 0.08 0.00 0.0 ALCOSAN WWTP Lab 0.11 0.05 Loc02 0.05 0.00 0.0 0.07 0.15 0.07 0.0 Loc03 Shaler Munic Bldg 0.000.0 Loc05 Upper St. Clair 0.06 0.12 0.06 0.00 Carnegie Transit Time Loc06 0.06 0.13 0.06 0.000.0 Loc07 Greentree Munic Bldg 0.06 0.14 0.06 0.00 0.0 Loc08 AC Health Dept Bldg 0.06 0.15 0.06 0.00 0.0 Univ of Pittsburgh Loc09 0.05 0.15 0.05 0.00 0.0 Loc11 M-46 Access Shaft 0.05 0.14 0.05 0.00 0.0 Loc12 Baldwin 0.06 0.14 0.06 0.00 0.0 Loc13 M-59 Access Shaft 0.05 0.11 0.05 0.00 0.0 Loc14 Churchill Munic Bldg 0.07 0.12 0.07 0.00 0.0 Castle Shannon Loc16 0.07 0.14 0.07 0.00 0.0 0.14 0.0 Loc17 **Chartiers Pump Station** 0.06 0.06 0.00 **Oakdale Pump Station** Loc18 0.06 0.11 0.06 0.000.0 0.09 0.0 Loc19 Sandy Creek Eq Facility 0.13 0.09 0.00Gascola Eq Facility 0.07 0.10 0.07 0.0 Loc20 0.00 Loc21 Moon TWP 0.07 0.06 0.07 0.00 0.0 0.07 Loc22 North Fayette TWP 0.10 0.07 0.00 0.0 0.10 Loc24 Jefferson Hills 0.07 0.07 0.00 0.0 0.0 Loc25 White Oak Public Works Bldg 0.07 0.08 0.07 0.00 Loc26 Elizabeth TWP Municipal Bldg 0.07 0.0 0.08 0.08 0.00Loc27 Marshall TWP 0.08 0.09 0.0 0.08 0.00 0.10 Loc28 Plum Municipal Bldg 0.10 0.10 0.00 0.0 Bell Acres Munic Bldg Loc29 0.06 0.06 0.06 0.00 0.0 0.0 Loc30 McCandless Twn Hall 0.06 0.09 0.06 0.00 Loc31 Hampton Municipal Bldg 0.08 0.15 0.08 0.00 0.0 Loc32 Arnold 0.10 0.10 0.10 0.00 0.0 0.13 **Richland TWP** 0.05 0.05 0.0 Loc33 0.00

 Table 38. Summary of Individual RG Pairs for Event 6c

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.07	0.11	0.06	0.01	14.3	
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.04					MSTT
<u>KPIT</u>	Greater Pittsburgh Int'l	0.03					U
<u>Loc01</u>	PWSA-Montana St.	0.04					U
<u>Loc04</u>	Kennedy Twp PS	0.04					MSTT
<u>Loc10</u>	PWSA-Highland Park	0.04					U
Loc15	Trafford Maint Bldg	ND					ND
Loc23	Clinton Munic Bldg	ND					ND

Table 39. Summary of Individual RG Pairs for Event 6d

Gauge	Name	Gi	Ri	R _i *	Diff*	Diff*	Flag
ID		(in)	(in)	(in)	(in)	(%)	riag
Loc12	Baldwin	0.05	0.08	0.06	-0.01	-20.0	
<u>Loc07</u>	Greentree Munic Bldg	0.06	0.16	0.07	-0.01	-16.7	
<u>Loc08</u>	AC Health Dept Bldg	0.07	0.15	0.08	-0.01	-14.3	
<u>Loc14</u>	Churchill Munic Bldg	0.07	0.08	0.08	-0.01	-14.3	
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.07	0.25	0.07	0.00	0.0	
<u>KPIT</u>	Greater Pittsburgh Int'l	0.08	0.18	0.08	0.00	0.0	
Loc02	ALCOSAN WWTP Lab	0.09	0.24	0.09	0.00	0.0	
Loc03	Shaler Munic Bldg	0.10	0.21	0.10	0.00	0.0	
Loc04	Kennedy Twp PS	0.08	0.23	0.08	0.00	0.0	
<u>Loc05</u>	Upper St. Clair	0.05	0.06	0.05	0.00	0.0	
<u>Loc06</u>	Carnegie Transit Time	0.08	0.15	0.08	0.00	0.0	
<u>Loc10</u>	PWSA-Highland Park	0.07	0.13	0.07	0.00	0.0	
<u>Loc11</u>	M-46 Access Shaft	0.08	0.09	0.08	0.00	0.0	
<u>Loc13</u>	M-59 Access Shaft	0.05	0.07	0.05	0.00	0.0	
Loc16	Castle Shannon	0.06	0.09	0.06	0.00	0.0	
<u>Loc17</u>	Chartiers Pump Station	0.06	0.10	0.06	0.00	0.0	
Loc18	Oakdale Pump Station	0.06	0.16	0.06	0.00	0.0	
Loc19	Sandy Creek Eq Facility	0.10	0.09	0.10	0.00	0.0	
<u>Loc20</u>	Gascola Eq Facility	0.09	0.06	0.09	0.00	0.0	
Loc21	Moon TWP	0.09	0.17	0.09	0.00	0.0	
Loc22	North Fayette TWP	0.08	0.17	0.08	0.00	0.0	

Gauge ID	Name		R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc24</u>	Jefferson Hills	0.06	0.06	0.06	0.00	0.0	
<u>Loc25</u>	White Oak Public Works Bldg	0.06	0.06	0.06	0.00	0.0	
<u>Loc26</u>	Elizabeth TWP Municipal Bldg	0.10	0.06	0.10	0.00	0.0	
<u>Loc27</u>	Marshall TWP	0.11	0.24	0.11	0.00	0.0	
Loc28	Plum Municipal Bldg	0.11	0.06	0.11	0.00	0.0	
Loc29	Bell Acres Munic Bldg		0.21	0.09	0.00	0.0	
<u>Loc30</u>	McCandless Twn Hall		0.27	0.11	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.12	0.21	0.12	0.00	0.0	
Loc33	Richland TWP	0.12	0.16	0.12	0.00	0.0	
<u>Loc09</u>	Univ of Pittsburgh	0.09	0.13	0.08	0.01	11.1	
<u>KAGC</u>	Pittsburgh Allegheny Cty	0.08	0.07	0.07	0.01	12.5	
03049500	Allegheny River at Natrona	0.07					U
Loc01	PWSA-Montana St.	0.03					U
Loc15	Trafford Maint Bldg	ND					ND
Loc23	Clinton Munic Bldg	ND					ND
Loc32	Arnold	0.15					OMFB

Table 40. Summary of Individual RG Pairs for Event 6e

Gauge ID	Name	Gi (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc02</u>	ALCOSAN WWTP Lab	0.01					
<u>Loc05</u>	Upper St. Clair	0.01					
Loc16	Castle Shannon	0.01					
Loc17	Chartiers Pump Station	0.01					
Loc18	Oakdale Pump Station	0.01					
Loc29	Bell Acres Munic Bldg	Bldg 0.01					
Loc01	PWSA-Montana St.	0.02					
Loc04	Kennedy Twp PS	0.02					
<u>Loc06</u>	Carnegie Transit Time	0.02					
<u>Loc07</u>	Greentree Munic Bldg	0.02					
<u>Loc10</u>	PWSA-Highland Park	0.02					
<u>Loc14</u>	Churchill Munic Bldg	0.02					
Loc22	North Fayette TWP	0.02					
Loc24	Jefferson Hills	0.02					
Loc27	Marshall TWP	0.02					

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
<u>Loc03</u>	Shaler Munic Bldg	0.03					
<u>Loc08</u>	AC Health Dept Bldg	0.03					
<u>Loc09</u>	Univ of Pittsburgh	0.03					
Loc11	M-46 Access Shaft	0.03					
Loc12	Baldwin	0.03					
Loc13	M-59 Access Shaft	0.03					
Loc21	Moon TWP	0.03					
Loc25	White Oak Public Works Bldg	0.03					
Loc26	Elizabeth TWP Municipal Bldg	0.03					
<u>Loc30</u>	McCandless Twn Hall	0.03	0.03				
Loc19	Sandy Creek Eq Facility	0.05					
Loc33	Richland TWP	0.06					
<u>Loc20</u>	Gascola Eq Facility	0.07					
Loc31	Hampton Municipal Bldg	0.07					
Loc28	Plum Municipal Bldg	0.08					
Loc32	Arnold	0.09					
<u>03049500</u>	Allegheny River at Natrona	0.08					Т
<u>03085734</u>	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.02					Т
KAGC	Pittsburgh Allegheny Cty	0.03					Т
<u>KPIT</u>	Greater Pittsburgh Int'l	0.03					Т
Loc15	Trafford Maint Bldg	ND					ND
Loc23	Clinton Munic Bldg	ND					ND




Figure 24. Scatter Plot of RG Pairs for Event 6a




Figure 25. Scatter Plot of RG Pairs for Event 6b




Figure 26. Scatter Plot of RG Pairs for Event 6c




Figure 27. Scatter Plot of RG Pairs for Event 6d




Figure 28. GARR Storm Total for Event 6

Table 41. Depth Duration From	quency Analyses for Event 6
-------------------------------	-----------------------------

Duration	Depth (in)	Pixel	Time (EST)	Frequency
15 minutes	0.062	156123	2020-02-26 16:45	<1 yr.
30 minutes	0.117	155123	2020-02-26 17:00	<1 yr.
1 hour	0.218	163113	2020-02-26 19:00	<1 yr.
2 hour	0.383	163113	2020-02-26 19:45	<1 yr.
3 hour	0.540	156125	2020-02-26 19:25	<1 yr.
6 hour	0.847	163128	2020-02-26 22:00	<1 yr.
12 hour	0.924	164129	2020-02-26 23:30	<1 yr.

•

Appendices

- <u>Appendix A</u> Gauge Performance Exclusion Table
- <u>Appendix B</u> Gauge Statistical Criteria Exclusion Table
- Appendix C Event 1 (2020-02-04) CDPs
- Appendix D Event 2 (2020-02-05) CDPs
- Appendix E Event 3 (2020-02-06) CDPs
- Appendix F Event 4 (2020-02-10) CDPs
- Appendix G Event 5 (2020-02-12) CDPs
- Appendix H Event 6 (2020-02-26) CDPs

Appendix A - Gauge i errormance Exclusion Table						
Reason	Explanation					
Clog (C)	Gauge appeared to be clogged					
Zero (Z)	Gauge did not report any rainfall while radar rainfall estimates reported significant rainfall					
Stop (S)	Gauge appeared to stop reporting rainfall while radar rainfall estimates reported significant rainfall					
Over (O)	Gauge appeared to significantly over-report rainfall as compared to radar rainfall estimates and surrounding gauges (e.g. anomalously high rainfall values caused by field calibration, data transmission error, or switch malfunctions)					
Under (U)	Gauge appeared to significantly under-report as compared to radar rainfall estimates and surrounding Gauges (e.g. half-tipper)					
Sync (SY)	Gauge appeared to be reporting out-of-sync with the radar rainfall estimates					
Frozen/Melt (F/M)	Gauge not reporting properly due to frozen or melting precipitation					
Other (T)	Combination of multiple reasons					
No Data (ND)	Gauge reported "no data" for a significant amount of time					

Appendix A - Gauge Performance Exclusion Table

Event #	E1a	E1b	E2a	E2b	E2c
Event Date	2020-02-04	2020-02-04	2020-02-05	2020-02-05	2020-02-05
Start Time (EST)	2020-02-04 07:05	2020-02-04 15:45	2020-02-05 17:05	2020-02-05 22:20	2020-02-06 00:35
End Time (EST)	2020-02-04 15:40	2020-02-05 04:00	2020-02-05 22:15	2020-02-06 00:30	2020-02-06 12:00
Loc01					
Loc02					
Loc03					
Loc04					
Loc05				U	
Loc06					
Loc07					
Loc08					
Loc09					
Loc10	ND				
Loc11					
Loc12					
Loc13		U		U	
Loc14					
Loc15					
Loc16					
Loc17					
Loc18					
Loc19					
Loc20					
Loc21					
Loc22					
Loc23	ND	ND	ND	ND	ND
Loc24					
Loc25					
Loc26					
Loc27					
Loc28					

Event #	<u>E1a</u>	<u>E1b</u>	E2a	E2b	<u>E2c</u>
Event Date	2020-02-04	2020-02-04	2020-02-05	2020-02-05	2020-02-05
Start Time (EST)	2020-02-04 07:05	2020-02-04 15:45	2020-02-05 17:05	2020-02-05 22:20	2020-02-06 00:35
End Time (EST)	2020-02-04 15:40	2020-02-05 04:00	2020-02-05 22:15	2020-02-06 00:30	2020-02-06 12:00
Loc29	U				
Loc30				U	
Loc31					
Loc32					
Loc33					
KAGC	Т				Т
KPIT	Т				Т
03049500	U				Т
03085734	Т	U		U	Т

Event #	<u>E3</u>	<u>E4a</u>	<u>E4b</u>	E4c	<u>E4d</u>
Event Date	2020-02-06	2020-02-10	2020-02-10	2020-02-10	2020-02-10
Start Time (EST)	2020-02-06 12:05	2020-02-09 16:05	2020-02-10 00:50	2020-02-10 03:05	2020-02-10 05:35
End Time (EST)	2020-02-06 17:00	2020-02-10 00:45	2020-02-10 03:00	2020-02-10 05:30	2020-02-10 06:30
Loc01			S	U	U
Loc02					
Loc03					
Loc04					
Loc05				U	
Loc06					
Loc07					
Loc08					
Loc09					
Loc10					
Loc11					U
Loc12			S		
Loc13					
Loc14					
Loc15					
Loc16					
Loc17					
Loc18					
Loc19					
Loc20				U	
Loc21					
Loc22					
Loc23		ND	ND	ND	
Loc24					
Loc25					
Loc26					

Event #	<u>E3</u>	E4a	<u>E4b</u>	E4c	<u>E4d</u>
Event Date	2020-02-06	2020-02-10	2020-02-10	2020-02-10	2020-02-10
Start Time (EST)	2020-02-06 12:05	2020-02-09 16:05	2020-02-10 00:50	2020-02-10 03:05	2020-02-10 05:35
End Time (EST)	2020-02-06 17:00	2020-02-10 00:45	2020-02-10 03:00	2020-02-10 05:30	2020-02-10 06:30
Loc27					
Loc28					
Loc29					
Loc30					
Loc31					
Loc32					
Loc33					
KAGC					
KPIT					
03049500		F/M			U
03085734				U	

Event #	<u>E4e</u>	<u>E4f</u>	E4g	E5a	<u>E5b</u>
Event Date	2020-02-10	2020-02-10	2020-02-10	2020-02-12	2020-02-12
Start Time (EST)	2020-02-10 06:35	2020-02-10 09:50	2020-02-10 12:35	2020-02-12 14:05	2020-02-12 19:05
End Time (EST)	2020-02-10 09:45	2020-02-10 12:30	2020-02-10 21:00	2020-02-12 19:00	2020-02-12 20:15
Loc01	Z				
Loc02					
Loc03					
Loc04					
Loc05		U			U
Loc06					
Loc07					
Loc08					
Loc09					
Loc10					
Loc11					
Loc12					
Loc13					
Loc14					
Loc15				ND	ND
Loc16		U			
Loc17					
Loc18		U			
Loc19					
Loc20		U			
Loc21					
Loc22		0			
Loc23					
Loc24					
Loc25					
Loc26					

Event #	E4e	<u>E4f</u>	E4g	E5a	<u>E5b</u>
Event Date	2020-02-10	2020-02-10	2020-02-10	2020-02-12	2020-02-12
Start Time (EST)	2020-02-10 06:35	2020-02-10 09:50	2020-02-10 12:35	2020-02-12 14:05	2020-02-12 19:05
End Time (EST)	2020-02-10 09:45	2020-02-10 12:30	2020-02-10 21:00	2020-02-12 19:00	2020-02-12 20:15
Loc27					
Loc28				U	
Loc29					
Loc30					
Loc31					
Loc32					
Loc33					
KAGC	Т	U	Т		
KPIT	Т		Т		
03049500	Т	U	Т	F/M	F/M
03085734	Т		U		U

Event #	<u>E5c</u>	E5d	<u>E5e</u>	<u>E5f</u>	E5g
Event Date	2020-02-12	2020-02-12	2020-02-12	2020-02-12	2020-02-12
Start Time (EST)	2020-02-12 20:20	2020-02-12 21:35	2020-02-13 00:05	2020-02-13 02:05	2020-02-13 03:50
End Time (EST)	2020-02-12 21:30	2020-02-13 00:00	2020-02-13 02:00	2020-02-13 03:45	2020-02-13 13:00
Loc01					
Loc02					
Loc03					
Loc04					
Loc05		U			
Loc06					
Loc07					
Loc08	U				
Loc09					
Loc10					
Loc11					
Loc12					
Loc13					Z
Loc14					
Loc15	ND	ND	ND	ND	ND
Loc16					
Loc17					
Loc18					
Loc19		U	Z	Z	Z
Loc20					
Loc21					
Loc22					
Loc23		ND	ND	ND	ND
Loc24					
Loc25					
Loc26					

Event #	E5c	E5d	E5e	<u>E5f</u>	E5g
Event Date	2020-02-12	2020-02-12	2020-02-12	2020-02-12	2020-02-12
Start Time (EST)	2020-02-12 20:20	2020-02-12 21:35	2020-02-13 00:05	2020-02-13 02:05	2020-02-13 03:50
End Time (EST)	2020-02-12 21:30	2020-02-13 00:00	2020-02-13 02:00	2020-02-13 03:45	2020-02-13 13:00
Loc27					
Loc28					
Loc29					
Loc30	U	U			
Loc31					
Loc32					
Loc33					
KAGC	U	ND			Т
KPIT	U				Т
03049500	F/M	F/M	F/M	F/M	F/M
03085734		U			Т

Event #	<u>E6a</u>	E6b	<u>E6c</u>	E6d	E6e
Event Date	2020-02-26	2020-02-26	2020-02-26	2020-02-26	2020-02-26
Start Time (EST)	2020-02-26 08:05	2020-02-26 18:05	2020-02-26 19:35	2020-02-26 20:20	2020-02-26 21:35
End Time (EST)	2020-02-26 18:00	2020-02-26 19:30	2020-02-26 20:15	2020-02-26 21:30	2020-02-27 00:00
Loc01			U	U	
Loc02					
Loc03					
Loc04					
Loc05					
Loc06					
Loc07					
Loc08					
Loc09					
Loc10			U		
Loc11					
Loc12					
Loc13					
Loc14					
Loc15	ND	ND	ND	ND	ND
Loc16					
Loc17					
Loc18					
Loc19					
Loc20					
Loc21					
Loc22					
Loc23	ND	ND	ND	ND	ND
Loc24					
Loc25					
Loc26					

Event #	<u>E6a</u>	<u>E6b</u>	E6c	E6d	<u>E6e</u>
Event Date	2020-02-26	2020-02-26	2020-02-26	2020-02-26	2020-02-26
Start Time (EST)	2020-02-26 08:05	2020-02-26 18:05	2020-02-26 19:35	2020-02-26 20:20	2020-02-26 21:35
End Time (EST)	2020-02-26 18:00	2020-02-26 19:30	2020-02-26 20:15	2020-02-26 21:30	2020-02-27 00:00
Loc27					
Loc28					
Loc29					
Loc30	U				
Loc31					
Loc32					
Loc33					
KAGC		U			Т
KPIT			U		Т
03049500	U			U	Т
03085734					Т

Reason	Explanation			
Minimum Storm Total Threshold (MSTT)	The radar or gauge cumulative sum during the event or sub-event period was less than MSTT			
Outlier Based on Mean Field Bias (OMFB)	The RG pair bias (G/R) was greater than three standard deviations from the mean bias (e.g. G>>R)			
Outlier Based on Average Difference (OAD)	The RG pair average difference $((G-R)/G)$ was greater than three standard deviations from the mean average difference (e.g. G< <r)< td=""></r)<>			

Appendix B - Gauge Statistical Criteria Exclusion Table

Event #	<u>E1b</u>	E2a	E2b	<u>E3</u>	<u>E4a</u>
Event Date	2020-02-04	2020-02-05	2020-02-05	2020-02-06	2020-02-10
Start Time (EST)	2020-02-04 15:45	2020-02-05 17:05	2020-02-05 22:20	2020-02-06 12:05	2020-02-09 16:05
End Time (EST)	2020-02-05 04:00	2020-02-05 22:15	2020-02-06 00:30	2020-02-06 17:00	2020-02-10 00:45
Source	KPBZ LII				
Loc01				MSTT	MSTT
Loc02		MSTT		MSTT	MSTT
Loc03		MSTT		MSTT	MSTT
Loc04				MSTT	MSTT
Loc05		MSTT			MSTT
Loc06				MSTT	MSTT
Loc07		MSTT		MSTT	MSTT
Loc08		MSTT		MSTT	MSTT
Loc09		MSTT		MSTT	MSTT
Loc10		MSTT		MSTT	MSTT
Loc11		MSTT			MSTT
Loc12					MSTT
Loc13		MSTT			MSTT
Loc14					MSTT
Loc15					MSTT
Loc16		MSTT			MSTT
Loc17				MSTT	MSTT
Loc18				MSTT	MSTT
Loc19					MSTT
Loc20					MSTT
Loc21		MSTT			MSTT
Loc22		MSTT		MSTT	MSTT
Loc23					
Loc24					MSTT
Loc25					MSTT
Loc26		MSTT	OAD		MSTT
Loc27	MSTT				

Event #	<u>E1b</u>	E2a	<u>E2b</u>	<u>E3</u>	<u>E4a</u>
Event Date	2020-02-04	2020-02-05	2020-02-05	2020-02-06	2020-02-10
Start Time (EST)	2020-02-04 15:45	2020-02-05 17:05	2020-02-05 22:20	2020-02-06 12:05	2020-02-09 16:05
End Time (EST)	2020-02-05 04:00	2020-02-05 22:15	2020-02-06 00:30	2020-02-06 17:00	2020-02-10 00:45
Source	KPBZ LII				
Loc28		MSTT		OMFB	MSTT
Loc29					
Loc30		MSTT			
Loc31	MSTT			MSTT	MSTT
Loc32	MSTT			MSTT	MSTT
Loc33	MSTT	MSTT			
KAGC					MSTT
KPIT					MSTT
03049500	MSTT	MSTT		MSTT	
03085734		MSTT		MSTT	MSTT

Event #	E4b	E4c	E4d	<u>E4f</u>	<u>E5a</u>
Event Date	2020-02-10	2020-02-10	2020-02-10	2020-02-10	2020-02-12
Start Time (EST)	2020-02-10 00:50	2020-02-10 03:05	2020-02-10 05:35	2020-02-10 09:50	2020-02-12 14:05
End Time (EST)	2020-02-10 03:00	2020-02-10 05:30	2020-02-10 06:30	2020-02-10 12:30	2020-02-12 19:00
Source	KPBZ LII				
Loc01					
Loc02	MSTT		MSTT		
Loc03					
Loc04			MSTT		
Loc05			MSTT		
Loc06					
Loc07	MSTT		MSTT		
Loc08					
Loc09			MSTT		
Loc10					
Loc11					
Loc12			MSTT		
Loc13			MSTT		
Loc14			MSTT		
Loc15			MSTT	OAD	
Loc16			MSTT		
Loc17			MSTT		
Loc18	MSTT		MSTT		
Loc19					
Loc20			MSTT		
Loc21	MSTT		MSTT		
Loc22					
Loc23					
Loc24			MSTT		
Loc25			MSTT		

Event #	<u>E4b</u>	E4c	E4d	<u>E4f</u>	<u>E5a</u>
Event Date	2020-02-10	2020-02-10	2020-02-10	2020-02-10	2020-02-12
Start Time (EST)	2020-02-10 00:50	2020-02-10 03:05	2020-02-10 05:35	2020-02-10 09:50	2020-02-12 14:05
End Time (EST)	2020-02-10 03:00	2020-02-10 05:30	2020-02-10 06:30	2020-02-10 12:30	2020-02-12 19:00
Source	KPBZ LII				
Loc26			MSTT		
Loc27	MSTT		MSTT	MSTT	
Loc28					
Loc29	MSTT		MSTT		
Loc30	MSTT		MSTT		
Loc31	MSTT				
Loc32					
Loc33	OMFB		MSTT		
KAGC			MSTT		
KPIT	MSTT		MSTT		
03049500					
03085734	MSTT		MSTT		MSTT


Event #	<u>E5b</u>	<u>E5c</u>	<u>E5d</u>	E5e	E5f
Event Date	2020-02-12	2020-02-12	2020-02-12	2020-02-12	2020-02-12
Start Time (EST)	2020-02-12 19:05	2020-02-12 20:20	2020-02-12 21:35	2020-02-13 00:05	2020-02-13 02:05
End Time (EST)	2020-02-12 20:15	2020-02-12 21:30	2020-02-13 00:00	2020-02-13 02:00	2020-02-13 03:45
Source	KPBZ LII				
Loc01					MSTT
Loc02					
Loc03					MSTT
Loc04					MSTT
Loc05					
Loc06					
Loc07					
Loc08					
Loc09					
Loc10					
Loc11					
Loc12					
Loc13					
Loc14					
Loc15					
Loc16					
Loc17					
Loc18					
Loc19					
Loc20					
Loc21					MSTT
Loc22					MSTT
Loc23					
Loc24					
Loc25					


Event #	<u>E5b</u>	E5c	<u>E5d</u>	E5e	E5f
Event Date	2020-02-12	2020-02-12	2020-02-12	2020-02-12	2020-02-12
Start Time (EST)	2020-02-12 19:05	2020-02-12 20:20	2020-02-12 21:35	2020-02-13 00:05	2020-02-13 02:05
End Time (EST)	2020-02-12 20:15	2020-02-12 21:30	2020-02-13 00:00	2020-02-13 02:00	2020-02-13 03:45
Source	KPBZ LII				
Loc26	MSTT				
Loc27					MSTT
Loc28		OAD			
Loc29					MSTT
Loc30					MSTT
Loc31					MSTT
Loc32		OAD			OMFB
Loc33					MSTT
KAGC					
KPIT					MSTT
03049500					
03085734					MSTT


Event #	<u>E6a</u>	<u>E6b</u>	<u>E6c</u>	<u>E6d</u>
Event Date	2020-02-26	2020-02-26	2020-02-26	2020-02-26
Start Time (EST)	2020-02-26 08:05	2020-02-26 18:05	2020-02-26 19:35	2020-02-26 20:20
End Time (EST)	2020-02-26 18:00	2020-02-26 19:30	2020-02-26 20:15	2020-02-26 21:30
Source	KPBZ LII	KPBZ LII	KPBZ LII	KPBZ LII
Loc01				
Loc02				
Loc03				
Loc04			MSTT	
Loc05				
Loc06				
Loc07				
Loc08				
Loc09				
Loc10				
Loc11				
Loc12				
Loc13	OAD			
Loc14				
Loc15				
Loc16				
Loc17				
Loc18				
Loc19				
Loc20				
Loc21				
Loc22				
Loc23				
Loc24				
Loc25				
Loc26				
Loc27				


Event #	<u>E6a</u>	<u>E6b</u>	<u>E6c</u>	<u>E6d</u>
Event Date	2020-02-26	2020-02-26	2020-02-26	2020-02-26
Start Time (EST)	2020-02-26 08:05	2020-02-26 18:05	2020-02-26 19:35	2020-02-26 20:20
End Time (EST)	2020-02-26 18:00	2020-02-26 19:30	2020-02-26 20:15	2020-02-26 21:30
Source	KPBZ LII	KPBZ LII	KPBZ LII	KPBZ LII
Loc28				
Loc29				
Loc30				
Loc31				
Loc32				OMFB
Loc33				
KAGC				
KPIT				
03049500				
03085734			MSTT	


Appendix C - Event 1 (2020-02-04) CDPs











































February 2020 Radar Rainfall Analysis Report

































Cumulative Distribution Plot - Elizabeth TWP Municipal Bldg (Loc26)











February 2020 Radar Rainfall Analysis Report






















Cumulative Distribution Plot - Allegheny River at Natrona (03049500)








Cumulative Distribution Plot - Ohio River at Emsworth Dam Lower Pool at Emsworth (03085734)


Appendix D - Event 2 (2020-02-05) CDPs























































February 2020 Radar Rainfall Analysis Report






















Cumulative Distribution Plot - Elizabeth TWP Municipal Bldg (Loc26)































Cumulative Distribution Plot - Allegheny River at Natrona (03049500)




Cumulative Distribution Plot - Ohio River at Emsworth Dam Lower Pool at Emsworth (03085734)


Appendix E - Event 3 (2020-02-06) CDPs





Cumulative Distribution Plot - PWSA-Montana St. (Loc01)

















Cumulative Distribution Plot - Carnegie Transit Time (Loc06)







Cumulative Distribution Plot - Greentree Munic Bldg (Loc07)


Cumulative Distribution Plot - AC Health Dept Bldg (Loc08)







Cumulative Distribution Plot - PWSA-Highland Park (Loc10)


































Cumulative Distribution Plot - Chartiers Pump Station (Loc17)


Cumulative Distribution Plot - Oakdale Pump Station (Loc18)










Cumulative Distribution Plot - Sandy Creek Eq Facility (Loc19)




Cumulative Distribution Plot - North Fayette TWP (Loc22)











Cumulative Distribution Plot - White Oak Public Works Bldg (Loc25)


Cumulative Distribution Plot - Elizabeth TWP Municipal Bldg (Loc26)








Cumulative Distribution Plot - Marshall TWP (Loc27)


Cumulative Distribution Plot - Plum Municipal Bldg (Loc28)




























Cumulative Distribution Plot - Allegheny River at Natrona (03049500)








Cumulative Distribution Plot - Ohio River at Emsworth Dam Lower Pool at Emsworth (03085734)


Appendix F - Event 4 (2020-02-10) CDPs































Cumulative Distribution Plot - PWSA-Highland Park (Loc10)













































































Cumulative Distribution Plot - Allegheny River at Natrona (03049500)





Cumulative Distribution Plot - Ohio River at Emsworth Dam Lower Pool at Emsworth (03085734)


Appendix G - Event 5 (2020-02-12) CDPs





























































































181


Cumulative Distribution Plot - McCandless Twn Hall (Loc30)





















Cumulative Distribution Plot - Ohio River at Emsworth Dam Lower Pool at Emsworth (03085734)


Appendix H - Event 6 (2020-02-26) CDPs



























































































Cumulative Distribution Plot - White Oak Public Works Bldg (Loc25)

































February 2020 Radar Rainfall Analysis Report



Cumulative Distribution Plot - Ohio River at Emsworth Dam Lower Pool at Emsworth (03085734)