

Radar Rainfall Analysis

September 2019 Summary Report



Prepared for 3 Rivers Wet Weather

October 21, 2019



301 David L. Boren Blvd., Suite 3050
Norman, Oklahoma 73072
www.vieuxinc.com

TABLE OF CONTENTS

Glossary	3
Overview	4
Methodology	6
Metadata.....	8
Gauge-Adjusted Radar Rainfall (GARR)	9
Events	12
Event 1: 2019-09-02	12
Event 2: 2019-09-30	24
Appendices.....	34
Appendix A - Gauge Performance Exclusion Table	36
Appendix B - Gauge Statistical Criteria Exclusion Table	41
Appendix C - Event 1 (2019-09-02) CDPs.....	46
Appendix D - Event 2 (2019-09-30) CDPs	66

Glossary

Average Difference (AD) – Average of the absolute percentage differences between the rain gauge data and uncalibrated radar data sampled over the gauges.

Bias Correction Factor – Bias is a systematic error that can be corrected through calibration. The correction factor is the sum of the gauges divided by the sum of the sampled radar values over the gauges.

Calibrated Average Difference (CAD) – Average of the absolute percentage differences between the rain gauges and local bias calibrated radar data sampled over the gauges.

Cumulative Distribution Plot (CDP) – A graph depicting the accumulation of a rain gauge and the unadjusted/adjusted radar over that gauge.

Decibels of Reflectance (dBZ) – The logarithmic scale for measuring radar reflectivity factor or a measure of reflectivity of a radar signal off a remote object.

Gauge Adjusted Radar Rainfall (GARR) – Bias corrected radar rainfall through comparison with rain gauges.

KCCX – Federal Communications Commission (FCC) call sign for the NEXRAD near State College, PA.

KPBZ – Federal Communications Commission (FCC) call sign for the NEXRAD near Pittsburgh, PA.

Level II – The Level II radar products are the highest resolution, and consist of the base data that includes reflectivity measured in decibels of reflectance (dBZ) among Doppler velocity and spectrum width.

Level III – The Level III radar products are derivative products from Level II, and consist of horizontal and vertical reflectivity among other products.

Local Bias (LB) – An approach to adjusting radar rainfall that uses the ratio of gauge to radar accumulations from surrounding gauges, with the closest gauge having the most weight.

Minimum Storm Total Threshold (MSTT) – A check used to remove radar/gauge pairs whose cumulative radar and/or gauge values for a given event period were below 0.05 inches.

Next Generation RADAR (NEXRAD) – A network of S-band (10.5-cm wavelength) radars operated by the National Weather Service.

Radio Detection and Ranging (RADAR) – An electronic instrument used for the detection and ranging of distant objects of such composition that they scatter or reflect radio energy.

Radar-Gauge (RG) – A pair of rainfall accumulations measured by the rain gauge and the radar rainfall accumulation sampled above the gauge.

Z-R relationship – An empirical relationship between radar reflectivity factor Z ($\text{mm}^6 \text{m}^{-3}$) and rain rate R (mm hr^{-1}). Radar reflectivity factor is dependent on the rain drop size distribution. [$Z = aR^b$, where a and b are empirically derived constants]

- **Convective** – generally used for convective (i.e. thunderstorms) rainfall [$Z = 300R^{1.4}$]
- **Eastern U.S. Cool Stratiform** – generally used for cool season, non-convective rainfall that occurs east of the Continental Divide [$Z = 130R^{2.0}$]

Overview

Vieux & Associates, Inc. (Vieux) processes radar and rain gauge data for 3 Rivers Wet Weather (3RWW). During each month, radar and rain gauge data are segmented into qualified storm event periods and then Quality Controlled (QC). To produce QC gauge-adjusted radar rainfall (GARR), both radar and rain gauge data are reviewed manually to remove inconsistent data. While only qualified rainfall events are included in this report, the RainVieux online database contains continuous data where QC rain gauge and radar data are available during the inter-event periods. QC is performed to remove anomalous radar data and inconsistent rain gauges during both the qualified and inter-event periods.

Radar data used in production of GARR is produced by the National Weather Service (NWS) Next Generation Radar (NEXRAD) system. NEXRAD Level II radar data are often referred to as Base Data and contain the full spatial/temporal/data resolution data from the radar. Level II radar data measures reflectivity in decibels of reflectance (dBZ), and at a spatial resolution of 0.5-degree by 0.25-km every 4 – 10 minutes with a data resolution of 0.5 dBZ amounting to 256 data levels of data. Level III reflectivity radar data have the same data and temporal resolution, but a reduced spatial resolution of 1-degree by 1-km.

The primary radar data source used to process this period was Level II NEXRAD data from KPBZ located near Pittsburgh, PA. The succession of data used gives priority to Level II followed by Level III products. If KPBZ Level II NEXRAD data are unavailable, then KPBZ Level III Q1 is substituted. If no radar data are available from KPBZ, then Level III Q0 NEXRAD data from KCCX (State College, PA) are used. In the event that all radar sources are unavailable or if the radar provides insufficient rainfall information, then a gauge-only product that spatially distributes point rainfall estimates is used. All radar data were processed into five-minute increments.

Because the radar measures reflectivity in polar coordinates centered on the radar installation, the 1-degree azimuth increases in width as range increases from the radar. Range resolution of the Level II radar data is 1-km and is measured out to 230 km from the radar. Due to the proximity of KPBZ to the study area, the polar coordinates defining horizontal resolution over Allegheny County range from 0.1 – 0.9 km, whereas KCCX ranges from 2.5 – 3.6 km. The radar data represented in these polar coordinates are sampled through spatial averaging into a Cartesian grid of uniform resolution, i.e. 1x1 km. An advantage of the Cartesian grid is that one radar can be substituted for the other without changing the grid resolution, as would be necessary if polar coordinates were used for output of rainfall information at 1x1 km spatial resolution. The Cartesian grid used was defined by a 1-km² grid domain shapefile containing 2313 1-km² pixels covering the study area. CDM Smith provided two basin shapefiles consisting of 440 RFM basins and 871 RFM sheds that are located within the 1-km² pixel domain.

Rain gauge data from as many as 37 gauges were used to adjust the radar. 3RWW provided rain data in 5-minute increments for 33 stations. In addition, rain gauge data were obtained from two United States Geological Survey (USGS) stations and two NWS Automated Surface Observing System (ASOS) stations. Figure 1 depicts the spatial distribution of the rain gauge network, KPBZ NEXRAD, RFM basins and 1-km² pixels. For the gauges shown in Figure 1, the ID, name and source of each gauge is listed in Table 1. Radar data review, preparation and sampling the radar over the gauges and 1-km² pixels were achieved using software developed at Vieux.




Figure 1. Spatial Distribution of the Rain Gauge Network, KPBZ NEXRAD, RFM Basins and 1-km² Pixels

Table 1. Rain Gauge ID, Name and Source

Gauge ID	Gauge Name	Source
Loc01	PWSA-Montana St.	3RWW
Loc02	ALCOSAN WWTP Lab	3RWW
Loc03	Shaler Munic Bldg	3RWW
Loc04	Kennedy Twp PS	3RWW
Loc05	Upper St. Clair	3RWW
Loc06	Carnegie Transit Time	3RWW
Loc07	Greentree Munic Bldg	3RWW
Loc08	AC Health Dept Bldg	3RWW
Loc09	Univ of Pittsburgh	3RWW
Loc10	PWSA-Highland Park	3RWW
Loc11	M-46 Access Shaft	3RWW
Loc12	Baldwin	3RWW
Loc13	M-59 Access Shaft	3RWW

Gauge ID	Gauge Name	Source
Loc14	Churchill Munic Bldg	3RWW
Loc15	Trafford Maint Bldg	3RWW
Loc16	Castle Shannon	3RWW
Loc17	Chartiers Pump Station	3RWW
Loc18	Oakdale Pump Station	3RWW
Loc19	Sandy Creek Eq Facility	3RWW
Loc20	Gascola Eq Facility	3RWW
Loc21	Moon TWP	3RWW
Loc22	North Fayette TWP	3RWW
Loc23	Clinton Munic Bldg	3RWW
Loc24	Jefferson Hills	3RWW
Loc25	White Oak Public Works Bldg	3RWW
Loc26	Elizabeth TWP Municipal Bldg	3RWW
Loc27	Marshall TWP	3RWW
Loc28	Plum Municipal Bldg	3RWW
Loc29	Bell Acres Munic Bldg	3RWW
Loc30	McCandless Twn Hall	3RWW
Loc31	Hampton Municipal Bldg	3RWW
Loc32	Arnold	3RWW
Loc33	Richland TWP	3RWW
KAGC	Pittsburgh Allegheny Cty	NWS - ASOS
KPIT	Greater Pittsburgh Int'l	NWS - ASOS
03049500	Allegheny River at Natrona	USGS
03085734	Ohio River at Emsworth Dam Lower Pool at Emsworth	USGS

The 37 rain gauges and the two NWS NEXRAD radars are used to produce gauge-adjusted radar rainfall (GARR). The methodology used in production of the GARR and the dataset metadata are described in the following sections.

Methodology

Radar and rain gauge data are segmented into qualified storm event periods and then Quality Controlled (QC). Qualified rainfall events are defined based on the storm event definition where, for any given hour, at least 50% of all working 3RWW gauges have an accumulation of 0.05 inches. Only qualified rainfall events are included in the report, while the RainVieux online database contains continuous data. Both the qualified and inter-event periods receive QC to remove anomalous radar data and inconsistent rain gauges.

Statistical control of the data makes radar rainfall measurements more accurate. By statistical comparison between the radar and rain gauge accumulations during a GARR period, certain gauges may be identified as statistical outliers and excluded for all or part of an event. Radar data

is enhanced by correcting it for systematic errors called bias, which helps improve the accuracy of the rainfall product. The bias correction factors are multiplicative factors applied to the radar that enhances the accuracy of the radar rainfall for any accumulation period. By adjusting the radar data with rain gauge data, better maps of rainfall are produced than either sensor system could produce alone.

In the production of GARR, radar rainfall is bias corrected through comparison with rain gauge accumulations. To the extent possible, individual gauges are combined to cover the target area for use in bias adjustment. The method of adjustment depends on the hydrologic application and the spatial extent of the area of interest. The local bias (LB) approach to adjusting the radar rainfall uses the ratio of gauge to radar accumulations from surrounding gauges with the closest gauge having the most weight. The LB approach distributes the variation of bias over the region, and is computed and applied within each event period.

The LB uses the ratio between the sum of each gauge divided by the sum of the sampled radar values over each gauge. Gauge and radar accumulations were computed for each event period. A minimum storm total threshold (MSTT) check was used to remove radar/gauge (RG) pairs whose R or G cumulative values for a given event period were below a chosen threshold (i.e. 0.05 inches for this study). The remaining RG pairs were then checked for statistical outliers. Those RG pairs with individual bias (G/R) or average difference ($((G-R)/G)$) values greater than three standard deviations from the mean were then excluded from being used to adjust the radar.

After RG pairs have been removed on an event basis by either the MSTT, outlier check or gauge performance review, there must be at least two remaining RG pairs to proceed with gauge-adjustment of the radar. The individual biases of the remaining RG pairs are then distributed spatially over the analysis area using the LB weighted distance method. The resulting LB value over each radar bin is the multiplicative factor that adjusts the radar. For example, a bias of 1.5 can be interpreted as a 33% underestimation by the radar. The statistical measures reported are 1) average difference (AD) and 2) calibrated average difference (CAD). Both of these statistical measures are expressed as an absolute percentage about the mean of G/R accumulations for each event period. GARR is then spatially aggregated from the final adjusted radar bins to the basins and 1-km² pixels using an area-averaged technique.

After bias correction, though generally small, differences between rain gauge and radar rainfall accumulations still exist due to sampling differences or local meteorological conditions among other reasons. A major reason for departures is that radar collects data by averaging reflectivity over a 1-degree by 1-km sample volume, while rain gauges measure at a point. Another source of difference is that radar measures above the ground, while rain gauges measure close to the ground. Further, updrafts and downdrafts during storms can decrease or increase rain rates, respectively. However, radar cannot detect local wind effects, while rain gauges can be affected. Differences between the radar data and the rain gauge data are also affected by precipitation processes associated with the type of storm, which also are affected by the season of the year.

Metadata

Data accompanying this document provides a continuous rainfall record of all 2313 1-km pixels, 440 RFM basins and 871 RFM sheds in 15-minute intervals. The data are provided in CSV format for the period from 2019-09-01 00:00 EDT to 2019-10-01 00:00 EDT. Shapefiles of the 1-km pixels, RFM basins and RFM sheds are located in the Shapefiles subfolder.

1-km² Pixel CSV metadata:

- Individual CSV files are provided for each pixel.
- The pixel filenames use a "Ryymm_" (i.e. R, year, month) prefix in front of the pixel ID.
- The comma-delimited text files contain a header row in the 1st row and time/data values beginning on the 2nd row.
- The time/data columns consist of Month, Day, Year, Hour, Minute, Rainfall and Source, where R represents EOM GARR quality.
- Time stamps are in EST/EDT.
- Data values represent 15-min accumulation (inches) at end of interval.
- The 1-km Pixel ID field that was used from the shapefile DBF is "PIXEL".

Basin CSV metadata:

- Individual CSV files are provided for each RFM Basin and RFM Shed.
- The RFM Basin filenames use a "P-" prefix and a "yyyymmG" (i.e. year, month, G) suffix in front and after the RFM Basin ID.
- The RFM Shed filenames use a "P-" prefix and a "yyyymmN" (i.e. year, month, N) suffix in front and after the RFM Shed ID.
- The comma-delimited text files contain a header row in the 1st row and time/data values beginning on the 2nd row.
- The 1st column contains the date (yyyy/mm/dd hh:mm) and the 2nd column contains the corresponding rainfall value.
- Time stamps are in EST/EDT.
- Data values represent 15-min accumulation (inches) at end of interval.
- The RFM Basin ID field that was used from the shapefile DBF is "DS_METERNA".
- The RFM Shed ID field that was used from the shapefile DBF is "DELINID".

Shapefile metadata:

- NAD 1983, State Plane Pennsylvania South (feet).

Gauge-Adjusted Radar Rainfall (GARR)

Rainfall totals for September 2019 are shown in Figure 2. The rainfall amounts for the 2313 1-km² pixels range from 1.7 to 5.5 inches with a mean of 3.4 inches. The rainfall amounts for the 440 RFM basins range from 1.9 to 5.1 inches with a mean of 3.0 inches. The rainfall amounts for the 871 RFM sheds range from 1.8 to 5.1 inches with a mean of 2.9 inches.




Figure 2. GARR Storm Total for September 2019

GARR was processed continuously at five-minute increments and covers the period from 2019-09-01 00:00 EDT to 2019-10-01 00:00 EDT. Two rainfall events were identified as having met the storm definition during September 2019. The GARR statistics for each event are listed in Table 2. Two of the events were split into multiple sub-event periods to improve gauge-adjustment of the radar, resulting in a total of 10 event and sub-event periods. The events that were split into multiple periods are shown in the **Event#** column with the letter "a", "b", "c", etc. appended to the event number (e.g., E1a, E1b, E1c). The **Source** column shows what rainfall source was used to produce GARR for each event or sub-event period. The listed **Event Date** shown in Table 2 corresponds to the day or portion of the day when most of the rainfall occurred for that GARR event period. All two rainfall events are discussed in more detail in the following Events section.

The **Bias** value shown in Table 2 is the sum of the gauges divided by the sum of the sampled radar values over the gauges. Those rain events with the lowest CAD values shown in Table 2 represent the best agreement between GARR and gauge values for all radar/gauge pairs used to adjust the radar. On average, lower values of CAD imply higher statistical confidence in the reliability of the

dataset. Typically, stratiform rainfall events (i.e., low spatial variability) have lower CAD values than convective rainfall events (i.e., high spatial variability). Based on all 10 event and sub-event periods, the event CAD averaged 2.2%, indicating that the mean GARR agrees with the mean gauge accumulation to within $\pm 1.1\%$.

Table 2. Storm Events and GARR Statistics

Event #	Source	Event Date	Start Time (EDT)	End Time (EDT)	Gauges Used (37)	Avg. Depth (in)	Bias	AD (%)	CAD (%)
E1a	KPBZ LII	2019-09-02	2019-09-01 16:05	2019-09-01 23:00	22	0.709	1.205	19.1	2.7
E1b	KPBZ LII	2019-09-02	2019-09-01 23:05	2019-09-01 23:40	16	0.212	1.211	17.8	2.8
E1c	KPBZ LII	2019-09-02	2019-09-01 23:45	2019-09-02 00:30	21	0.428	1.163	13.3	1.2
E1d	KPBZ LII	2019-09-02	2019-09-02 00:35	2019-09-02 01:15	22	0.286	1.192	16.0	1.4
E1e	KPBZ LII	2019-09-02	2019-09-02 01:20	2019-09-02 02:45	27	0.241	1.074	16.0	3.0
E1f	KPBZ LII	2019-09-02	2019-09-02 02:50	2019-09-02 07:00	19	0.106	0.854	34.7	2.7
E2a	KPBZ LII	2019-09-30	2019-09-29 21:05	2019-09-30 05:20	19	0.064	0.870	21.7	2.1
E2b	KPBZ LII	2019-09-30	2019-09-30 05:25	2019-09-30 06:35	30	0.325	1.448	29.7	1.5
E2c	KPBZ LII	2019-09-30	2019-09-30 06:40	2019-09-30 08:00	35	0.404	1.478	30.4	1.5
E2d	KPBZ LII	2019-09-30	2019-09-30 08:05	2019-09-30 15:00	29	0.068	0.730	37.9	2.7

Statistical review of the data can provide an indication of data quality. Depending on the quality of the radar and gauge data, CAD values for individual events less than 10% are considered excellent, 10 - 20% are considered good, and 20 - 30% are considered fair. However, CAD may not serve as a reliable indicator of data quality when abrupt changes in bias occur within the analysis period, particularly when compensating over- and under-estimation results due to using an assumed Z-R relationship throughout the period while atmospheric conditions merit different Z-R coefficients. The effects from abrupt changes in Z-R are mitigated by splitting the event periods.

Rain gauges were analyzed to identify those that were not consistent with the radar or surrounding gauges. Cumulative Distribution Plots (CDPs) at each gauge location showing gauge, unadjusted radar and GARR values were produced for each rainfall event and are presented in Appendices C - D. CDPs are useful for visualizing rain gauge performance. Figure 3 shows the rainfall accumulation at the Richland TWP (Loc33) gauge during the 2019-09-02 event as measured by

the gauge (green), unadjusted radar (blue), and gauge-adjusted radar (red). Rain gauges that are not performing consistently with the radar or surrounding gauges have characteristics such as clogs, synchronization or other mechanical/transmission malfunctions that can be visually identified in the CDP graph.




Figure 3. CDP Showing Rain Gauge Versus Unadjusted Radar Versus GARR

Reasons for not using gauges in rainfall analysis include clogs, significant under- or over-reporting of rainfall, gauges that stop reporting during rainfall, or a combination of these reasons. A list of possible reasons for not using a gauge based on CDP analysis is shown in Table 3. Those gauges that were excluded from analysis based on gauge performance are shown in [Appendix A](#). Additional gauges were not used to adjust the radar for a given event or sub-event period if they did not meet the statistical criteria outlined in the Methodology section. A list of reasons for not using a gauge based on statistical criteria is shown in Table 4. The gauges listed in [Appendix B](#) did not meet statistical criteria for gauge-adjustment of the radar and were not used to adjust the radar.

Table 3. Reasons for Gauge Exclusion Based on Performance

Reason	Explanation
Clog (C)	Gauge appeared to be clogged
Zero (Z)	Gauge did not report any rainfall while radar rainfall estimates reported significant rainfall
Stop (S)	Gauge appeared to stop reporting rainfall while radar rainfall estimates reported significant rainfall
Over (O)	Gauge appeared to significantly over-report rainfall as compared to radar rainfall estimates and surrounding gauges (e.g. anomalously high rainfall values caused by field calibration, data transmission error, or switch malfunctions)

Reason	Explanation
Under (U)	Gauge appeared to significantly under-report as compared to radar rainfall estimates and surrounding Gauges (e.g. half-tipper)
Sync (SY)	Gauge appeared to be reporting out-of-sync with the radar rainfall estimates
Frozen/Melt (F/M)	Gauge not reporting properly due to frozen or melting precipitation
Other (T)	Combination of multiple reasons
No Data (ND)	Gauge reported "no data" for a significant amount of time

Table 4. Reasons for Gauge Exclusion Based on Statistical Criteria

Reason	Explanation
Minimum Storm Total Threshold (MSTT)	The radar or gauge cumulative sum during the event or sub-event period was less than MSTT
Outlier Based on Mean Field Bias (OMFB)	The RG pair bias (G/R) was greater than three standard deviations from the mean bias (e.g. $G \gg R$)
Outlier Based on Average Difference (OAD)	The RG pair average difference ($(G-R)/G$) was greater than three standard deviations from the mean average difference (e.g. $G \ll R$)

A synopsis for each event is described below in terms of the specific processing protocol applied to each event period as well as specific GARR information.

Events

Event 1: 2019-09-02

The analysis period was from 2019-09-01 16:00 EDT to 2019-09-02 07:00 EDT. The event was then split into six sub-event periods at 2019-09-01 23:00 EDT, 2019-09-01 23:40 EDT, 2019-09-02 00:30 EDT, 2019-09-02 01:15 EDT and 2019-09-02 02:45 EDT to improve gauge adjustment of the radar.

The gauges listed in [Appendix A](#) were not used to adjust the radar due to inconsistencies between the gauge and the radar or surrounding gauges, or they did not have data available for this event. The gauges listed in [Appendix B](#) were not used to adjust the radar since they did not meet statistical criteria for gauge-adjustment.

A convective Z-R relationship was used to convert radar reflectivity to rainfall rates. Table 5 shows the mean bias and average depth of the event along with the AD and CAD, respectively. Tables 6 - 11 summarize the results for each RG pair used for final radar adjustment, where G_i is the gauge estimate, R_i is the non-adjusted radar estimate, R_i^* is the GARR estimate, and Diff^* (%) is the percent difference between the gauge and GARR estimate. Those gauges not used to adjust the radar are shown at the bottom of the table and are highlighted in red. The specific reason for gauge exclusion is displayed in the Flag column. Figures 4 - 9 show the scatter plots of the gauge-adjusted RG pairs. Those gauges not used to adjust the radar are shown in red. Figure 10 depicts the GARR

storm total over the 1-km² pixels. The GARR amounts for the 2313 1-km² pixels range from 0.6 - 4.0 inches with a mean of 2.0 inches. The GARR amounts for the 440 RFM basins range from 0.8 - 3.4 inches with a mean of 1.7 inches. The GARR amounts for the 871 RFM sheds range from 0.7 - 3.4 inches with a mean of 1.6 inches. Table 12 shows the Depth Duration Frequency (DDF) maximum values for the 1-km² pixels.

Table 5. GARR Statistics for Event 1

Event #	Radar	Event Date	Start Time (EDT)	End Time (EDT)	Gauges Used (37)	Avg. Depth (in)	Bias	AD (%)	CAD (%)
E1a	KPBZ LII	2019-09-02	2019-09-01 16:05	2019-09-01 23:00	22	0.709	1.205	19.1	2.7
E1b	KPBZ LII	2019-09-02	2019-09-01 23:05	2019-09-01 23:40	16	0.212	1.211	17.8	2.8
E1c	KPBZ LII	2019-09-02	2019-09-01 23:45	2019-09-02 00:30	21	0.428	1.163	13.3	1.2
E1d	KPBZ LII	2019-09-02	2019-09-02 00:35	2019-09-02 01:15	22	0.286	1.192	16.0	1.4
E1e	KPBZ LII	2019-09-02	2019-09-02 01:20	2019-09-02 02:45	27	0.241	1.074	16.0	3.0
E1f	KPBZ LII	2019-09-02	2019-09-02 02:50	2019-09-02 07:00	19	0.106	0.854	34.7	2.7

Table 6. Summary of Individual RG Pairs for Event 1a

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc13	M-59 Access Shaft	0.06	0.07	0.07	-0.01	-16.7	
Loc03	Shaler Munic Bldg	1.45	1.35	1.51	-0.06	-4.1	
Loc17	Chartiers Pump Station	0.36	0.31	0.37	-0.01	-2.8	
Loc32	Arnold	0.83	0.83	0.85	-0.02	-2.4	
Loc07	Greentree Munic Bldg	0.43	0.36	0.44	-0.01	-2.3	
Loc08	AC Health Dept Bldg	0.49	0.40	0.50	-0.01	-2.0	
03085734	Ohio River at Emsworth Dam Lower Pool at Emsworth	1.39	1.27	1.39	0.00	0.0	
KAGC	Pittsburgh Allegheny Cty	0.06	0.07	0.06	0.00	0.0	
Loc12	Baldwin	0.11	0.09	0.11	0.00	0.0	
Loc14	Churchill Munic Bldg	0.10	0.08	0.10	0.00	0.0	
Loc16	Castle Shannon	0.14	0.11	0.14	0.00	0.0	
Loc20	Gascola Eq Facility	0.10	0.07	0.10	0.00	0.0	
Loc22	North Fayette TWP	1.04	0.96	1.04	0.00	0.0	
Loc23	Clinton Munic Bldg	1.94	1.64	1.94	0.00	0.0	

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc28	Plum Municipal Bldg	0.14	0.11	0.14	0.00	0.0	
Loc33	Richland TWP	0.93	0.80	0.93	0.00	0.0	
KPIT	Greater Pittsburgh Int'l	1.97	1.38	1.96	0.01	0.5	
03049500	Allegheny River at Natrona	1.29	0.93	1.26	0.03	2.3	
Loc10	PWSA-Highland Park	0.40	0.29	0.39	0.01	2.5	
Loc31	Hampton Municipal Bldg	1.67	1.29	1.62	0.05	3.0	
Loc06	Carnegie Transit Time	0.62	0.47	0.60	0.02	3.2	
Loc11	M-46 Access Shaft	0.13	0.09	0.12	0.01	7.7	
Loc01	PWSA-Montana St.	ND	---	---	---	---	ND
Loc02	ALCOSAN WWTP Lab	1.54	---	---	---	---	O
Loc04	Kennedy Twp PS	ND	---	---	---	---	ND
Loc05	Upper St. Clair	0.18	---	---	---	---	U
Loc09	Univ of Pittsburgh	0.16	---	---	---	---	U
Loc15	Trafford Maint Bldg	0.00	---	---	---	---	MSTT
Loc18	Oakdale Pump Station	ND	---	---	---	---	ND
Loc19	Sandy Creek Eq Facility	0.05	---	---	---	---	S
Loc21	Moon TWP	0.00	---	---	---	---	C
Loc24	Jefferson Hills	0.06	---	---	---	---	MSTT
Loc25	White Oak Public Works Bldg	ND	---	---	---	---	ND
Loc26	Elizabeth TWP Municipal Bldg	0.00	---	---	---	---	MSTT
Loc27	Marshall TWP	ND	---	---	---	---	ND
Loc29	Bell Acres Munic Bldg	0.35	---	---	---	---	ND
Loc30	McCandless Twn Hall	ND	---	---	---	---	ND

Table 7. Summary of Individual RG Pairs for Event 1b

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc14	Churchill Munic Bldg	0.08	0.08	0.09	-0.01	-12.5	
Loc10	PWSA-Highland Park	0.20	0.18	0.21	-0.01	-5.0	
Loc32	Arnold	0.57	0.51	0.59	-0.02	-3.5	
Loc31	Hampton Municipal Bldg	1.03	0.95	1.04	-0.01	-1.0	
03085734	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.22	0.14	0.22	0.00	0.0	
KPIT	Greater Pittsburgh Int'l	0.13	0.12	0.13	0.00	0.0	
Loc02	ALCOSAN WWTP Lab	0.06	0.06	0.06	0.00	0.0	

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc11	M-46 Access Shaft	0.09	0.06	0.09	0.00	0.0	
Loc20	Gascola Eq Facility	0.09	0.06	0.09	0.00	0.0	
Loc22	North Fayette TWP	0.10	0.08	0.10	0.00	0.0	
Loc23	Clinton Munic Bldg	0.25	0.25	0.25	0.00	0.0	
Loc28	Plum Municipal Bldg	0.18	0.15	0.18	0.00	0.0	
Loc33	Richland TWP	0.54	0.41	0.54	0.00	0.0	
Loc03	Shaler Munic Bldg	0.52	0.45	0.51	0.01	1.9	
03049500	Allegheny River at Natrona	0.45	0.25	0.44	0.01	2.2	
Loc09	Univ of Pittsburgh	0.26	0.17	0.25	0.01	3.8	
KAGC	Pittsburgh Allegheny Cty	0.01	---	---	---	---	MSTT
Loc01	PWSA-Montana St.	ND	---	---	---	---	ND
Loc04	Kennedy Twp PS	ND	---	---	---	---	ND
Loc05	Upper St. Clair	0.01	---	---	---	---	MSTT
Loc06	Carnegie Transit Time	0.01	---	---	---	---	MSTT
Loc07	Greentree Munic Bldg	0.02	---	---	---	---	MSTT
Loc08	AC Health Dept Bldg	0.21	---	---	---	---	O
Loc12	Baldwin	0.04	---	---	---	---	MSTT
Loc13	M-59 Access Shaft	0.02	---	---	---	---	MSTT
Loc15	Trafford Maint Bldg	0.01	---	---	---	---	MSTT
Loc16	Castle Shannon	0.02	---	---	---	---	MSTT
Loc17	Chartiers Pump Station	0.00	---	---	---	---	MSTT
Loc18	Oakdale Pump Station	ND	---	---	---	---	ND
Loc19	Sandy Creek Eq Facility	0.44	---	---	---	---	O
Loc21	Moon TWP	0.00	---	---	---	---	C
Loc24	Jefferson Hills	0.00	---	---	---	---	MSTT
Loc25	White Oak Public Works Bldg	ND	---	---	---	---	ND
Loc26	Elizabeth TWP Municipal Bldg	0.00	---	---	---	---	MSTT
Loc27	Marshall TWP	ND	---	---	---	---	ND
Loc29	Bell Acres Munic Bldg	0.00	---	---	---	---	Z
Loc30	McCandless Twn Hall	ND	---	---	---	---	ND

Table 8. Summary of Individual RG Pairs for Event 1c

Gauge ID	Name	G_i (in)	R_i (in)	R_i* (in)	Diff* (in)	Diff* (%)	Flag
Loc11	M-46 Access Shaft	0.20	0.21	0.21	-0.01	-5.0	
Loc06	Carnegie Transit Time	0.67	0.67	0.69	-0.02	-3.0	
Loc32	Arnold	0.75	0.66	0.77	-0.02	-2.7	
Loc02	ALCOSAN WWTP Lab	0.43	0.41	0.44	-0.01	-2.3	
Loc31	Hampton Municipal Bldg	0.67	0.55	0.68	-0.01	-1.5	
Loc07	Greentree Munic Bldg	0.61	0.59	0.61	0.00	0.0	
Loc08	AC Health Dept Bldg	0.27	0.22	0.27	0.00	0.0	
Loc09	Univ of Pittsburgh	0.24	0.20	0.24	0.00	0.0	
Loc14	Churchill Munic Bldg	0.18	0.17	0.18	0.00	0.0	
Loc16	Castle Shannon	0.50	0.46	0.50	0.00	0.0	
Loc19	Sandy Creek Eq Facility	0.23	0.22	0.23	0.00	0.0	
Loc20	Gascola Eq Facility	0.26	0.23	0.26	0.00	0.0	
Loc22	North Fayette TWP	0.58	0.51	0.58	0.00	0.0	
Loc23	Clinton Munic Bldg	0.52	0.45	0.52	0.00	0.0	
Loc28	Plum Municipal Bldg	0.34	0.24	0.34	0.00	0.0	
Loc33	Richland TWP	0.63	0.52	0.63	0.00	0.0	
Loc17	Chartiers Pump Station	0.83	0.75	0.82	0.01	1.2	
03085734	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.72	0.59	0.71	0.01	1.4	
Loc03	Shaler Munic Bldg	0.64	0.50	0.63	0.01	1.6	
03049500	Allegheny River at Natrona	0.91	0.60	0.89	0.02	2.2	
Loc10	PWSA-Highland Park	0.36	0.29	0.35	0.01	2.8	
KAGC	Pittsburgh Allegheny Cty	0.20	---	---	---	---	O
KPIT	Greater Pittsburgh Int'l	0.38	---	---	---	---	U
Loc01	PWSA-Montana St.	ND	---	---	---	---	ND
Loc04	Kennedy Twp PS	ND	---	---	---	---	ND
Loc05	Upper St. Clair	0.39	---	---	---	---	U
Loc12	Baldwin	0.15	---	---	---	---	OAD
Loc13	M-59 Access Shaft	0.10	---	---	---	---	U
Loc15	Trafford Maint Bldg	0.00	---	---	---	---	MSTT
Loc18	Oakdale Pump Station	ND	---	---	---	---	ND
Loc21	Moon TWP	0.00	---	---	---	---	C
Loc24	Jefferson Hills	0.05	---	---	---	---	U
Loc25	White Oak Public Works Bldg	ND	---	---	---	---	ND
Loc26	Elizabeth TWP Municipal Bldg	0.01	---	---	---	---	MSTT
Loc27	Marshall TWP	ND	---	---	---	---	ND

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc29	Bell Acres Munic Bldg	0.15	---	---	---	---	S
Loc30	McCandless Twn Hall	ND	---	---	---	---	ND

Table 9. Summary of Individual RG Pairs for Event 1d

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc08	AC Health Dept Bldg	0.34	0.31	0.37	-0.03	-8.8	
Loc11	M-46 Access Shaft	0.50	0.47	0.52	-0.02	-4.0	
Loc19	Sandy Creek Eq Facility	0.45	0.43	0.46	-0.01	-2.2	
03085734	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.09	0.09	0.09	0.00	0.0	
Loc02	ALCOSAN WWTP Lab	0.16	0.13	0.16	0.00	0.0	
Loc03	Shaler Munic Bldg	0.24	0.19	0.24	0.00	0.0	
Loc06	Carnegie Transit Time	0.22	0.16	0.22	0.00	0.0	
Loc07	Greentree Munic Bldg	0.22	0.17	0.22	0.00	0.0	
Loc10	PWSA-Highland Park	0.37	0.33	0.37	0.00	0.0	
Loc12	Baldwin	0.36	0.28	0.36	0.00	0.0	
Loc15	Trafford Maint Bldg	0.59	0.49	0.59	0.00	0.0	
Loc16	Castle Shannon	0.26	0.19	0.26	0.00	0.0	
Loc17	Chartiers Pump Station	0.25	0.18	0.25	0.00	0.0	
Loc20	Gascola Eq Facility	0.56	0.50	0.56	0.00	0.0	
Loc22	North Fayette TWP	0.08	0.09	0.08	0.00	0.0	
Loc24	Jefferson Hills	0.50	0.45	0.50	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.79	0.71	0.79	0.00	0.0	
Loc28	Plum Municipal Bldg	0.57	0.52	0.57	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.11	0.08	0.11	0.00	0.0	
Loc32	Arnold	0.62	0.43	0.62	0.00	0.0	
Loc14	Churchill Munic Bldg	0.67	0.60	0.66	0.01	1.5	
Loc09	Univ of Pittsburgh	1.43	1.06	1.31	0.12	8.4	
03049500	Allegheny River at Natrona	0.47	---	---	---	---	U
KAGC	Pittsburgh Allegheny Cty	0.24	---	---	---	---	U
KPIT	Greater Pittsburgh Int'l	0.34	---	---	---	---	O
Loc01	PWSA-Montana St.	ND	---	---	---	---	ND
Loc04	Kennedy Twp PS	ND	---	---	---	---	ND
Loc05	Upper St. Clair	0.20	---	---	---	---	U

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc13	M-59 Access Shaft	0.27	---	---	---	---	U
Loc18	Oakdale Pump Station	ND	---	---	---	---	ND
Loc21	Moon TWP	0.00	---	---	---	---	C
Loc23	Clinton Munic Bldg	0.03	---	---	---	---	MSTT
Loc25	White Oak Public Works Bldg	ND	---	---	---	---	ND
Loc27	Marshall TWP	ND	---	---	---	---	ND
Loc29	Bell Acres Munic Bldg	0.00	---	---	---	---	Z
Loc30	McCandless Twn Hall	ND	---	---	---	---	ND
Loc33	Richland TWP	0.03	---	---	---	---	MSTT

Table 10. Summary of Individual RG Pairs for Event 1e

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc12	Baldwin	0.10	0.09	0.11	-0.01	-10.0	
Loc03	Shaler Munic Bldg	0.21	0.30	0.23	-0.02	-9.5	
Loc08	AC Health Dept Bldg	0.25	0.28	0.27	-0.02	-8.0	
Loc07	Greentree Munic Bldg	0.17	0.17	0.18	-0.01	-5.9	
Loc14	Churchill Munic Bldg	0.17	0.21	0.18	-0.01	-5.9	
03049500	Allegheny River at Natrona	0.40	0.35	0.40	0.00	0.0	
03085734	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.11	0.12	0.11	0.00	0.0	
KPIT	Greater Pittsburgh Int'l	0.12	0.10	0.12	0.00	0.0	
Loc02	ALCOSAN WWTP Lab	0.13	0.15	0.13	0.00	0.0	
Loc11	M-46 Access Shaft	0.14	0.16	0.14	0.00	0.0	
Loc15	Trafford Maint Bldg	0.15	0.12	0.15	0.00	0.0	
Loc16	Castle Shannon	0.06	0.07	0.06	0.00	0.0	
Loc17	Chartiers Pump Station	0.08	0.06	0.08	0.00	0.0	
Loc20	Gascola Eq Facility	0.16	0.18	0.16	0.00	0.0	
Loc22	North Fayette TWP	0.08	0.08	0.08	0.00	0.0	
Loc23	Clinton Munic Bldg	0.19	0.11	0.19	0.00	0.0	
Loc24	Jefferson Hills	0.15	0.16	0.15	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.27	0.19	0.27	0.00	0.0	
Loc28	Plum Municipal Bldg	0.32	0.30	0.32	0.00	0.0	
Loc32	Arnold	0.36	0.35	0.36	0.00	0.0	
Loc33	Richland TWP	0.87	0.73	0.87	0.00	0.0	

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc09	Univ of Pittsburgh	0.23	0.23	0.22	0.01	4.3	
Loc31	Hampton Municipal Bldg	0.49	0.47	0.46	0.03	6.1	
Loc06	Carnegie Transit Time	0.15	0.11	0.14	0.01	6.7	
Loc19	Sandy Creek Eq Facility	0.30	0.27	0.28	0.02	6.7	
KAGC	Pittsburgh Allegheny Cty	0.14	0.08	0.13	0.01	7.1	
Loc10	PWSA-Highland Park	0.37	0.31	0.34	0.03	8.1	
Loc01	PWSA-Montana St.	ND	---	---	---	---	ND
Loc04	Kennedy Twp PS	ND	---	---	---	---	ND
Loc05	Upper St. Clair	0.07	---	---	---	---	U
Loc13	M-59 Access Shaft	0.10	---	---	---	---	U
Loc18	Oakdale Pump Station	ND	---	---	---	---	ND
Loc21	Moon TWP	0.11	---	---	---	---	C
Loc25	White Oak Public Works Bldg	ND	---	---	---	---	ND
Loc27	Marshall TWP	ND	---	---	---	---	ND
Loc29	Bell Acres Munic Bldg	0.09	---	---	---	---	S
Loc30	McCandless Twn Hall	ND	---	---	---	---	ND

Table 11. Summary of Individual RG Pairs for Event 1f

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc09	Univ of Pittsburgh	0.09	0.20	0.10	-0.01	-11.1	
Loc19	Sandy Creek Eq Facility	0.36	0.58	0.40	-0.04	-11.1	
03049500	Allegheny River at Natrona	0.34	0.46	0.35	-0.01	-2.9	
Loc03	Shaler Munic Bldg	0.13	0.12	0.13	0.00	0.0	
Loc07	Greentree Munic Bldg	0.07	0.11	0.07	0.00	0.0	
Loc08	AC Health Dept Bldg	0.10	0.21	0.10	0.00	0.0	
Loc10	PWSA-Highland Park	0.11	0.19	0.11	0.00	0.0	
Loc11	M-46 Access Shaft	0.12	0.14	0.12	0.00	0.0	
Loc12	Baldwin	0.09	0.07	0.09	0.00	0.0	
Loc13	M-59 Access Shaft	0.09	0.10	0.09	0.00	0.0	
Loc15	Trafford Maint Bldg	0.08	0.07	0.08	0.00	0.0	
Loc16	Castle Shannon	0.09	0.08	0.09	0.00	0.0	
Loc17	Chartiers Pump Station	0.10	0.06	0.10	0.00	0.0	
Loc20	Gascola Eq Facility	0.22	0.27	0.22	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.08	0.06	0.08	0.00	0.0	

Gauge ID	Name	G_i (in)	R_i (in)	R_i* (in)	Diff* (in)	Diff* (%)	Flag
Loc32	Arnold	0.08	0.09	0.08	0.00	0.0	
Loc33	Richland TWP	0.18	0.16	0.18	0.00	0.0	
Loc28	Plum Municipal Bldg	0.72	0.63	0.71	0.01	1.4	
Loc14	Churchill Munic Bldg	0.21	0.23	0.20	0.01	4.8	
03085734	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.03	---	---	---	---	MSTT
KAGC	Pittsburgh Allegheny Cty	0.06	---	---	---	---	MSTT
KPIT	Greater Pittsburgh Int'l	0.02	---	---	---	---	MSTT
Loc01	PWSA-Montana St.	ND	---	---	---	---	ND
Loc02	ALCOSAN WWTP Lab	0.01	---	---	---	---	MSTT
Loc04	Kennedy Twp PS	ND	---	---	---	---	ND
Loc05	Upper St. Clair	0.01	---	---	---	---	U
Loc06	Carnegie Transit Time	0.02	---	---	---	---	MSTT
Loc18	Oakdale Pump Station	ND	---	---	---	---	ND
Loc21	Moon TWP	0.13	---	---	---	---	C
Loc22	North Fayette TWP	0.00	---	---	---	---	MSTT
Loc23	Clinton Munic Bldg	0.00	---	---	---	---	MSTT
Loc24	Jefferson Hills	0.02	---	---	---	---	MSTT
Loc25	White Oak Public Works Bldg	ND	---	---	---	---	ND
Loc27	Marshall TWP	ND	---	---	---	---	ND
Loc29	Bell Acres Munic Bldg	0.00	---	---	---	---	MSTT
Loc30	McCandless Twn Hall	ND	---	---	---	---	ND
Loc31	Hampton Municipal Bldg	0.00	---	---	---	---	MSTT




Figure 4. Scatter Plot of RG Pairs for Event 1a




Figure 5. Scatter Plot of RG Pairs for Event 1b




Figure 6. Scatter Plot of RG Pairs for Event 1c




Figure 7. Scatter Plot of RG Pairs for Event 1d




Figure 8. Scatter Plot of RG Pairs for Event 1e




Figure 9. Scatter Plot of RG Pairs for Event 1f




Figure 10. GARR Storm Total for Event 1

Table 12. Depth Duration Frequency Analyses for Event 1

Duration	Depth (in)	Pixel	Time (EDT)	Frequency
15 minutes	1.317	150138	2019-09-02 00:45	50 yr.
30 minutes	1.434	133135	2019-09-01 22:10	10 yr.
1 hour	1.734	133135	2019-09-01 22:40	10 yr.
2 hour	2.789	150125	2019-09-01 23:45	50 yr.
3 hour	3.469	150125	2019-09-02 00:40	100 yr.
6 hour	4.046	150125	2019-09-02 02:40	100 yr.
12 hour	4.046	150125	2019-09-02 04:00	50 yr.

Event 2: 2019-09-30

The analysis period was from 2019-09-29 21:00 EDT to 2019-09-30 15:00 EDT. The event was then split into four sub-event periods at 2019-09-30 05:20 EDT, 2019-09-30 06:35 EDT and 2019-09-30 08:00 EDT to improve gauge adjustment of the radar.

The gauges listed in [Appendix A](#) were not used to adjust the radar due to inconsistencies between the gauge and the radar or surrounding gauges, or they did not have data available for this event.

The gauges listed in [Appendix B](#) were not used to adjust the radar since they did not meet statistical criteria for gauge-adjustment.

A convective Z-R relationship was used to convert radar reflectivity to rainfall rates. Table 13 shows the mean bias and average depth of the event along with the AD and CAD, respectively. Tables 14 - 17 summarize the results for each RG pair used for final radar adjustment, where G_i is the gauge estimate, R_i is the non-adjusted radar estimate, R_i^* is the GARR estimate, and Diff^* (%) is the percent difference between the gauge and GARR estimate. Those gauges not used to adjust the radar are shown at the bottom of the table and are highlighted in red. The specific reason for gauge exclusion is displayed in the Flag column. Figures 11 - 14 show the scatter plots of the gauge-adjusted RG pairs. Those gauges not used to adjust the radar are shown in red. Figure 15 depicts the GARR storm total over the 1-km² pixels. The GARR amounts for the 2313 1-km² pixels range from 0.4 - 1.7 inches with a mean of 0.9 inches. The GARR amounts for the 440 RFM basins range from 0.6 - 1.2 inches with a mean of 0.8 inches. The GARR amounts for the 871 RFM sheds range from 0.6 - 1.3 inches with a mean of 0.9 inches. Table 18 shows the Depth Duration Frequency (DDF) maximum values for the 1-km² pixels.

Table 13. GARR Statistics for Event 2

Event #	Radar	Event Date	Start Time (EDT)	End Time (EDT)	Gauges Used (37)	Avg. Depth (in)	Bias	AD (%)	CAD (%)
E2a	KPBZ LII	2019-09-30	2019-09-29 21:05	2019-09-30 05:20	19	0.064	0.870	21.7	2.1
E2b	KPBZ LII	2019-09-30	2019-09-30 05:25	2019-09-30 06:35	30	0.325	1.448	29.7	1.5
E2c	KPBZ LII	2019-09-30	2019-09-30 06:40	2019-09-30 08:00	35	0.404	1.478	30.4	1.5
E2d	KPBZ LII	2019-09-30	2019-09-30 08:05	2019-09-30 15:00	29	0.068	0.730	37.9	2.7

Table 14. Summary of Individual RG Pairs for Event 2a

Gauge ID	Name	G_i (in)	R_i (in)	R_i^* (in)	Diff^* (in)	Diff^* (%)	Flag
KPIT	Greater Pittsburgh Int'l	0.08	0.13	0.08	0.00	0.0	
Loc01	PWSA-Montana St.	0.06	0.08	0.06	0.00	0.0	
Loc02	ALCOSAN WWTP Lab	0.05	0.08	0.05	0.00	0.0	
Loc03	Shaler Munic Bldg	0.07	0.08	0.07	0.00	0.0	
Loc04	Kennedy Twp PS	0.07	0.09	0.07	0.00	0.0	
Loc06	Carnegie Transit Time	0.07	0.06	0.07	0.00	0.0	
Loc07	Greentree Munic Bldg	0.06	0.07	0.06	0.00	0.0	
Loc08	AC Health Dept Bldg	0.05	0.06	0.05	0.00	0.0	
Loc10	PWSA-Highland Park	0.05	0.06	0.05	0.00	0.0	

Gauge ID	Name	G_i (in)	R_i (in)	R_i* (in)	Diff* (in)	Diff* (%)	Flag
Loc17	Chartiers Pump Station	0.06	0.05	0.06	0.00	0.0	
Loc18	Oakdale Pump Station	0.11	0.09	0.11	0.00	0.0	
Loc21	Moon TWP	0.11	0.15	0.11	0.00	0.0	
Loc22	North Fayette TWP	0.09	0.10	0.09	0.00	0.0	
Loc23	Clinton Munic Bldg	0.15	0.15	0.15	0.00	0.0	
Loc27	Marshall TWP	0.18	0.18	0.18	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.08	0.12	0.08	0.00	0.0	
Loc30	McCandless Twn Hall	0.15	0.18	0.15	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.08	0.08	0.08	0.00	0.0	
Loc33	Richland TWP	0.11	0.13	0.11	0.00	0.0	
03049500	Allegheny River at Natrona	0.00	---	---	---	---	U
03085734	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.04	---	---	---	---	U
KAGC	Pittsburgh Allegheny Cty	0.01	---	---	---	---	MSTT
Loc05	Upper St. Clair	0.01	---	---	---	---	MSTT
Loc09	Univ of Pittsburgh	0.04	---	---	---	---	MSTT
Loc11	M-46 Access Shaft	0.04	---	---	---	---	MSTT
Loc12	Baldwin	0.03	---	---	---	---	MSTT
Loc13	M-59 Access Shaft	0.01	---	---	---	---	MSTT
Loc14	Churchill Munic Bldg	0.02	---	---	---	---	MSTT
Loc15	Trafford Maint Bldg	0.01	---	---	---	---	MSTT
Loc16	Castle Shannon	0.02	---	---	---	---	MSTT
Loc19	Sandy Creek Eq Facility	0.03	---	---	---	---	MSTT
Loc20	Gascola Eq Facility	0.02	---	---	---	---	MSTT
Loc24	Jefferson Hills	0.01	---	---	---	---	MSTT
Loc25	White Oak Public Works Bldg	0.00	---	---	---	---	MSTT
Loc26	Elizabeth TWP Municipal Bldg	0.00	---	---	---	---	MSTT
Loc28	Plum Municipal Bldg	0.01	---	---	---	---	MSTT
Loc32	Arnold	0.04	---	---	---	---	MSTT

Table 15. Summary of Individual RG Pairs for Event 2b

Gauge ID	Name	G_i (in)	R_i (in)	R_i* (in)	Diff* (in)	Diff* (%)	Flag
KAGC	Pittsburgh Allegheny Cty	0.16	0.13	0.17	-0.01	-6.3	
Loc17	Chartiers Pump Station	0.22	0.20	0.23	-0.01	-4.5	
Loc22	North Fayette TWP	0.33	0.27	0.34	-0.01	-3.0	
Loc08	AC Health Dept Bldg	0.35	0.26	0.36	-0.01	-2.9	
Loc07	Greentree Munic Bldg	0.40	0.31	0.41	-0.01	-2.5	
Loc11	M-46 Access Shaft	0.46	0.38	0.47	-0.01	-2.2	
Loc02	ALCOSAN WWTP Lab	0.58	0.39	0.58	0.00	0.0	
Loc04	Kennedy Twp PS	0.84	0.59	0.84	0.00	0.0	
Loc09	Univ of Pittsburgh	0.77	0.58	0.77	0.00	0.0	
Loc10	PWSA-Highland Park	0.35	0.25	0.35	0.00	0.0	
Loc13	M-59 Access Shaft	0.39	0.31	0.39	0.00	0.0	
Loc15	Trafford Maint Bldg	0.14	0.10	0.14	0.00	0.0	
Loc16	Castle Shannon	0.09	0.06	0.09	0.00	0.0	
Loc20	Gascola Eq Facility	0.32	0.23	0.32	0.00	0.0	
Loc21	Moon TWP	0.79	0.47	0.79	0.00	0.0	
Loc23	Clinton Munic Bldg	0.90	0.58	0.90	0.00	0.0	
Loc24	Jefferson Hills	0.08	0.06	0.08	0.00	0.0	
Loc25	White Oak Public Works Bldg	0.16	0.13	0.16	0.00	0.0	
Loc27	Marshall TWP	0.71	0.50	0.71	0.00	0.0	
Loc28	Plum Municipal Bldg	0.19	0.14	0.19	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.18	0.10	0.18	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.67	0.44	0.67	0.00	0.0	
Loc32	Arnold	0.20	0.11	0.20	0.00	0.0	
Loc33	Richland TWP	0.49	0.27	0.49	0.00	0.0	
Loc01	PWSA-Montana St.	0.66	0.42	0.65	0.01	1.5	
Loc03	Shaler Munic Bldg	0.58	0.37	0.57	0.01	1.7	
Loc19	Sandy Creek Eq Facility	0.38	0.23	0.37	0.01	2.6	
Loc12	Baldwin	0.26	0.17	0.25	0.01	3.8	
Loc06	Carnegie Transit Time	0.23	0.16	0.22	0.01	4.3	
Loc18	Oakdale Pump Station	0.43	0.29	0.41	0.02	4.7	
03049500	Allegheny River at Natrona	0.07	---	---	---	---	U
03085734	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.64	---	---	---	---	U
KPIT	Greater Pittsburgh Int'l	0.65	---	---	---	---	U
Loc05	Upper St. Clair	0.17	---	---	---	---	U
Loc14	Churchill Munic Bldg	0.39	---	---	---	---	O

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc26	Elizabeth TWP Municipal Bldg	0.05	---	---	---	---	OMFB
Loc30	McCandless Twn Hall	0.68	---	---	---	---	O

Table 16. Summary of Individual RG Pairs for Event 2c

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc01	PWSA-Montana St.	0.22	0.18	0.23	-0.01	-4.5	
Loc17	Chartiers Pump Station	0.47	0.34	0.49	-0.02	-4.3	
Loc22	North Fayette TWP	0.35	0.27	0.36	-0.01	-2.9	
Loc19	Sandy Creek Eq Facility	0.41	0.32	0.42	-0.01	-2.4	
Loc30	McCandless Twn Hall	0.41	0.29	0.42	-0.01	-2.4	
Loc12	Baldwin	0.43	0.30	0.44	-0.01	-2.3	
Loc07	Greentree Munic Bldg	0.59	0.41	0.60	-0.01	-1.7	
03085734	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.19	0.13	0.19	0.00	0.0	
Loc03	Shaler Munic Bldg	0.35	0.27	0.35	0.00	0.0	
Loc04	Kennedy Twp PS	0.15	0.11	0.15	0.00	0.0	
Loc08	AC Health Dept Bldg	0.27	0.20	0.27	0.00	0.0	
Loc10	PWSA-Highland Park	0.34	0.25	0.34	0.00	0.0	
Loc11	M-46 Access Shaft	0.34	0.23	0.34	0.00	0.0	
Loc13	M-59 Access Shaft	0.28	0.19	0.28	0.00	0.0	
Loc15	Trafford Maint Bldg	0.48	0.30	0.48	0.00	0.0	
Loc16	Castle Shannon	0.60	0.41	0.60	0.00	0.0	
Loc20	Gascola Eq Facility	0.32	0.25	0.32	0.00	0.0	
Loc21	Moon TWP	0.23	0.17	0.23	0.00	0.0	
Loc23	Clinton Munic Bldg	0.17	0.14	0.17	0.00	0.0	
Loc24	Jefferson Hills	0.78	0.45	0.78	0.00	0.0	
Loc25	White Oak Public Works Bldg	0.40	0.22	0.40	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.84	0.44	0.84	0.00	0.0	
Loc28	Plum Municipal Bldg	0.78	0.61	0.78	0.00	0.0	
Loc29	Bell Acres Munic Bldg	0.18	0.15	0.18	0.00	0.0	
Loc31	Hampton Municipal Bldg	0.42	0.33	0.42	0.00	0.0	
Loc32	Arnold	0.25	0.17	0.25	0.00	0.0	
Loc33	Richland TWP	0.59	0.32	0.59	0.00	0.0	
Loc18	Oakdale Pump Station	0.52	0.35	0.51	0.01	1.9	

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc27	Marshall TWP	0.49	0.28	0.48	0.01	2.0	
Loc14	Churchill Munic Bldg	0.40	0.28	0.39	0.01	2.5	
Loc09	Univ of Pittsburgh	0.38	0.27	0.37	0.01	2.6	
03049500	Allegheny River at Natrona	0.32	0.19	0.31	0.01	3.1	
KAGC	Pittsburgh Allegheny Cty	0.51	0.30	0.49	0.02	3.9	
Loc06	Carnegie Transit Time	0.48	0.29	0.46	0.02	4.2	
Loc02	ALCOSAN WWTP Lab	0.20	0.14	0.19	0.01	5.0	
KPIT	Greater Pittsburgh Int'l	0.51	---	---	---	---	O
Loc05	Upper St. Clair	0.58	---	---	---	---	U

Table 17. Summary of Individual RG Pairs for Event 2d

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc01	PWSA-Montana St.	0.06	0.10	0.07	-0.01	-16.7	
Loc05	Upper St. Clair	0.10	0.16	0.11	-0.01	-10.0	
03085734	Ohio River at Emsworth Dam Lower Pool at Emsworth	0.08	0.11	0.08	0.00	0.0	
KAGC	Pittsburgh Allegheny Cty	0.11	0.16	0.11	0.00	0.0	
KPIT	Greater Pittsburgh Int'l	0.11	0.13	0.11	0.00	0.0	
Loc03	Shaler Munic Bldg	0.05	0.05	0.05	0.00	0.0	
Loc04	Kennedy Twp PS	0.09	0.14	0.09	0.00	0.0	
Loc06	Carnegie Transit Time	0.11	0.15	0.11	0.00	0.0	
Loc07	Greentree Munic Bldg	0.12	0.18	0.12	0.00	0.0	
Loc08	AC Health Dept Bldg	0.08	0.11	0.08	0.00	0.0	
Loc09	Univ of Pittsburgh	0.10	0.13	0.10	0.00	0.0	
Loc10	PWSA-Highland Park	0.07	0.09	0.07	0.00	0.0	
Loc11	M-46 Access Shaft	0.08	0.12	0.08	0.00	0.0	
Loc12	Baldwin	0.11	0.16	0.11	0.00	0.0	
Loc13	M-59 Access Shaft	0.07	0.12	0.07	0.00	0.0	
Loc14	Churchill Munic Bldg	0.07	0.10	0.07	0.00	0.0	
Loc15	Trafford Maint Bldg	0.09	0.11	0.09	0.00	0.0	
Loc16	Castle Shannon	0.09	0.14	0.09	0.00	0.0	
Loc18	Oakdale Pump Station	0.10	0.13	0.10	0.00	0.0	
Loc19	Sandy Creek Eq Facility	0.06	0.08	0.06	0.00	0.0	
Loc20	Gascola Eq Facility	0.06	0.08	0.06	0.00	0.0	

Gauge ID	Name	G _i (in)	R _i (in)	R _i * (in)	Diff* (in)	Diff* (%)	Flag
Loc21	Moon TWP	0.09	0.13	0.09	0.00	0.0	
Loc22	North Fayette TWP	0.09	0.13	0.09	0.00	0.0	
Loc23	Clinton Munic Bldg	0.11	0.13	0.11	0.00	0.0	
Loc24	Jefferson Hills	0.10	0.12	0.10	0.00	0.0	
Loc25	White Oak Public Works Bldg	0.08	0.13	0.08	0.00	0.0	
Loc26	Elizabeth TWP Municipal Bldg	0.12	0.13	0.12	0.00	0.0	
Loc17	Chartiers Pump Station	0.12	0.14	0.11	0.01	8.3	
Loc02	ALCOSAN WWTP Lab	0.10	0.13	0.09	0.01	10.0	
03049500	Allegheny River at Natrona	0.04	---	---	---	---	MSTT
Loc27	Marshall TWP	0.02	---	---	---	---	MSTT
Loc28	Plum Municipal Bldg	0.03	---	---	---	---	MSTT
Loc29	Bell Acres Munic Bldg	0.04	---	---	---	---	MSTT
Loc30	McCandless Twn Hall	0.03	---	---	---	---	MSTT
Loc31	Hampton Municipal Bldg	0.03	---	---	---	---	MSTT
Loc32	Arnold	0.01	---	---	---	---	MSTT
Loc33	Richland TWP	0.01	---	---	---	---	MSTT




Figure 11. Scatter Plot of RG Pairs for Event 2a




Figure 12. Scatter Plot of RG Pairs for Event 2b




Figure 13. Scatter Plot of RG Pairs for Event 2c




Figure 14. Scatter Plot of RG Pairs for Event 2d




Figure 15. GARR Storm Total for Event 2

Table 18. Depth Duration Frequency Analyses for Event 2

Duration	Depth (in)	Pixel	Time (EDT)	Frequency
15 minutes	0.597	122132	2019-09-30 06:05	<1 yr.
30 minutes	0.839	119129	2019-09-30 06:00	1 yr.
1 hour	1.177	119129	2019-09-30 06:25	1 yr.
2 hour	1.332	119129	2019-09-30 06:30	1 yr.
3 hour	1.464	119129	2019-09-30 07:20	2 yr.
6 hour	1.633	119129	2019-09-30 08:50	1 yr.
12 hour	1.664	119129	2019-09-30 10:25	<1 yr.

Appendices

[Appendix A](#) - Gauge Performance Exclusion Table
[Appendix B](#) - Gauge Statistical Criteria Exclusion Table
[Appendix C](#) - Event 1 (2019-09-02) CDPs
[Appendix D](#) - Event 2 (2019-09-30) CDPs

Appendix A - Gauge Performance Exclusion Table

Reason	Explanation
Clog (C)	Gauge appeared to be clogged
Zero (Z)	Gauge did not report any rainfall while radar rainfall estimates reported significant rainfall
Stop (S)	Gauge appeared to stop reporting rainfall while radar rainfall estimates reported significant rainfall
Over (O)	Gauge appeared to significantly over-report rainfall as compared to radar rainfall estimates and surrounding gauges (e.g. anomalously high rainfall values caused by field calibration, data transmission error, or switch malfunctions)
Under (U)	Gauge appeared to significantly under-report as compared to radar rainfall estimates and surrounding Gauges (e.g. half-tipper)
Sync (SY)	Gauge appeared to be reporting out-of-sync with the radar rainfall estimates
Frozen/Melt (F/M)	Gauge not reporting properly due to frozen or melting precipitation
Other (T)	Combination of multiple reasons
No Data (ND)	Gauge reported "no data" for a significant amount of time

Event #	E1a	E1b	E1c	E1d	E1e
Event Date	2019-09-02	2019-09-02	2019-09-02	2019-09-02	2019-09-02
Start Time (EDT)	2019-09-01 16:05	2019-09-01 23:05	2019-09-01 23:45	2019-09-02 00:35	2019-09-02 01:20
End Time (EDT)	2019-09-01 23:00	2019-09-01 23:40	2019-09-02 00:30	2019-09-02 01:15	2019-09-02 02:45
Loc01	ND	ND	ND	ND	ND
Loc02	O				
Loc03					
Loc04	ND	ND	ND	ND	ND
Loc05	U		U	U	U
Loc06					
Loc07					
Loc08		O			
Loc09	U				
Loc10					
Loc11					
Loc12					
Loc13			U	U	U
Loc14					
Loc15					
Loc16					
Loc17					
Loc18	ND	ND	ND	ND	ND
Loc19	S	O			
Loc20					
Loc21	C	C	C	C	C
Loc22					
Loc23					
Loc24			U		
Loc25	ND	ND	ND	ND	ND

Event #	<u>E1a</u>	<u>E1b</u>	<u>E1c</u>	<u>E1d</u>	<u>E1e</u>
Event Date	2019-09-02	2019-09-02	2019-09-02	2019-09-02	2019-09-02
Start Time (EDT)	2019-09-01 16:05	2019-09-01 23:05	2019-09-01 23:45	2019-09-02 00:35	2019-09-02 01:20
End Time (EDT)	2019-09-01 23:00	2019-09-01 23:40	2019-09-02 00:30	2019-09-02 01:15	2019-09-02 02:45
Loc26					
Loc27	ND	ND	ND	ND	ND
Loc28					
Loc29	ND	Z	S	Z	S
Loc30	ND	ND	ND	ND	ND
Loc31					
Loc32					
Loc33					
KAGC			O	U	
KPIT			U	O	
03049500				U	
03085734					

Event #	E1f	E2a	E2b	E2c	E2d
Event Date	2019-09-02	2019-09-30	2019-09-30	2019-09-30	2019-09-30
Start Time (EDT)	2019-09-02 02:50	2019-09-29 21:05	2019-09-30 05:25	2019-09-30 06:40	2019-09-30 08:05
End Time (EDT)	2019-09-02 07:00	2019-09-30 05:20	2019-09-30 06:35	2019-09-30 08:00	2019-09-30 15:00
Loc01	ND				
Loc02					
Loc03					
Loc04	ND				
Loc05	U		U	U	
Loc06					
Loc07					
Loc08					
Loc09					
Loc10					
Loc11					
Loc12					
Loc13					
Loc14			O		
Loc15					
Loc16					
Loc17					
Loc18	ND				
Loc19					
Loc20					
Loc21	C				
Loc22					
Loc23					

Event #	<u>E1f</u>	<u>E2a</u>	<u>E2b</u>	<u>E2c</u>	<u>E2d</u>
Event Date	2019-09-02	2019-09-30	2019-09-30	2019-09-30	2019-09-30
Start Time (EDT)	2019-09-02 02:50	2019-09-29 21:05	2019-09-30 05:25	2019-09-30 06:40	2019-09-30 08:05
End Time (EDT)	2019-09-02 07:00	2019-09-30 05:20	2019-09-30 06:35	2019-09-30 08:00	2019-09-30 15:00
Loc24					
Loc25	ND				
Loc26					
Loc27	ND				
Loc28					
Loc29					
Loc30	ND		O		
Loc31					
Loc32					
Loc33					
KAGC					
KPIT			U	O	
03049500		U	U		
03085734		U	U		

Appendix B - Gauge Statistical Criteria Exclusion Table

Reason	Explanation
Minimum Storm Total Threshold (MSTT)	The radar or gauge cumulative sum during the event or sub-event period was less than MSTT
Outlier Based on Mean Field Bias (OMFB)	The RG pair bias (G/R) was greater than three standard deviations from the mean bias (e.g. $G \gg R$)
Outlier Based on Average Difference (OAD)	The RG pair average difference ($(G-R)/G$) was greater than three standard deviations from the mean average difference (e.g. $G \ll R$)

Event #	E1a	E1b	E1c	E1d	E1e
Event Date	2019-09-02	2019-09-02	2019-09-02	2019-09-02	2019-09-02
Start Time (EDT)	2019-09-01 16:05	2019-09-01 23:05	2019-09-01 23:45	2019-09-02 00:35	2019-09-02 01:20
End Time (EDT)	2019-09-01 23:00	2019-09-01 23:40	2019-09-02 00:30	2019-09-02 01:15	2019-09-02 02:45
Source	KPBZ LII	KPBZ LII	KPBZ LII	KPBZ LII	KPBZ LII
Loc01					
Loc02					
Loc03					
Loc04					
Loc05		MSTT			
Loc06		MSTT			
Loc07		MSTT			
Loc08					
Loc09					
Loc10					
Loc11					
Loc12		MSTT	OAD		
Loc13		MSTT			
Loc14					
Loc15	MSTT	MSTT	MSTT		
Loc16		MSTT			
Loc17		MSTT			
Loc18					
Loc19					
Loc20					
Loc21					
Loc22					
Loc23				MSTT	
Loc24	MSTT	MSTT			


Event #	<u>E1a</u>	<u>E1b</u>	<u>E1c</u>	<u>E1d</u>	<u>E1e</u>
Event Date	2019-09-02	2019-09-02	2019-09-02	2019-09-02	2019-09-02
Start Time (EDT)	2019-09-01 16:05	2019-09-01 23:05	2019-09-01 23:45	2019-09-02 00:35	2019-09-02 01:20
End Time (EDT)	2019-09-01 23:00	2019-09-01 23:40	2019-09-02 00:30	2019-09-02 01:15	2019-09-02 02:45
Source	KPBZ LII	KPBZ LII	KPBZ LII	KPBZ LII	KPBZ LII
Loc25					
Loc26	MSTT	MSTT	MSTT		
Loc27					
Loc28					
Loc29					
Loc30					
Loc31					
Loc32					
Loc33				MSTT	
KAGC		MSTT			
KPIT					
03049500					
03085734					

Event #	<u>E1f</u>	<u>E2a</u>	<u>E2b</u>	<u>E2c</u>	<u>E2d</u>
Event Date	2019-09-02	2019-09-30	2019-09-30	2019-09-30	2019-09-30
Start Time (EDT)	2019-09-02 02:50	2019-09-29 21:05	2019-09-30 05:25	2019-09-30 06:40	2019-09-30 08:05
End Time (EDT)	2019-09-02 07:00	2019-09-30 05:20	2019-09-30 06:35	2019-09-30 08:00	2019-09-30 15:00
Source	KPBZ LII	KPBZ LII	KPBZ LII	KPBZ LII	KPBZ LII
Loc01					
Loc02	MSTT				
Loc03					
Loc04					
Loc05		MSTT			
Loc06	MSTT				
Loc07					
Loc08					
Loc09		MSTT			
Loc10					
Loc11		MSTT			
Loc12		MSTT			
Loc13		MSTT			
Loc14		MSTT			
Loc15		MSTT			
Loc16		MSTT			
Loc17					
Loc18					
Loc19		MSTT			
Loc20		MSTT			
Loc21					
Loc22	MSTT				


Event #	E1f	E2a	E2b	E2c	E2d
Event Date	2019-09-02	2019-09-30	2019-09-30	2019-09-30	2019-09-30
Start Time (EDT)	2019-09-02 02:50	2019-09-29 21:05	2019-09-30 05:25	2019-09-30 06:40	2019-09-30 08:05
End Time (EDT)	2019-09-02 07:00	2019-09-30 05:20	2019-09-30 06:35	2019-09-30 08:00	2019-09-30 15:00
Source	KPBZ LII	KPBZ LII	KPBZ LII	KPBZ LII	KPBZ LII
Loc23	MSTT				
Loc24	MSTT	MSTT			
Loc25		MSTT			
Loc26		MSTT	OMFB		
Loc27					MSTT
Loc28		MSTT			MSTT
Loc29	MSTT				MSTT
Loc30					MSTT
Loc31	MSTT				MSTT
Loc32		MSTT			MSTT
Loc33					MSTT
KAGC	MSTT	MSTT			
KPIT	MSTT				
03049500					MSTT
03085734	MSTT				

Appendix C - Event 1 (2019-09-02) CDPs


Cumulative Distribution Plot - PWSA-Montana St. (Loc01)




Cumulative Distribution Plot - ALCOSAN WWTP Lab (Loc02)




Cumulative Distribution Plot - Shaler Munic Bldg (Loc03)




Cumulative Distribution Plot - Kennedy Twp PS (Loc04)




Cumulative Distribution Plot - Upper St. Clair (Loc05)




Cumulative Distribution Plot - Carnegie Transit Time (Loc06)




Cumulative Distribution Plot - Greentree Munic Bldg (Loc07)




Cumulative Distribution Plot - AC Health Dept Bldg (Loc08)




Cumulative Distribution Plot - Univ of Pittsburgh (Loc09)




Cumulative Distribution Plot - PWSA-Highland Park (Loc10)




Cumulative Distribution Plot - M-46 Access Shaft (Loc11)




Cumulative Distribution Plot - Baldwin (Loc12)




Cumulative Distribution Plot - M-59 Access Shaft (Loc13)




Cumulative Distribution Plot - Churchill Munic Bldg (Loc14)




Cumulative Distribution Plot - Trafford Maint Bldg (Loc15)




Cumulative Distribution Plot - Castle Shannon (Loc16)




Cumulative Distribution Plot - Chartiers Pump Station (Loc17)




Cumulative Distribution Plot - Oakdale Pump Station (Loc18)




Cumulative Distribution Plot - Sandy Creek Eq Facility (Loc19)




Cumulative Distribution Plot - Gascola Eq Facility (Loc20)




Cumulative Distribution Plot - Moon TWP (Loc21)




Cumulative Distribution Plot - North Fayette TWP (Loc22)




Cumulative Distribution Plot - Clinton Munic Bldg (Loc23)




Cumulative Distribution Plot - Jefferson Hills (Loc24)




Cumulative Distribution Plot - White Oak Public Works Bldg (Loc25)




Cumulative Distribution Plot - Elizabeth TWP Municipal Bldg (Loc26)




Cumulative Distribution Plot - Marshall TWP (Loc27)




Cumulative Distribution Plot - Plum Municipal Bldg (Loc28)




Cumulative Distribution Plot - Bell Acres Munic Bldg (Loc29)




Cumulative Distribution Plot - McCandless Twn Hall (Loc30)




Cumulative Distribution Plot - Hampton Municipal Bldg (Loc31)




Cumulative Distribution Plot - Arnold (Loc32)




Cumulative Distribution Plot - Richland TWP (Loc33)




Cumulative Distribution Plot - Pittsburgh Allegheny Cty (KAGC)




Cumulative Distribution Plot - Greater Pittsburgh Int'l (KPIT)



Cumulative Distribution Plot - Allegheny River at Natrona (03049500)




**Cumulative Distribution Plot - Ohio River at Emsworth Dam Lower Pool at Emsworth
(03085734)**




Appendix D - Event 2 (2019-09-30) CDPs


Cumulative Distribution Plot - PWSA-Montana St. (Loc01)




Cumulative Distribution Plot - ALCOSAN WWTP Lab (Loc02)




Cumulative Distribution Plot - Shaler Munic Bldg (Loc03)




Cumulative Distribution Plot - Kennedy Twp PS (Loc04)




Cumulative Distribution Plot - Upper St. Clair (Loc05)




Cumulative Distribution Plot - Carnegie Transit Time (Loc06)




Cumulative Distribution Plot - Greentree Munic Bldg (Loc07)




Cumulative Distribution Plot - AC Health Dept Bldg (Loc08)




Cumulative Distribution Plot - Univ of Pittsburgh (Loc09)




Cumulative Distribution Plot - PWSA-Highland Park (Loc10)




Cumulative Distribution Plot - M-46 Access Shaft (Loc11)




Cumulative Distribution Plot - Baldwin (Loc12)




Cumulative Distribution Plot - M-59 Access Shaft (Loc13)




Cumulative Distribution Plot - Churchill Munic Bldg (Loc14)




Cumulative Distribution Plot - Trafford Maint Bldg (Loc15)




Cumulative Distribution Plot - Castle Shannon (Loc16)




Cumulative Distribution Plot - Chartiers Pump Station (Loc17)




Cumulative Distribution Plot - Oakdale Pump Station (Loc18)




Cumulative Distribution Plot - Sandy Creek Eq Facility (Loc19)




Cumulative Distribution Plot - Gascola Eq Facility (Loc20)




Cumulative Distribution Plot - Moon TWP (Loc21)




Cumulative Distribution Plot - North Fayette TWP (Loc22)




Cumulative Distribution Plot - Clinton Munic Bldg (Loc23)




Cumulative Distribution Plot - Jefferson Hills (Loc24)




Cumulative Distribution Plot - White Oak Public Works Bldg (Loc25)




Cumulative Distribution Plot - Elizabeth TWP Municipal Bldg (Loc26)




Cumulative Distribution Plot - Marshall TWP (Loc27)




Cumulative Distribution Plot - Plum Municipal Bldg (Loc28)




Cumulative Distribution Plot - Bell Acres Munic Bldg (Loc29)




Cumulative Distribution Plot - McCandless Twn Hall (Loc30)




Cumulative Distribution Plot - Hampton Municipal Bldg (Loc31)




Cumulative Distribution Plot - Arnold (Loc32)




Cumulative Distribution Plot - Richland TWP (Loc33)




Cumulative Distribution Plot - Pittsburgh Allegheny Cty (KAGC)



Cumulative Distribution Plot - Greater Pittsburgh Int'l (KPIT)



Cumulative Distribution Plot - Allegheny River at Natrona (03049500)



**Cumulative Distribution Plot - Ohio River at Emsworth Dam Lower Pool at Emsworth
(03085734)**

